

Contents

1	Introduction and Paleogeographic Context, Previous Work, High-Resolution Scale, Magnetostratigraphic Perspective, Radiometric Scenario, Igneous Activities, Anoxic Events and Eustatic Fluctuations	1
1.1	Introduction and Paleogeographic Context	1
1.2	Rationale of the Study	5
1.3	Previous Work	8
1.4	Development of a Scale	15
1.5	Magnetostratigraphic Perspective	15
1.6	Radiometric Scenario	21
1.7	Igneous Activities	21
1.8	Oceanic Anoxic Events	22
1.9	Eustatic Fluctuations	22
	References	23
2	Mesozoic Stratigraphic Framework in India with Focus on the Jurassic Geological Record in the Kachchh Basin	27
2.1	Origin of the Kachchh Basin	27
2.1.1	Reactivation of the Precambrian Weak Zones	28
2.1.2	Infra-rift Sagging	29
2.1.3	Intra-Triassic Rift Initiation	29
2.1.4	Early Non-marine Phase Prior to the Neotethyan Transgression	29
2.2	Salient Features in Brief Prior to the Mesozoic	30
2.2.1	Intra-Devonian Origin of the Paleotethys	30
2.2.2	Major, Widespread Gaps in India and Neighbourhood Prior as also During the Late Permian–Early Paleogene Mega-Sequence	30
2.2.3	Widespread Basal Permian Extensional Tectonics, and Glaciation, Followed up Further by Major Transgressive Event	32

2.2.4	Intra-Permian Origin of the Neotethys.	32
2.2.5	Wide Spread Early/Late Permian Change in Inland Non-marine Gondwana Basins at the Start of the Mega-Sequence.	33
2.2.6	Early/Late Permian Change in Marine Basins	34
2.3	Triassic.	36
2.3.1	Triassic System—International and National Status.	36
2.3.2	Development of Triassic in India	36
2.3.3	Triassic Succession in Spiti.	36
2.3.4	Intra-Triassic Interstage Boundaries.	37
2.3.5	Paleogeographic Framework at the Start of the Triassic Contextual to Kachchh.	49
2.3.6	Suspected Presence of the Late Triassic in the Non-marine Nirona Formation as Encountered in Nirona and Banni Wells of Kachchh.	50
2.3.7	Broad Stratigraphic Correlation of the Non-marine Nirona Formation to Non-marine Gondwana Units as also to Spiti Marine Units.	50
2.3.8	Marine Triassic in Neighbourhood	50
2.4	Biostratigraphic Zonation in the Triassic	51
2.4.1	Ammonoid Zones in the Spiti Triassic	51
2.4.2	Conodont Zones in the Triassic of Spiti	51
2.4.3	Palynozones in the Non-marine Triassic	51
2.5	Salient Mid-Triassic Features	52
2.5.1	Biotic and Abiotic Changes Across the Mid-Triassic Anisian/Ladinian Boundary in Spiti.	52
2.5.2	Mid-Triassic Unconformity and Associated Changes in Inland Gondwana Non-marine Basins as also in East and West Sector Coastal Basins	52
2.5.3	Intra-Triassic Localized Rifting/Igneous Event in India	53
2.5.4	Triassic Palyno-Record in the West Sector	53
2.6	Jurassic.	53
2.6.1	Jurassic System—International and National Status.	53
2.6.2	Development in the Indian Subcontinent.	54
2.6.3	Outline of the Ammonoid Biogeographic Framework	54
2.6.4	Marine Jurassic in Jaisalmer	57
2.6.5	Marine Jurassic in High Himalaya with Focus in Spiti	57
2.6.6	Brief Summary of the Marine Jurassic in the Neighbouring Pakistan.	58
2.7	Jurassic in Kachchh	66
2.7.1	Initiation of the Marine Transgression in Kachchh	66
2.7.2	Improbability of the Transgression in Early Pliensbachian During the Terminal Phase of Eustatic Fall	66

2.7.3	Oldest Jurassic Ammonoid Evidence.	68
2.7.4	Oldest Jurassic Nannoplankton Evidence.	68
2.7.5	Regional Evidence of the Early Toarcian Marine Transgression	68
2.7.6	Jurassic Stratigraphic Record of Kachchh and Neighbourhood	69
2.7.7	Lithostratigraphic Framework in the Jurassic of the Kachchh Basin	69
2.7.8	Adoption of the Member Units of Biswas and Others.	72
2.7.9	Fundamentals of Stratigraphic Refinement and Ammonoid Zonation	76
2.7.10	Lithostratigraphic Differentiation and Guide Fossil Collection in the Field Followed by Systematic, Bio- and Chrono-Stratigraphy in the Laboratory	76
2.8	Ammonoid Stratigraphic Refinement in Kachchh—Principal Results at a Glance.	79
2.8.1	Hettangian–Pliensbachian Record (Non-marine)	80
2.8.2	Toarcian–Aalenian Record (Largely Marine, yet Ammonoid Devoid).	80
2.8.3	Bajocian	81
2.8.4	Bathonian	84
2.8.5	Callovia	90
2.8.6	Oxfordian	100
2.8.7	Kimmeridgian	110
2.8.8	Tithonian.	120
2.8.9	Intra-Jurassic Interstage Boundaries.	128
2.9	Cretaceous	130
2.9.1	International Status	130
2.9.2	Development in India	130
2.9.3	On the Local/Regional Stages in the Indian Cretaceous.	130
2.9.4	Integrated Indian Cretaceous Ammonoid Zonal Succession.	131
2.9.5	Exposed Cretaceous record in Kachchh and Jaisalmer . . .	132
2.9.6	Subsurface and Offshore Record	134
2.9.7	Early Vis-à-Vis Late Cretaceous in Kachchh.	134
2.9.8	Interstage Cretaceous Boundaries	134
	References.	138
3	Outcrop-Based Sequence Stratigraphic Studies on GTM with Focus on the Kachchh Mesozoic	145
3.1	Sequence Stratigraphic Studies	145
3.1.1	Brief History of Sequence Stratigraphic Studies	145
3.1.2	Sequence Stratigraphic Studies on GTM.	146
3.1.3	Update on Sequence Stratigraphic Studies by the Author	147

3.2	Elements of the Depositional Sequences.	147
3.2.1	Sequence Stratigraphic Surfaces, and Types of Unconformities at Sequence Boundaries	151
3.2.2	Shoreline Migration Processes.	151
3.2.3	Terminology and Definitions.	151
3.2.4	Parasequences as Building Blocks of the Sequences	153
3.2.5	Parasequence Stacking Patterns	153
3.2.6	Subaerial and Submarine Stratigraphic Gaps	153
3.2.7	Bathymetric Changes in Shallow Marine Near Coast Systems	154
3.2.8	Sequence Surfaces Versus Spatiotemporal Distribution of Ammonoids	156
3.2.9	Asymmetric Sequences in Context of Thickness	156
3.2.10	Bathymetric Changes and Ammonoid Heterochronic Evolution.	157
3.2.11	Sediment Accumulation Rates, Facies and Their Depositional Environments	158
3.2.12	Biotic and Abiotic Parameters	159
3.2.13	Refined Chronostratigraphy—An Essential Requisite for Sequence Stratigraphic Studies	160
3.2.14	Sequence Stratigraphy as Here Understood	161
3.2.15	Rationale of Sequence Stratigraphic Studies	161
3.2.16	Uniformity of Sequences in Broadly Homogeneous Tectonostratigraphic Regions.	162
3.2.17	Temporally Changing Geographical Extent of the Broadly Uniform Tectonostratigraphic Regions.	162
3.2.18	Sequence Stratigraphic Studies in the Indian Geological Record.	162
3.2.19	Applicative Attributes of the Sequence Stratigraphic Studies.	163
3.2.20	Isochronous Surfaces of the T/R Sequences	163
3.3	The Mega Mesozoic Sequence and Its Three First-Order Sequences.	164
3.3.1	T-I. Basal Triassic to Intra-induan Frequens Zone (Limestone + Shale Member) Second-Order Sequence	168
3.3.2	T-II. Basal Olenekian Rohilla Zone to Intra-olenekian Flemingites-Euflemingites Zone Second-Order Sequence	168
3.3.3	T-III. Late Olenekian Meekoceras Zone—Early Ladinian Fassinian Curionii Zone Second-Order Sequence	168
3.3.4	T-IV. Intra-Ladinian Langobardian Gredlerensis Zone—late Early Ladinian Maclerni Zone) Second-Order Sequence.	168

3.3.5	T-V. late Early Ladinian Sutherlandi Zone–Early Carnian Aon Zone (up to the Level BL 20) Second-Order Sequence.	168
3.3.6	T-VI. Mid to late Early Carnian Second-Order Sequence.	169
3.3.7	T-VII. Latest Early to Late Carnian Second-Order Sequence.	169
3.3.8	T-VIII. Early Norian Second-Order Sequence.	169
3.3.9	T-IX. Middle to Late Norian Second-Order Sequence.	170
3.3.10	T-X. Rhaetian Second-Order Sequence.	170
3.4	Sequence Stratigraphy in the Kachchh Jurassic	171
3.4.1	Advantage of Relative Subtemperate High Latitude Location of Kachchh for Greater Part of the First-Order Toarcian–Barremian (~ 56.40 my Long) Sequence.	172
3.4.2	Domination of the Kachchh Ammonoid Fauna by a Single Subfamily in Each Second-Order Sequence	173
3.4.3	Auxiliary/Minor/Secondary Extraneous Elements Crucial for GTM/ETM Correlation	173
3.4.4	Strategic Significance of the Kachchh Mesozoic	173
3.4.5	Ammonoid Heterochrony also Used in Relative Chronometry	174
3.4.6	Geological Dynamics Through Outcrop Based Sequence Stratigraphic Studies in the Indian Mesozoic.	174
3.4.7	Geographically Restricted GTM Ammonoid Subfamilies as Representative of Second-Order Sequences.	174
3.4.8	Second-Order and Bigger Sequences Controlled by Regional Tectonics.	175
3.4.9	Third-Order and Smaller Sequences Governed by Earth's Orbital Dynamics and so Global	175
3.4.10	Origin of the Kachchh Basin and Principal Sequence Surfaces Between the Precambrian and the Time of Origin of the Kachchh Basin.	175
3.4.11	SB of the Mega Order Sequence.	176
3.5	First- to Third-Order Sequence Stratigraphy in the Kachchh Jurassic.	177
3.5.1	J-I. Hettangian Second-Order ~ 2.0 my Long Sequence with Middle Hettangian Liasicus Zone MFS.	179
3.5.2	J-II. Hettangian–Sinemurian Boundary to Rauricostatum Zone ~ 8.5 my Second-Order Sequence with Oxynotum Zone MFS.	180
3.5.3	J-III. Latest Sinemurian to End Pliensbachian ~ 8 my Long Second-Order Sequence with Ibex Zone MFS.	181

3.5.4	J-IV. Second-Order Early Toarcian–End Aalenian Second-Order Sequence of ~ 12.5 my Duration with MFS in the Nitiscens Zone	183
3.5.5	J-V. Basal Bajocian–Mid-Late Bajocian ~ 1.7 my Long Second-Order Sequence with MFS in Early Bajocian Propinquans Zone	195
3.5.6	J-VI. Late Bajocian Garantiana Zone–Mid. Middle Bathonian Morrisi Zone ~ 1.5 my Long Second-Order Sequence with Early Bathonian Macrescens Subzone MFS	200
3.5.7	J-VII. Second-Order Late Middle Bathonian Mantataranus Zone / Bremeri Zone–O-I Horizon of Late Middle Callovian Obtusicosta Zone Obtusicosta Subzone Sequence of ~ 2.40 my Duration with MFS Above the Diadematus Subzone of Chrysoolithicus Zone	207
3.5.8	J-VIII. Late Middle Callovian O-II Horizon Obtusicosta Subzone Obtusicosta Zone–early Early Oxfordian Second-Order Sequence of ~ 2.1 my duration with MFS in A-II Horizon Depressum Subzone Athleta Zone of early Late Callovian Age	225
3.5.9	J-IX. Second-Order Obliqueplicatum Zone–Subevolutus Sequence with MFS Above the Late Middle Oxfordian Schilli Subzone of Orientalis Zone of ~ 4.8 my Duration	231
3.5.10	J-X. Second-Order early Early Kimmeridgian Kachchhensis Zone–Mid. Early Kimmeridgian Giganticus Subzone Sequence of ~ 2.0 my Duration with MFS Above the Kachchhensis Zone	239
3.5.11	J-XI. Second-Order late Early Kimmeridgian Alterneplicatus Zone–late Late Kimmeridgian Katrolensis Zone of ~ 4.0 my Duration Sequence with MFS Above the Bathyplocus Zone	241
3.5.12	J-XII. Second-Order early Early Tithonian Pottingeri Zone–Virgatosphinctoides Zone Sequence of ~ 2.8 my Duration with MFS in Rajnathi Subzone of Virgatosphinctoides Zone	243
3.5.13	J-XIII. Second-Order Natricoides Zone–Densiplicatus Zone Sequence of ~ 3.6 my Duration with MFS Above the Natricoides Zone	245
3.5.14	J-XIV. Terminal Part of Densiplicatus Zone Third-Order TST Of ~ 400 ky with MFS/MFI in Bed 19 A-B	247

3.6	Cretaceous	248
3.6.1	C-I. Early to Middle Berriasian Second-Order Sequence	250
3.6.2	C-II. Late Berriasian Second-Order Sequence	251
3.6.3	C-III. Valanginian Second-Order Sequence (beds 5–9 of the Ghuneri Member) in the Ghuneri–Amarsar Section	251
3.6.4	C-IV Hauterivian Second-Order Sequence (Beds 10–12 of the Ghuneri Member) in the Ghuneri–Amarsar Section	251
3.6.5	C-V Barremian Second-Order Sequence (Beds 13–14 of the Ghuneri Member) in the Ghuneri–Amarsar Section	252
3.6.6	C-VI. Early Aptian Deshayesites Zone–late Aptian Furcata Zone Second-Order Sequence of the Early part of the Ukra Member (Beds 15 and 16)	253
3.6.7	C-VII. Early to Middle Albian Second-Order Sequence (Bed 17 of the Ukra Member and Bed 18 of the Upper Member)	256
3.6.8	C-VIII. Late Albian–Middle Cenomanian Second-Order Sequence of Beds 19–22 of the Upper Member of Umia Formation	256
3.6.9	C-IX Late Cenomanian–Late Turonian Second-Order Sequence of the Upper Part of the Karai Formation/Sattapadi Shale in the Wells and the Overlying Bhuvanagiri Formation	256
3.6.10	C-X. Coniacian–Santonian Second-Order Sequence with Intra-Coniacian MFS	256
3.6.11	C-XI. Late Campanian Second-Order Sequence with MFS Above the ?Early Campanian Delawareensis Zone	256
3.6.12	C-XII. Maestrichtian duration Second-Order Sequence with MFS Above the Early Maestrichtian Tridens Zone	257
3.7	Salient Features of the Indian Cretaceous Record	257
3.7.1	Intra- and Terminal Cretaceous Events Contextual to India	257
3.7.2	Application of Sequence Stratigraphy	257
3.7.3	Recent Independent Sequence Formulations in Different Indian Basins Vis-a-Vis Regional to Global Correlatibility of the Sequence Surfaces	258
3.7.4	Regional Uniformity of the Sequences	258
3.7.5	Differences of Ages Among Recent Sequence Formulations	259

3.7.6	Sequence Framework in the Indian Cretaceous	259
3.7.7	Foraminifer Evidence of yet Otherwise Unsubstantiated Presence of Late Cretaceous Stages in Kachchh	259
3.7.8	Speculation on Second-Order Late Albian–Early Cenomanian Sequence.	259
3.7.9	Intra-Cretaceous First-Order SB with or Without Gap.	260
3.7.10	Significant Difference in Ages of the Said Gaps	260
3.7.11	Creation of Indian Stages in Jurassic and Cretaceous—An Uncalled for Exercise.	260
3.7.12	Summary.	261
3.8	Scales of Cyclicity in the Kachchh Jurassic Geological Record	265
3.8.1	Rationale of the Preliminary Exercise	265
3.8.2	Asymmetric and Highly Uneven Duration of the Sequences and Stages	265
3.8.3	Relatively Shorter Duration of the First-Order TSTs to Corresponding RSTs.	266
3.8.4	Sequences, Periodicity and Durations	269
	References.	271
4	Integration of the Micro/Macro Faunal/Floral Data into Ammonoid Stratigraphic Framework in the Indian Mesozoics	277
4.1	Indian Lithobiostratigraphic Refinement, Correlation and Integration	278
4.1.1	The Indian Sedimentary Basins with Geological Record of the Mega-Sequence.	278
4.1.2	On the Utilization of the Ammonoid Data.	278
4.1.3	The Indian Mesozoic Lithostratigraphy Scenario.	278
4.1.4	Biostratigraphic Range Charts	279
4.1.5	Integration of the Non-ammonoid Zonal Schemes to Ammonoid Schemes.	279
4.1.6	Enlargement of the Stage Level Stratigraphic Record in the Mega-Sequence.	280
4.1.7	Relative Degree of Stratigraphic Refinement Among the Three Mesozoic Systems in India.	280
4.1.8	On the Benthic/Planktic Foram-Based Basinal/Regional Indian Stages.	281
4.2	Microfossil-Based Zonations in the Indian Mesozoic	282
4.2.1	Integration of the Diverse Indian Biostratigraphic Record Vis-à-Vis Sequence Surfaces.	283
4.2.2	Naming of Bio/Chronostratigraphic Zones Exclusively Through Their Basal Boundaries.	284
4.3	On the Earlier Assigned Guide Fossil-Based Ages and Correlations in the Indian Mesozoic Successions	284
4.3.1	Bivalves	284
4.3.2	Conodonts.	286

4.3.3	Foraminifers	287
4.3.4	Pollen–Spores and Dinocysts.	292
4.3.5	Nannoplanktons.	295
4.4	Sequence Stratigraphic and Microfossil Zonal Integration in the West Indian Basins.	301
4.4.1	Full Second-Order TST Substantiated Only Through the Ammonoid Record in Jaisalmer	302
4.4.2	Interpretation of the Saurashtra and Narmada Cretaceous Successions in Sequence Stratigraphic Context	302
4.4.3	Stratigraphic Framework in the Narmada Basin	303
4.4.4	West Indian Basins of Jaisalmer, Barmer, Cambay, Kachchh, Saurashtra, Narmada, Mumbai Offshore, and Kerala–Konkan	305
4.4.5	Lumping of Several Morphologically Close Species of the Bagh Succession Under <i>Placenticerias mintoi</i>	307
4.4.6	Post-Nimar Intra-Turonian Guide Fossil Records and Not Intra-Nimar	308
4.4.7	Late Cenomanian–Early Turonian Condensed to Starved Interval at Site 258 Leg 26 of the Indian Ocean	308
4.4.8	Evidence of Volcanism in the West Sector of the Indian Ocean	308
4.4.9	Demarcation of Important Cretaceous Sequence Surfaces in Kachchh and Elsewhere	309
4.5	Sequence Stratigraphy-Based Interpretations in the Bengal and Other East Sector Basins	309
4.5.1	The Important But Enigmatic Non-Marine Dubrajpur Formation in Bengal Basin Wells.	309
4.5.2	Discrepancies About the Definition, Age and Geographical Expanse of the Dubrajpur Formation.	311
4.5.3	Volcanism in the Bengal Basin	311
4.5.4	Volcanic Intervals in the Bengal Basin Boreholes.	312
4.5.5	Bengal Basin Palynozones.	312
4.5.6	Age Revision to the Bengal Basin Units and Palynozones Through Sequence Surfaces	313
4.5.7	Suggestive Ages to the Six Volcanic Intervals in the Bengal Basin Borehole DPD 6	313
4.5.8	On the Palynology-Based Sequence Stratigraphic Surfaces in the Indian East Coast Wells	315
4.6	Ranges of the Palynozones Through Sequence Surfaces (Fig. 2.42)	317
4.6.1	Pollen–Spore-Based Palynozones	317
4.6.2	Dinocysts.	317
4.7	Application of Sequence Surfaces in Precision Dating of the Cretaceous Units in the East Sector	319
4.7.1	Cauvery Basin.	319

4.7.2	K-G Basin	321
4.7.3	Other Indian East Coast Mahanadi, Purnea, Bengal, Assam and Andaman Basins	321
4.7.4	The Intra-Albian and Intra-Turonian MFSs in the Indian Basins	322
4.7.5	Demarcation of the First-Order Intra-Cretaceous MFS . . .	324
4.7.6	Correlations Among Cauvery, Spiti, and Kachchh Successions	324
4.7.7	Second-Order Surfaces in Between the Mid-Middle Albian MFS and the Above Interpreted First-Order MFS in Spiti and Kachchh.	326
4.8	Salient Other Aspects of the Indian Mesozoic	327
4.8.1	Evaluation of the Lithostratigraphic Data of Jaisalmer and Barmer Basins	327
4.8.2	Comparative Evaluation of the Jurassic Member Units of Kachchh and Jaisalmer	328
4.8.3	Need of Formal Indian Working Groups for Each International Stage.	330
4.8.4	Sequence Stratigraphy-Based Revised Ages to Formations and Members of the Kachchh Jurassic	330
4.8.5	On the Intra-Oxfordian Uplift and Emergence of Mainland.	341
4.9	Intrabasinal Correlations with Temporal and Spatial Extent of the Kachchh Mesozoic Formations and Members	343
4.9.1	Patcham Formation	344
4.9.2	Chari Formation	351
4.9.3	Katrol Formation.	354
4.9.4	Umia Formation	355
4.9.5	Cretaceous.	356
4.9.6	Mundhra Formation.	357
4.9.7	Kori and Naliya Units.	357
4.9.8	Recent Progress in the Age Assignments of the Oldest and Youngest Sediments in Different Parts of the Kachchh Basin	357
	References.	360
5	Applicability of the Sequence Framework in IEAP and GTM, with Brief Comments on the Hydrocarbon Prospects in the Indian Basins	367
5.1	Comparison with the Earlier Indian Frameworks	368
5.1.1	Initiation of Sequence Differentiation in India.	368
5.1.2	Ammonoid-Based Sequence Stratigraphic Studies in the Indian Mesozoics	368
5.1.3	Sequences Without Précised SBs and MFSs	369
5.1.4	ONGC Sequence Framework	370
5.1.5	On the Efforts in the Kachchh Basin.	372

5.2	Validation of the Present Sequence Framework in India, IEAP and GTM	372
5.2.1	Broad Correspondence of the Indian and Arabian MFSs	373
5.2.2	Basal Intra-Permian SB on IEAP and GTM	373
5.3	Comparison of the Indian Triassic, Jurassic, and Cretaceous Sequence Surfaces	375
5.3.1	Comparison with Wombat Plateau ODP Well Sequence Framework off the NW Australian Margin Sites 759, 760, 761 and 764 East of IEAP	375
5.3.2	Comparison with ETM Second-Order Sequence Framework	378
5.3.3	Intra-Jurassic First-Order early Early Toarcian SB	379
5.3.4	Intra-Jurassic First-Order late Middle Oxfordian Schilli Subzone MFS	379
5.3.5	First-Order Intra-Cretaceous Barremian/Aptian Boundary SB	380
5.3.6	Intra-Cretaceous early Middle Turonian Turoniense Zone MFS	380
5.3.7	Early Bajocian Laeviuscula Zone MFS	381
5.3.8	Early Bathonian Macrescens Subzone MFS	381
5.3.9	Mid/late Middle Bathonian Basal Bremeri Zone SB	382
5.3.10	Mid/late Early Callovian MFS	382
5.3.11	On the Younger Jurassic Sequences in Jaisalmer and Spiti	382
5.4	Validation in Detail of the Indian Jurassic–Cretaceous Sequence Stratigraphic Framework on GTM West of India	384
5.4.1	Comparison with Composite East Africa	384
5.4.2	Comparison with the Morondova Basin of Madagascar	387
5.4.3	Comparison of the Kachchh and Arabian Plate Sequence Stratigraphic Frameworks	403
5.5	Validation of the Kachchh First- and Second-Order Sequence Framework on GTM East of India	413
5.5.1	Comparison with Wombat–Exmouth Plateaus and Dampier Basin Well Sections	413
5.5.2	Iriyan Jaya	417
5.5.3	Timor Gap	424
5.5.4	Timor	425
5.5.5	Sula	425
5.6	Sequence Stratigraphic Comparison of the Gondwanian Tethyan (GTM) and Eurasian Tethyan (ETM) Margins	426
5.6.1	Basal SB of the Mega-Sequence	430
5.6.2	Terminal SB of the Mega-Sequence	430

5.6.3	MFS of the Mega Sequence	431
5.6.4	First-Order Intra-Triassic MFS	431
5.6.5	First-Order Intra-Jurassic MFS	432
5.6.6	First-Order Intra-Jurassic SB	432
5.6.7	First-Order Intra-Cretaceous SB	432
5.6.8	Broad Comparison of the Sequence Frameworks of Kachchh on GTM with ETM Frameworks of Haq et al. (1987), Graciansky et al. (1993, 1998).	433
5.6.9	Long-Term TST on ETM and GTM	433
5.6.10	Second-Order MFSs of Haq et al., Jacquin et al., and Graciansky et al.	434
5.6.11	Diachrony and Differences in Second-Order MFSs Between ETM and GTM.	434
5.6.12	Diachrony and Differences in Second-Order SBs of ETM and GTM.	435
5.6.13	Intra-Bathonian Second-Order MFS	435
5.6.14	Intra-Bathonian Second-Order SB	435
5.6.15	Intra-Calloviaian MFS	436
5.6.16	Intra-Calloviaian SB.	436
5.6.17	Intra-Oxfordian MFS.	436
5.6.18	Intra-Oxfordian SB	436
5.6.19	Intra-Kimmeridgian MFS	437
5.6.20	Intra-Kimmeridgian SB	437
5.6.21	Intra-Tithonian MFS	437
5.6.22	Intra-Tithonian SB.	437
5.6.23	Comparison of Principal Ammonoid Lineages	438
5.6.24	Summary of Comparison of Sequence Frameworks of GTM and ETM.	438
5.6.25	Comparison of Third-Order Sequences	439
5.7	Hydrocarbon Prospects in the Mega-Sequence Geological Record in India in Sequence Stratigraphic Context with Focus on the Kachchh Basin	439
5.7.1	Conceptual Remarks in Sequence Stratigraphic Context	439
5.7.2	Tectono-Stratigraphic Framework	440
5.7.3	Paleogeographic Perspective	442
5.7.4	Differentiation of Marine and Non-marine Regimes Within the Mega-Sequence in India	442
5.7.5	Temporal Organization into Syn-Rift, and Rift/Drift Intervals.	443
5.7.6	Regional Igneous Events Among the Required Heat Sources in the Hydrocarbon Source Sediment Kitchen	443
5.7.7	Availability of Restricted Depositional Environments.	444
5.7.8	Context of Oceanic Anoxism Through the Mega-Sequence	444

5.7.9	Global and East Arabian / Northwest Australian Context.	446
5.8	Summarized Evaluation of the Indian Hydrocarbon Prospects in the Mega-Sequence	446
5.8.1	On the Successive Second-Order Intervals of the Mega-Sequence	447
5.8.2	Late Permian–Anisian First-Order TST Interval	448
5.8.3	Ladinian–Pliensbachian First-Order RST Interval	449
5.8.4	Toarcian–late Middle Oxfordian TST Interval	449
5.8.5	Terminal Middle Oxfordian–Barremian First-Order RST Interval	452
5.8.6	Early Aptian–Mid-Middle Albian TST Interval	452
5.8.7	Cenomanian.	453
5.8.8	Late Cenomanian–early-Middle Turonian TST Interval	453
5.8.9	Late Turonian–Intra-Paleocene First-Order RST Interval	453
5.9	Concluding Remarks	454
	References.	455
6	Crucial Links Among Evolution, Extensional Tectonics, Ammonoid Provincialism and Sequence Surfaces.	461
6.1	Fossil Fuel/Energy Resources Vis-à-Vis Sequence Stratigraphic Surfaces	462
6.1.1	Permian and Paleogene Coal	462
6.1.2	Hydrocarbon Source/Reservoir Sediments	464
6.2	Cephalopod and Ammonoid Evolutionary Events.	464
6.2.1	Global Distribution of Higher Grade Cephalopod/ Ammonoid Taxa Vis-a-Vis Geographically Restricted Regional Spread of Ammonoids	465
6.2.2	Simultaneous Mass Extinctions Across the World and Diachronous Regional Extinctions	465
6.2.3	Five Major/Mass Extinctions.	465
6.2.4	Mass Extinctions and Evolution of Cephalopods, Particularly, Ammonoids	466
6.2.5	Origin of the Nectic Cephalopods Near the First-Order Intra-Cambrian Sequence Surface	466
6.2.6	Cephalopod Evolution and Extinctions at Sequence Surfaces.	467
6.2.7	Pre-Jurassic Ammonoid Evolution and Sequence Surfaces.	467
6.3	Origin/Extinction of Subfamilies at Second-Order Sequence Surfaces	468
6.3.1	Early Jurassic Psiloceratidae and Others	468
6.3.2	Middle Jurassic Macrocephalitinae and Others	469

6.3.3	Late Jurassic Katroliceratinae and Others	472
6.3.4	Appearance/Disappearance of Superfamilies Linked to Bathymetry	472
6.3.5	Globally Concordant Third-Order Sequences.	473
6.3.6	Replacement of Lineages at the First/Second-Order Sequence Surfaces.	473
6.3.7	Subfamilial Origin/Extinctions in the Subboreal Region.	475
6.4	Genetic Link Between the Origin/Extinction of Ammonoid Taxa and Extensional Tectonics	475
6.4.1	Origin/Extinction of Multiple Subfamilies and Superfamilies Triggered by Rift-Tectonism and Volcanism at First/Second-Order Sequence Surfaces.	476
6.4.2	Tilt of the Median High at the Second-Order Intra-Callovia MFS	477
6.4.3	Rift Abortion Related Inversion of Bathymetry, and Change of Paleoslope	478
6.5	Crude Suggestion of Relative Depths Based upon Spatio-Temporal Distribution of Ammonoid Sub/Superfamilies in the Basin	478
6.5.1	Maximum Bathymetry Based on the Suborder Level Distribution	478
6.5.2	Depth Estimates Based on the Distribution of Superfamilies.	479
6.5.3	Estimates Based Even at the Subclass Ammonoidea Level.	479
6.6	Heterochronic Evolutionary Framework of the Dominant IEAP Ammonoid Subfamilies	482
6.6.1	Approach/Methodology to the Heterochronic Evolutionary Framework	482
6.6.2	Macrocephalitinae and Its Chrysolithicus Lineage.	483
6.6.3	Evolutionary Inversion of Macrocephalitinae at the 2nd Order MFS	484
6.6.4	Eucycloceratinae	485
6.6.5	Kinkelineratinae	485
6.6.6	Mayaitinae.	486
6.6.7	Katroliceratinae	487
6.6.8	Virgatosphinctinae.	487
6.6.9	Examples of Pedomorphic and Peramorphic Heterochronic Evolution	488
6.6.10	Suggestive Genetic Link Between Heterochronic Evolutionary Changes and Sequence Stratigraphic Framework (Fig. 6.5)	491

6.7	Ammonoid Distribution, Provincialism and Migration to and Fro IEAP	492
6.7.1	Salient Ammonoid Distribution Features During the Toarcian–Barremian 1st Order Sequence Interval with Focus on 2nd Order Sequences	493
6.7.2	Toarcian–Mid-Middle Bathonian	496
6.7.3	Late Middle Bathonian–Early Middle Callovian	496
6.7.4	Late Middle Callovian–Late Early Oxfordian	496
6.7.5	Late Early to Latest Late Oxfordian	496
6.7.6	Basal to Mid-Early Kimmeridgian	497
6.7.7	Late Early to Latest Kimmeridgian	497
6.7.8	Early Early to Mid-Early Tithonian	497
6.7.9	Late Early to late Late Tithonian	497
6.8	Speculative Linkage of Prime Evolutionary Landmarks to Major Regional/Global Geological Events and Their Precision Dating Through Sequence Surfaces	498
6.8.1	Intra-Permian Basal SB of the Mega-Sequence	498
6.8.2	Intra-Triassic First-Order MFS	500
6.8.3	Suggestive Origin of the Planktonic Forams at the First-Order Intra-Jurassic SB	501
6.8.4	The Origin of Birds—The Flying Dinosaurs Near the First-Order Intra-Jurassic MFS	501
6.8.5	Barremian/Aptian Boundary First-Order SB Evolutionary Marks	502
	References	502
7	High-Resolution Intrabasinal to Inter-regional Geodynamic Chronicle During the Span of the Intra-Permian–Intra-Paleogene Mega-Sequence in and Around India on the GTM.	505
7.1	Backdrop to the Geodynamic Chronicle	506
7.1.1	Transformation from the Origin to the Closure of the Late Permian–Early Paleogene Mega-Sequence	506
7.1.2	Sequence Surfaces as Regional Eventful Additional Timelines to Date Events of One Sector in Some Other Distant Sector	511
7.1.3	Predictable Spatio-Temporal Distribution of Biotic and Abiotic Parameters Across the Sequence Surfaces as also from Proximal Margin to Distal Basin on the Individual Surfaces	517
7.1.4	Chronicle of the Events at the Subzonal Resolution of ~ 400 ky or its Multiples	518

7.1.5	Unified Integrative Geodynamic History of the Indian Plate, and the Ammonoid Provinces, Corridor Seaways and the Related Oceans Included in the Tell-Tale	523
7.1.6	Constraints and Influence of the Inherent Precambrian Structural Trends in and Around India, and Progressive Refinement of the Size of Greater India	544
7.2	Sequence Stratigraphy Based Geodynamic Chronicle	545
7.2.1	Brief Outline	546
7.2.2	Basal to Intra-Permian Infra-Rift Sagging to Syn-rift Transition Event in the East	547
7.2.3	Early Permian–Middle Triassic Igneous Event (~ 289 to ~ 243 ma) with Climax at the Second-Order Sakmarian/Artinskian MFS of the Intra-Devonian–Early Permian First-Order Sequence	549
7.2.4	Possible Earlier Origin of the Neotethys	550
7.3	The Spitiian First-Order Sequence	552
7.3.1	Early/Late Permian (~ 272 ma) Basal Mega SB Geological Event	553
7.3.2	Anoxic Events Vis-à-Vis Sequence Stratigraphic Surfaces	554
7.3.3	Mega-Sequence Surfaces and the Indian Energy Resources (Fig. 7.5)	554
7.3.4	The End-Permian Mass Extinction at the Second-Order SB, and Its Varied Causes	555
7.3.5	Major Organic Evolution Events Suggestively Linked to the First-Order Sequence Surfaces	556
7.3.6	Example of Quantum Evolutionary Steps in Cephalopods/Ammonoids	556
7.3.7	Major Evolutionary Leaps of Higher Grade Taxa in the Animals and Plants	557
7.4	First-Order Intra-Triassic Late Anisian Hollandite Zone–Kellnerites Zone MFS Rifting Event	558
7.4.1	Early Triassic Bathymetric Increase in Spiti Vis-à-Vis Eustatic Changes During the Intra-Olenekian–Intra-Carnian Interval	561
7.4.2	Application of Sequence Stratigraphic Concepts and Sequence Surfaces in Correlation of Marine and Non-marine Units	562
7.4.3	Regional Build-up of Sands in the Ensuing First-Order RST	562
7.5	The Kachchhian First-Order Sequence	563
7.5.1	The Multifaceted Widespread First-Order Intra-Jurassic SB Geological Event	563

7.5.2	Suggestive Origin of the Planktic Forams at the First-Order Intra-Jurassic SB	563
7.5.3	Igneous Activity at the Intra-Juraasic First-Order SB Near the Start of Toarcian	564
7.5.4	Widespread and Significant Rifting on the NW Australian Margin at the Intra-Jurassic Pliensbachian/Toarcian Boundary First-Order SB Geological Event	565
7.5.5	Suspected Coeval Volcanism in Gujarat	566
7.5.6	Age of the Sediments of Pre and Post Lodhika Volcanism Interval in the Lodhika and Dhandhuka Wells of Saurashtra Basin	566
7.5.7	Stratigraphic Homotaxiality in Kachchh and Saurashtra Successions	567
7.5.8	Similarly Positioned and Age-Constrained Volcanic Units in the West Sector	567
7.5.9	Pre-Toarcian Similarity of the Mesozoic Successions at Mozambique, Seychelles, Madagascar, Pakistan, and Saurashtra	568
7.5.10	Probable Age of the Lodhika and Dhanduka Trap Formation	569
7.5.11	So Called Origin of the Proto-Indian Ocean in the East and West Sectors	569
7.5.12	Stratigraphically Similarly Positioned Marine Incursions in Mozambique and Saurashtra	570
7.5.13	Origin of the Saurashtra Basin	570
7.5.14	Onset of the Transgression in Kachchh and Elsewhere on GTM	571
7.5.15	Tectono-Stratigraphic Evolution in the Kachchh Basin in the Second-Order Sequence Stratigraphic Context	571
7.5.16	Lithological Evidence of Rift-Genic Early Bajocian, and Early Middle Bathonian Submergences at Successive Second-Order MFSs	571
7.5.17	Transform Sliding of India Vis-à-Vis Africa Along the North-South-Directed Davies Fracture Zone During the First-Order TST	574
7.5.18	Drowning of the Carbonate Platform in High Himalaya	577
7.5.19	Mid/Late Middle Bathonian Second-order SB Event	578
7.5.20	Origin of the Geographically Restricted IEAP Ammonoid Subfamilies/Lineages at the Mid/Late Middle Bathonian Second-Order SB	578
7.5.21	Arrival of Macrocephalitinae Under Increased Bathymetry in Kachchh from SW Pacific	578

7.5.22	First Marked Presence of Ammonoids in Goradongar	579
7.5.23	Mid/Late Early Callovian Chrysolithicus Zone Diadematus Zone Second-Order MFS Event	579
7.5.24	Middle Callovian O-I Horizon Obtusicosta Subzone Second-Order SB Event	581
7.5.25	Early Late Callovian Athleta Zone Depressum Subzone Second-Order MFS Event	581
7.5.26	On the Middle/Late Jurassic Boundary Cooling Event . . .	582
7.5.27	Climatic and Bathymetric Barrier Between IEAP and Arabia at the Second-Order Intra-Callovian SB	584
7.5.28	Land Barrier Between IEAP and South Pacific Mozambique	584
7.5.29	Early/Late Early Oxfordian Second-Order SB	585
7.5.30	Late Middle Oxfordian Orientalis Zone Schilli Subzone first-Order MFS Event	587
7.5.31	Other Facets of the Intra-Oxfordian First-Order MFS Event	588
7.5.32	Maximum Phanerozoic Bathymetry Ever in the Kachchh Basin at the Intra-Oxfordian First-Order MFS	589
7.5.33	Strong Condensation and Starvation	590
7.5.34	Sandy Regimes During the First-Order TST	590
7.5.35	Terminal Middle Oxfordian–Mid-Middle Kimmeridgian Second-Order Sequence	591
7.5.36	Unique Scenario of Starvation/Non-deposition in the Distal Mainland and Shallow Marine Thick Sand Deposition in the Proximal Wagad	591
7.5.37	Origin of the ‘Proto-Indian Ocean’ at the North Extreme of the East Sector, with Spreading Away of Argo Block, also Similar Scenario in the Africa–Patagonia Region . . .	591
7.5.38	Involvement of the Kerguelen Plume not Supported in the Initial Late Jurassic Volcanism	592
7.5.39	Significant Radiometric Ages of the Igneous Rocks on the Said Spreading in the East and North Sectors	593
7.5.40	Volcanoclasts in the Tethyan Late Jurassic Sediments Related to Possible Penecontemporaneous Volcanism . . .	595
7.5.41	Magnetic Anomaly Evidence	596
7.5.42	Interpretation of a Single Interactive Spreading Framework on the GTM	596
7.5.43	Sequence Surface Based Precise Ages in the Backdrop of Tentativeness of Radiometric Ages	597
7.5.44	Disagreement with Late Jurassic Separation and Spreading Away of the Entire Tethys Himalaya from Greater India	598

7.5.45	On the Possibility of yet Older Localized Spreading in the West Sector.	598
7.5.46	Wide Spread Ammonoid and Other Evidences of Large Gap in India	598
7.5.47	Widespread Evidences of Large Submarine Gap from Arabia to India on GTM	599
7.5.48	GTM First-Order Intra-Oxfordian MFS Event Considered More Important in Global Context Compared to the Corresponding ETM First-Order Intra-Kimmeridgian MFS Event	599
7.5.49	Suspected Magnetic Polarity Reversal at the Intra-Oxfordian MFS Event.	600
7.5.50	Rich Hydrocarbon Source Sediments in the Vertical Proximity of the First-Order MFS	600
7.5.51	See-Saw Tectonics of Alternate up and Down Tilting (Down at the Active Margin with Complimentary Cogenetic Tilting up at the Passive/Hind Margin)	601
7.5.52	Absence of Substantial Part of Jurassic in Non-marine Basins	601
7.5.53	Sequence Stratigraphic Context of the Gap in the Non-marine Gondwana Basins	602
7.5.54	Abortion of Rifting, and Reversal of Paleoslope/ Drainage/Current at the First-Order MFS	602
7.5.55	Shift of Action from West and Northwest to East and Southeast	604
7.5.56	Myanmar Shoshonite as Evidence of Tectonic-Cum-Igneous Event at ~ 159 ma MFS	606
7.5.57	An Arm of the Neotethys in the East Divergent Sector	607
7.5.58	Possible Arms of the South Pacific in the South Africa–Antarctica–South America Region	607
7.5.59	Desirability of Investigating Possible Anoxic Signatures at the Intra-oxfordian first-Order MFS.	608
7.5.60	Graded Withdrawal of the Neotethys from Kachchh and the Associated Recede of the Shoreline	608
7.5.61	Mid/Late Early Kimmeridgian Second-Order SB.	609
7.5.62	Relative Faster Bathymetric Increase During Oxfordian up to First-Order MFS Than Decrease up to Mid-Late Kimmeridgian Second-Order MFS	609
7.5.63	Unique \sim Four to Six to Eight My Long Duration of Submergence in Mainland, yet Deprived of Sediments	609
7.5.64	Mid / late Late Kimmeridgian Post Bathyplocus Zone Linguiferus Subzone Second-Order MFS	610
7.5.65	Mid Early Tithonian Post Rajnathi Subzone Second-Order MFS	610

7.5.66	Origin of the Intra-Gondwana Gondic Shallow Marine Corridor Across the Gondwana at the Intra-Tithonian Second-Order MFS	612
7.5.67	Possible Volcanic Episode in Bengal Basin at the Late Tithonian / Early Valanginian MFS in the East Sector . . .	612
7.5.68	Duration of the Multiple Stage Mesozoic Volcanism in the East Divergent Sector	615
7.5.69	Early Berriasian Second-Order MFS Event	616
7.5.70	Late Berriasian Second-Order MFS Event	617
7.5.71	Early Late Valanginian Second-Order Verrucosum Zone MFS	617
7.5.72	Wider Expanse of Volcanism After the Shift of the Spreading Ridge	618
7.5.73	Wide Spread Terminal Dominantly Regressive Sandy Regime with Initiation at the Intra-Valanginian Second-Order MFS	619
7.5.74	Speculative Differentiation of A ~2.8 my Long Second-Order TST of Nearly Full Hauterivian Stage Widely on the GTM Between Arabia and India (Spiti, Kachchh and K-G)	619
7.5.75	Younging of the Successive Sandy RSTs in the First-Order Latest Middle Oxfordian to Late Barremian RST from Margin to Basin	621
7.5.76	Pattern of Migration of Sandy Facies in the Basin During the Toarcian–Barremian First-Order Sequence	621
7.5.77	Age Range of the Syn-rift Succession in the K-G Basin Subsurface Wells Through Sequence Surfaces	622
7.5.78	On the Short Convergence Interpreted Near the Hauterivian/Barremian Boundary	623
7.5.79	End Barremian First-Order SB Event	624
7.6	The Dravidian First-Order Sequence: Aptian–Intra-Paleogene	624
7.6.1	Graded Reduction in the Extent of the GTM After the Initiation of Spreading Away of Antarcto-Australia in the East and Spreading Away of the South America in the West with Respective Origin of the Indian and Atlantic Oceans	624
7.6.2	Basal Early Aptian First-Order SB Event	625
7.6.3	Final/Late Phase (~ 126 to ~ 107 ma) of the Volcanism East of India Between the Basal Aptian–mid-Middle Albian Interval with Peak in Late Aptian (~ 118 to ~ 114 ma)	626
7.6.4	Origin of Bay of Bengal Based on Magnetic Anomalies from Indian Ocean in the East	626

7.6.5	Subduction of the Volcanic Island Arc in the North Linked to Final Phase of Volcanism Between Antarctica and India	627
7.6.6	Culmination of the Tectonic Unzipping Between the Axial and Outer Gondwana	628
7.6.7	Igneous Evidence of Rifting / Island-arc Framework / Subduction in Other Sectors of the Indian Plate Margin Near the First-Order Barremian/Aptian Boundary SB up to the mid-Middle Albian MFS	630
7.6.8	Early Early Aptian–mid-Middle Albian First/Second- Order TST in Kachchh of the First-Order Terminal Mesozoic Sequence	635
7.6.9	Intra-Cretaceous Intra/Inter Plate Reorganization Event	636
7.6.10	Counterclockwise Rotation of India	638
7.6.11	On the Possible Middle Albian Gap in the Indian Basins	638
7.7	Intra-Turonian MFS in the Indian Basins	639
7.7.1	Slow Somewhat Condensed Early Aptian–mid-Middle Albian TST of Ukra and Coeval Units Compared to the Overlying Cenomanian in Kachchh, Jaisalmer, and Pakistan	640
7.7.2	Turonian Transgression in Narmada and Saurashtra	640
7.7.3	Similar Pattern of Possible Decrease of Bathymetry Across the mid-Middle Albian MFS in Spiti High Himalaya	640
7.7.4	Late Cenomanian–Early Middle Turonian Condensation in High Himalaya Down the Dip from South to North	641
7.7.5	Not that Explicit Picture in the Cauvery Basin	641
7.7.6	Ambiguity in the Determination of the First-Order Intra-Cretaceous MFS	642
7.7.7	Anoxic Events in the Mega-Sequence	642
7.7.8	Albian Succession and the Evidences of the Middle Albian Anoxic Event in India	643
7.7.9	OAE Determination in Spiti	644
7.7.10	Mid-Middle Albian MFS Anoxic Event in Cauvery	644
7.7.11	Asymmetric Inferior Fourth- to Sixth-Order Sequences in the Kachchh Mesozoic	645
7.7.12	Possible Gap Between the Umia Formation Below and the Mundra/Naliya Units Above in Offshore Wells	646
7.7.13	Presence of Thin Basalt Layers in a Few Offshore Wells	647
7.7.14	Possible Convergence of NW India to Either SE Arabia or Kohistan–Ladakh Arc	649

7.7.15	Protracted Duration of the Igneous Activities During the Late Permian–intra-Paleocene Sequence	649
7.7.16	Suggestive Evidence of the Coniacian–Intra-Campanian Second-Order Sequence.	650
7.7.17	Presumable Record of the Terminal Cretaceous Second-Order Sequences	650
7.7.18	On the Shallow Marine Deccan Seaway Along the Narmada Fracture from East to West	651
7.7.19	On the Shallow Transient Corridor Seaways	651
7.7.20	Origin and Progression of the Marine Arms in the Divergent Sectors West and East of India	652
7.7.21	Gondic Corridor During the Second-Order Terminal Late Tithonian–Early Early Berriasian TST.	653
7.7.22	Dravidian Corridor During the Second-Order Basal Aptian–mid-Middle Albian TST	654
7.7.23	Possibilities of the Deccan Seaway Through the Phanerozoic.	656
7.7.24	Paleozoic (Early Permian).	656
7.7.25	Mesozoic	657
7.7.26	Cenozoic (Early Danian).	659
7.7.27	Duration of the Deccan Volcanism in Sequence Stratigraphic Context.	660
7.7.28	Stratigraphic Framework in the Narmada Basin	660
7.7.29	Sequence Stratigraphy-Based Suggestive Correlation of the Narmada and Cauvery Succession.	662
7.7.30	Igneous Events in Kachchh and Neighbourhood in the West Sector During the Late Permian–Early Paleogene Mega-Sequence	662
7.7.31	Intra-Cretaceous Origin of the Indian West Coast/Shelf	663
7.7.32	Intra-Mesozoic Shaping of the Indian East Coast/Shelf	664
7.7.33	The Magnetic Anomaly Evidence from the Indian Ocean in the West (Arabian Sea and Neighbourhood in the India–Africa Divergent Region).	664
7.7.34	Intra-Turonian Initiation of Decline of Temperatures in Early Late Cretaceous	665
7.7.35	Intra-cretaceous Sequence Surfaces and the Ridge Framework in the Indian Ocean	665
7.7.36	Spreading Between India and Madagascar.	666
7.7.37	Out of India Hypothesis	668
7.7.38	Spreading Between Axial and Outer Gondwana	669

7.7.39	Change in the Direction of Drift Prior to the Intra-Turonian MFS.	669
7.7.40	The Break-up Among the Axial Gondwana Constituents.	670
7.7.41	Precise Age of the Break-up Unconformity.	670
7.7.42	Deccan and Coeval Volcanism, and Oceanic Separation of Seychelles from India	670
7.7.43	Subaereal Stratigraphic Gaps in the Studied Spiti, Kachchh, Cauvery and Other Indian Basins Contextual to the Studied Mega-Sequence	671
7.7.44	Submarine Stratigraphic Gaps	671
7.7.45	Intertrappean Sediments and Volcanoclasts as Age Evidence of Deccan Igneous Activity	672
7.8	Terminal SB of the Mega-Sequence in Intra-Paleogene	672
7.8.1	Conceptual Closure of the Mega-Sequence	672
7.8.2	Varying Ages of the Docking of India into Asia Soon After the Conceptual Intra-Paleocene Closure of the Mega-Sequence SB	673
7.8.3	Initial Impingement	673
7.8.4	Convergence of the Initial Impingement in a Short Range	674
7.8.5	Possible Relevance of Sequence Surfaces to the Initial Impingement in Particular and the Protracted Amalgamation in General	675
7.9	Terminal Priabonian First-Order ~ 34 ma SB in the Indian Cenozoic.	678
7.10	Summarised Re-enactment of the Succession of Multifaceted Geological Events.	679
	References.	681

The Indian Mesozoic Chronicle
Sequence Stratigraphic Approach
Krishna, J.
2017, LXI, 694 p. 210 illus., Hardcover
ISBN: 978-981-10-2476-4