

Contents

1	Introduction to Quantum Dots	1
1.1	Physics of Zero-Dimensional Structures	1
1.2	Electronic Properties of Quantum Dots	2
1.3	Fabrication of Quantum Dots	4
1.4	Electronic Spectra of Self-assembled QDs	5
1.5	Disadvantages of Self-assembled QDs	6
1.6	Methods for Improving QD Characteristics	7
1.6.1	Different In-Situ and Ex-Situ Techniques for Improving QD Characteristics	7
1.6.2	Importance of Capping Layers for Improving QD Characteristics	8
1.7	Summary	9
	References	10
2	Low-Energy Ion Implantation Over Single-Layer InAs/GaAs Quantum Dots	13
2.1	Motivation Behind Ion Implantation Study	13
2.2	Scope of the Present Study	14
2.3	Growth of Single-Layer InAs/GaAs QDs	15
2.4	Ion Implantation and Post-Growth Experiments on QDs	16
2.5	Results and Discussion	16
2.5.1	Structural, Material and Optical Properties of S ⁻ Ion-Implanted InAs/GaAs QDs	16
2.5.2	Structural, Material and Optical Properties of H ⁻ Ion-Implanted InAs/GaAs QDs	20
2.6	Conclusions Obtained from the Results of Heavy and Light Ion Implantation on InAs/GaAs QDs	24
	References	25

3 Optimizations for Quaternary Alloy (InAlGaAs)-Capped InAs/GaAs Multilayer Quantum Dots	27
3.1 Motivation Behind the Study	28
3.2 Importance of Multilayer QDs	28
3.3 Growth of Different Quaternary Alloy-Capped Multilayer InAs/GaAs QDs	28
3.4 Post-Growth Experiments Performed on MQDs	30
3.5 Results and Discussion	30
3.5.1 Effects of Variation in Growth Rate of QDs in InAs/GaAs MQD System	31
3.5.2 Impact of Variation in Quaternary Capping Thickness in InAs/GaAs MQD System	33
3.5.3 Effects of Variations in Seed QD Monolayer Coverage for Quaternary Alloy-Capped InAs/GaAs MQDs	33
3.5.4 Effects of Rapid Thermal Annealing (Ex-Situ) on Quaternary Alloy-Capped InAs/GaAs MQDs	34
3.6 Significant Results of Study of Quaternary Alloy-Capped InAs/GaAs MQDs	38
References	39
4 Effects of Low Energy Light Ion (H^+) Implantations on Quaternary-Alloy-Capped InAs/GaAs Quantum Dot Infrared Photodetectors	41
4.1 Introduction: Basic Operation of Intersubband Detectors	41
4.2 Advantages of QDIPs	42
4.3 Previously Reported Results on In(Ga)As/GaAs QDIPs	43
4.4 Growth of Quaternary Alloy-Capped InAs/GaAs QDIPs	44
4.5 Optimization of H^+ Ion Fluence and Implantation	45
4.6 Fabrication of Mesa-Shaped Single-Pixel Devices on Implanted Samples	46
4.7 Different Characterizations Performed for Implanted QDIPs	50
4.8 Results and Discussion	50
4.8.1 Optical and Structural Properties of H^+ Ion-Implanted InAs/GaAs QDIPs	50
4.8.2 Electrical Properties of H^+ Ion-Implanted InAs/GaAs QDIPs	52
4.9 Significant Results from H^+ Ion-Implanted InAs/GaAs QDIPs and Conclusions	55
References	55
5 Effects of Low-Energy Light Ion (H^+) Implantation on Quaternary-Alloy-Capped InGaAs/GaAs Quantum Dot Infrared Photodetectors	57
5.1 Scope of the Study	57
5.2 Growth of Quaternary-Alloy-Capped InGaAs/GaAs QDIPs	58

- 5.3 Ion Implantation, Device Fabrication and Different
Characterizations for H⁻ Ion-Implanted InGaAs/GaAs QDIPs 59
- 5.4 Results and Discussion 60
 - 5.4.1 Optical Properties of H⁻ Ion-Implanted InGaAs/GaAs
QDIPs 60
 - 5.4.2 Electrical Properties of H⁻ Ion-Implanted InGaAs/GaAs
QDIPs 60
- 5.5 Significant Results from H⁻ Ion-Implanted InGaAs/GaAs
QDIPs and Conclusions 63
- References 64

<http://www.springer.com/978-981-10-4333-8>

Impact of Ion Implantation on Quantum Dot
Heterostructures and Devices

Mandal, A.; Chakrabarti, S.

2017, XXIII, 64 p. 53 illus., 32 illus. in color., Hardcover

ISBN: 978-981-10-4333-8