

Contents

Introduction to Reinforcing Potential of Various Clay and Monomers Dispersed Wood Nanocomposites'	1
M.R. Rahman and J.C.H. Lai	
1 Introduction	1
2 Problem Statement	3
3 Literature Review	4
3.1 Enhancement of Wood Quality	4
3.2 Modern Policies to Growth Wood Quality	5
3.3 Chemical Modification of Wood	6
3.4 Wood Modifications by Impregnation Technique	12
3.5 Wood Impregnated by Inorganic Substance	19
4 Summary	29
References	30
Preparation and Characterizations of Various Clay- and Monomers-Dispersed Wood Nanocomposites	37
M.R. Rahman and S. Hamdan	
1 Overview	37
2 Methods Related for Wood Polymer Nanocomposites (WPNC)	38
2.1 Curing Methods for Wood Polymer Nanocomposites (WPNC) Preparation	38
2.2 Wood-Hardening Process	39
2.3 Monomer and Polymer Treatments	40
2.4 Other Treatments	43
2.5 Combination of Two or Three Monomers	43
2.6 Chemical Impregnation and Compression of Wood	43
2.7 Summary of Wood Quality Improvement Methods and Technologies	44

3	Methods	45
3.1	Flowchart of Project	47
3.2	Preparation of WPNCs	47
3.3	Characterization of Wood Polymer Nanocomposites (WPNC)	48
4	Summary	64
	References	65
	Combined Styrene/MMA/Nanoclay Crosslinker Effect on Wood Polymer Nanocomposites (WPNCs)	69
	M.R. Rahman and J.C.H. Lai	
1	Introduction	69
2	Experimental	70
2.1	Materials	70
2.2	Preparation of Monomers	71
2.3	Impregnation of Wood Specimens/Co-polymerization Reaction with Cellulose in Wood Cell	71
2.4	Microstructural Characterizations	72
3	Results and Discussion	73
3.1	Weight Percent Gain (WPG %)	73
3.2	Fourier Transform Infrared Spectroscopy (FT-IR)	74
3.3	Mechanical Properties Test	74
3.4	Thermogravimetric Analysis (TGA)	76
3.5	Scanning Electron Microscopy (SEM) Analysis	77
4	Conclusion	78
	References	79
	Oxidation of Wood Species by Sodium Metaperiodate and Impregnation with Phenyl Hydrazine	81
	M.R. Rahman	
1	Introduction	81
2	Experimental	83
2.1	Materials	83
2.2	Specimen Preparation	83
2.3	Microstructural Characterizations	83
3	Results and Discussion	87
3.1	Fourier Transform Infrared Spectroscopy (FT-IR)	87
3.2	Storage Modulus ($\log E'$) and Loss Tangent ($\tan \delta$) of Raw Wood, WPNC, and PTWPNC	88
3.3	Dynamic Young's Modulus of Raw Wood, WPNC, and PTWPNC	90
3.4	MOE and MOR Measurement	92
3.5	Static Young's Modulus (E) Measurement	95
3.6	Fungal Decay Resistance Test	95

3.7 Water Uptake 97
 3.8 Scanning Electron Microscopy (SEM) Analysis 98
 4 Conclusion 99
 References 101

Characterization of *N,N*-Dimethylacetamide Impregnated Wood Polymer Nanocomposites (WPNCs) 103

M.R. Rahman
 1 Introduction 103
 2 Materials and Methods 104
 2.1 Materials 104
 2.2 Manufacturing of Wood Polymer Nanocomposites 104
 2.3 Microstructural Characterizations 105
 3 Results and Discussion 108
 3.1 Fourier Transform Infrared Spectroscopy (FT-IR) 108
 3.2 Thermogravimetric Analysis (TGA) 109
 3.3 Differential Scanning Calorimetry (DSC) 111
 3.4 Dynamic Young’s Modulus 114
 3.5 MOE and MOR Measurement 115
 3.6 Static Young’s Modulus (*E*) 117
 3.7 X-ray Diffraction (XRD) 117
 3.8 Scanning Electron Microscopy (SEM) 119
 4 Conclusion 120
 References 120

Mechanical and Thermal Characterization of Urea-Formaldehyde Impregnated Wood Polymer Nanocomposites (WPNCs) 123

M.R. Rahman
 1 Introduction 123
 2 Materials and Methods 124
 2.1 Materials 124
 2.2 Manufacturing of Wood Polymer Nanocomposites 125
 2.3 Microstructural Characterizations 125
 3 Result and Discussion 125
 3.1 FT-IR 125
 3.2 TGA 126
 3.3 DSC 127
 3.4 Dynamic Young’s Modulus Measurement 130
 3.5 MOE and MOR Measurement 130
 3.6 Static Young’s Modulus (*E*) Measurement 133
 3.7 XRD Analysis 134
 3.8 SEM 134
 4 Conclusion 135
 References 136

Characterization of Epoxy/Nanoclay Wood Polymer Nanocomposites (WPNCs)	137
M.R. Rahman	
1 Introduction	137
2 Materials and Methods	138
2.1 Materials	138
2.2 Preparation of Solution Through Impregnation	139
2.3 Manufacturing of Wood Polymer Nanocomposites	139
3 Result and Discussion	139
3.1 Fourier Transform Infrared Spectroscopy (FT-IR) Analysis	139
3.2 Thermogravimetric Analysis (TGA)	141
3.3 Dynamic Young's Modulus Measurement	141
3.4 Modulus of Elasticity (MOE) and Modulus of Rupture (MOR) Measurement	143
3.5 Static Young's Modulus (<i>E</i>) Measurement	146
3.6 X-ray Diffraction (XRD) Analysis	146
3.7 Scanning Electron Microscopy (SEM) Analysis	147
4 Conclusion	148
References	149
Influence of Nanoclay/Phenol Formaldehyde Resin on Wood Polymer Nanocomposites	151
M.R. Rahman	
1 Introduction	151
2 Materials and Methods	152
2.1 Materials	152
2.2 Impregnation Solutions Preparation	152
2.3 Fabrication of Wood Polymer Nanocomposites (WPNCs)	153
3 Result and Discussion	153
3.1 Fourier Transform Infrared Spectroscopy Analysis	153
3.2 Thermogravimetric Analysis	155
3.3 Dynamic Young's Modulus Measurement	156
3.4 Modulus of Elasticity and Modulus of Rupture Measurement	157
3.5 Static Young's Modulus Measurement	159
3.6 X-ray Diffraction Analysis	160
3.7 Scanning Electron Microscopy Analysis	162
4 Conclusion	162
References	163
Clay Dispersed Styrene-<i>co</i>-glycidyl Methacrylate Impregnated Kumpang Wood Polymer Nanocomposites: Impact on Mechanical and Morphological Properties	165
M.R. Rahman, S. Hamdan and J.C.H. Lai	
1 Introduction	165
2 Experimental	168

- 2.1 Materials 168
- 2.2 Specimen Preparation 168
- 2.3 Preparation of Wood Polymer Nanocomposites (WPNCs) 168
- 2.4 Microstructural Characterizations 169
- 3 Results and Discussion. 170
 - 3.1 Fourier Transform Infrared Spectroscopy (FT-IR). 170
 - 3.2 Modulus of Rupture (MOR), Modulus of Elasticity (MOE) and Dynamic Young’s Modulus (E_d) Measurements 172
 - 3.3 Weight Percentage Gain (WPG) and Water Uptake (WU) 173
 - 3.4 Scanning Electron Microscopy (SEM) 174
- 4 Conclusion 175
- References 176

Physico-mechanical, Morphological, and Thermal Properties of Clay Dispersed Styrene-co-Maleic Acid Impregnated Wood Polymer Nanocomposites. 179

M.R. Rahman, S. Hamdan and J.C.H. Lai

- 1 Introduction 179
- 2 Experimental 181
 - 2.1 Materials 181
 - 2.2 Specimen Preparation 181
 - 2.3 Preparation of Wood Polymer Nanocomposites (WPNCs) 182
 - 2.4 Microstructural Characterizations 182
- 3 Results and Discussion. 185
 - 3.1 FT-IR 185
 - 3.2 Scanning Electron Microscopy (SEM) 187
 - 3.3 MOR, MOE, and E_d 188
 - 3.4 Weight Percentage Gain (WPG) and Water Uptake (WU) 190
 - 3.5 Thermogravimetric Analysis (TGA) 191
 - 3.6 Differential Scanning Calorimetry (DSC) 193
- 4 Conclusion 194
- References 194

Preparation and Characterizations of Clay-Dispersed Styrene-co-Ethylene Glycol Dimethacrylate-Impregnated Wood Polymer Nanocomposites. 199

M.R. Rahman, S. Hamdan and J.C.H. Lai

- 1 Introduction 200
- 2 Experimental 201
 - 2.1 Materials 201
 - 2.2 Specimen Preparation 202
 - 2.3 Preparation of Wood Polymer Nanocomposites (WPNCs) 202
 - 2.4 Microstructural Characterizations 202

3	Results and Discussion	205
3.1	FT-IR	205
3.2	X-Ray Diffraction (XRD) Analysis	206
3.3	Scanning Electron Microscopy (SEM)	207
3.4	Modulus of Rupture (MOR), Modulus of Elasticity (MOE), and Dynamic Young's Modulus (E_d) Measurements	209
3.5	Weight Percentage Gain (WPG) and Water Uptake (WU)	210
3.6	Thermogravimetric Analysis (TGA)	211
3.7	Differential Scanning Calorimetry (DSC)	213
4	Conclusion	214
	References	215

**Physico-Mechanical, Thermal, and Morphological Properties of
Styrene-co-3-(Trimethoxysilyl)Propyl Methacrylate with Clay**

	Impregnated Wood Polymer Nanocomposites	219
--	--	------------

M.R. Rahman, S. Hamdan and J.C.H. Lai

1	Introduction	219
2	Experimental	221
2.1	Materials	221
2.2	Specimen Preparation	221
2.3	Preparation of Wood Polymer Nanocomposites	222
2.4	Characterizations	222
3	Results and Discussion	225
3.1	Fourier Transform Infrared Spectroscopy (FT-IR) Analysis	225
3.2	X-ray Diffraction (XRD) Analysis	225
3.3	Scanning Electron Microscopy (SEM)	228
3.4	MOR, MOE, and Ed.	229
3.5	Weight Percentage Gain (WPG) and Water Uptake (WU)	230
3.6	Thermogravimetric Analysis (TGA)	230
4	Conclusion	233
	References	234

**Acrylonitrile/Butyl Methacrylate/Halloysite Nanoclay Impregnated
Sindora Wood Polymer Nanocomposites (WPNCs): Physico-
mechanical, Morphological and Thermal Properties**

	237
--	------------------	------------

M.R. Rahman, J.C.H. Lai and S. Hamdan

1	Introduction	238
2	Experimental	239
2.1	Materials	239
2.2	Preparation of Acrylonitrile/Butyl Methacrylate/Halloysite Nanoclay Wood Polymer Nanocomposites (AN-co-BMA-HNC WPNCs)	239
2.3	Impregnation of AN-co-BMA-HNC WPNCs	240
2.4	Microstructural Characterizations	240

3	Results and Discussion	243
3.1	Weight Percent Gain (WPG %)	243
3.2	Fourier Transform Infrared Spectroscopy (FT-IR)	243
3.3	Scanning Electron Microscopy (SEM) Analysis	245
3.4	Three-Point Flexural Test	246
3.5	Dynamic Mechanical Thermal Analysis (DMTA)	246
3.6	Thermogravimetric Analysis (TGA)	249
3.7	Differential Scanning Calorimetry (DSC) Analysis	252
3.8	Moisture Absorption Analysis	252
4	Conclusion	253
	References	254

Studies on the Physical, Mechanical, Thermal and Morphological Properties of Impregnated Furfuryl Alcohol-co-Glycidyl Methacrylate/Nanoclay Wood Polymer Nanocomposites

M.R. Rahman, J.C.H. Lai and S. Hamdan 257

1	Introduction	258
2	Experimental	259
2.1	Materials	259
2.2	Preparation of Furfuryl Alcohol/Glycidyl Methacrylate/ Halloysite Nanoclay Wood Nanocomposites (WPNCs) (FA-co-GMA-HNC WPNCs)	259
2.3	Impregnation of FA-co-GMA-HNC WPNCs	260
2.4	Microstructural Characterizations	260
3	Results and Discussion	262
3.1	Weight Percent Gain (WPG %)	262
3.2	Fourier Transform Infrared Spectroscopy (FT-IR)	263
3.3	Scanning Electron Microscopy (SEM) Analysis	263
3.4	Three-Point Flexural Test	264
3.5	Dynamic Mechanical Thermal Analysis (DMTA)	267
3.6	Thermogravimetric Analysis (TGA)	269
3.7	Differential Scanning Calorimetry (DSC) Analysis	270
3.8	Moisture Absorption Analysis	272
4	Conclusion	273
	References	273

Nanoclay Dispersed Furfuryl Alcohol-co-Ethyl Methacrylate Wood Polymer Nanocomposites: The Enhancement on Physico-mechanical and Thermal Properties

M.R. Rahman, J.C.H. Lai and S. Hamdan 275

1	Introduction	276
2	Experimental	277
2.1	Materials	277
2.2	Methods	277
2.3	Microstructural Characterizations	278

3	Results and Discussion	280
3.1	Weight Percent Gain (WPG %)	280
3.2	Fourier Transform Infrared Spectroscopy (FT-IR)	280
3.3	Scanning Electron Microscopy (SEM) Analysis	282
3.4	Three-Point Flexural Test	284
3.5	Dynamic Mechanical Thermal Analysis (DMTA)	285
3.6	Thermogravimetric Analysis (TGA)	287
3.7	Differential Scanning Calorimetry (DSC) Analysis	288
3.8	Moisture Absorption Analysis	290
4	Conclusion	291
	References	291
	Sustainable Application of Various Monomer/Clay Dispersed Wood Polymer Nanocomposites	295
	M.R. Rahman, S. Hamdan and J.C.H. Lai	
1	Introduction	295
2	Experimental	298
2.1	Materials	298
2.2	Preparation of ST- <i>co</i> -MMM-Nanoclay	299
2.3	Impregnation of Wood Specimens with ST- <i>co</i> -MMM-Nanoclay	300
2.4	Specimen Preparation	300
2.5	Preparation of Different WPNCs and WPCs	301
2.6	Decay Tests for Wood Specimens with ST- <i>co</i> -MMM-Nanoclay	301
2.7	Laboratory Fungal Decay Resistance Test for WPCs and WPNC	301
3	Results and Discussion	303
3.1	Decay Test for Wood Specimens with ST- <i>co</i> -MMM-Nanoclay	303
3.2	Decay Resistance of Styrene- <i>co</i> -3-(Trimethoxysilyl) Propyl Methacrylate with Clay Impregnated Wood Polymer Nanocomposites	305
3.3	Investigation of Decay Resistance Properties of Clay Dispersed Styrene- <i>co</i> -Ethylene Glycol Dimethacrylate Impregnated Wood Polymer Nanocomposites	307
3.4	Clay Dispersed Styrene- <i>co</i> -Maleic Acid Impregnated Wood Polymer Nanocomposites: Impact on Decay Resistance Properties	308
3.5	Clay Dispersed Styrene- <i>co</i> -Glycidyl Ethacrylate Impregnated Wood Polymer Nanocomposites: Impact on Decay Resistance Properties	309

3.6	Decay Resistance Characterization of Wood Polymer Composites Impregnated by 4-Methyl Catechol at Various pH Levels	310
4	Conclusion	311
	References	311



<http://www.springer.com/978-3-319-65734-9>

Wood Polymer Nanocomposites
Chemical Modifications, Properties and Sustainable
Applications

Rahman, M.R.

2018, XV, 314 p. 153 illus., 49 illus. in color., Hardcover

ISBN: 978-3-319-65734-9