

Contents

List of Figures	XI
-----------------	----

List of Tables	XV
----------------	----

1 Motivation	1
1.1 Why Mobile Robots Should Have an Artificial Instinct	3
1.2 Ground-based Autonomous Mobile Robots	4
1.3 The Ideal Sensor	6
1.4 Intuition as Part of the Artificial Intelligence	8
1.5 Outline - Toward Reactive Planning for Auto-nomous Vehicles	10
2 Related Work	13
2.1 Review of Autonomous Driving	13
2.1.1 The Origin of Autonomous Driving and the First Steps (1969-1987)	13
2.1.2 Autonomous Driving on Highways (1987-2003)	18
2.1.3 The DARPA Challenges (2004-2007)	19
2.1.4 Commercial Autonomous Driving (2008-present)	24
2.2 Sensors for Autonomous Vehicle	28
2.2.1 Overview of Sensor Classes	29
2.2.2 Usage of Sensors	30
2.3 Types of Planning	32
2.3.1 Reactive Obstacle Avoidance	34
2.3.1.1 Vision-Based Obstacle Avoidance	35
2.3.1.2 Obstacle Avoidance based on Optical Flow	36
2.3.1.3 Dynamic Obstacles	38
2.3.2 Vision-Based Control and Navigation	39
2.3.2.1 Reactive Navigation with Fuzzy Logic	40
2.3.2.2 Visual Servoing	41
2.3.2.3 Homography-based Techniques	43
2.3.3 Vision-Based Platooning	44
2.3.4 Concurrent Reactive Obstacle Avoidance and Navigation	44
2.4 Contributions	45

3	Vision-Based Reactive Controllers	47
3.1	Camera-based Perception	47
3.1.1	Reasons for Use of Cameras	47
3.1.2	Basic Image Processing Principles	48
3.1.3	Optical Flow	52
3.1.4	Two View Geometry	53
3.1.4.1	Essential Matrix	54
3.1.4.2	Homography Principle	56
3.2	Single Point Time-to-Collision	58
3.2.1	STTC for Planar Motions	58
3.2.2	STTC for Non-Planar Motions	61
3.3	Representations for Coupling Sensors with Actuators	65
3.3.1	Control-Interface to Autonomous Vehicle	65
3.3.2	Optical Flow Clusters for Collision Avoidance	67
3.3.2.1	Epipolar Geometry-Based Clustering	67
3.3.2.2	Expansion-Based Time-To-Collision Estimation	68
3.3.2.3	Two-Stage Clustering	73
3.3.2.4	Coupling Epipole Motions with Velocities	79
3.3.3	Direct Homography Control for Positioning and Navigation Tasks	80
3.3.3.1	Direct Homography Control for Static Targets	81
3.3.3.2	Position Estimation without Decomposition	83
3.3.3.3	Direct Homography Control for Platooning	86
3.3.4	Single Point Time-To-Collision Map	89
3.3.4.1	Derivation of the STTC-Map	89
3.3.4.2	Static STTC Objects	93
3.3.4.3	Dynamic STTC Objects	96
3.3.4.4	Velocity Estimation using the STTC Principle	102
3.3.4.5	Single Point Velocity Estimation (SPVE)	104
3.3.4.6	Comparison of the Velocity Estimation from SPVE to Stereo	107
3.4	Planning with the Representations	113
3.4.1	Obstacle Evasion by Optimal Calculation of the Motion Correction	114
3.4.1.1	Deriving a Cost-Function for Epipole Shifting	114
3.4.1.2	Choice of the Optimizer	116
3.4.2	Navigation	118
3.4.2.1	Direct Homography Control for the Static Case	118
3.4.2.2	Platooning	122
3.4.3	STTC Map-based planning	126
3.4.3.1	Nullspace STTC Calculation	126
3.4.3.2	Optimization-based planning	129
4	The ROboMObil	133
4.1	The Research Platform	133
4.2	Architecture for Autonomous Driving	135
4.3	Simulation Aided Development	137

4.3.1	Simulation of Artificial Intelligence Agents	137
4.3.2	The ROMO Hardware-In-the-Loop Test Setup	138
4.4	The Perception System	139
4.4.1	Placement of the Cameras	140
4.4.2	Sensor Attention Management	140
4.5	Actuation of the ROboMObil	142
4.5.1	Vehicle Dynamics Controller Interface	143
4.5.2	Exemplary Application: Autonomous Parking	145
5	Results	149
5.1	Results - Perception	149
5.1.1	STTC Calculation	149
5.1.1.1	Evaluation of the Sensitivity of the STTC Calculation to Non-Planar Motions	149
5.1.1.2	The 3 Points Method for Changing Velocities	150
5.1.2	Configuration of the Sensor System	156
5.2	Results - Representations	159
5.2.1	Control-Interface Autonomous Vehicle	159
5.2.2	Evaluation of the Optical-Flow Clustering Representation	160
5.2.2.1	The Epipolar Geometry-Based Clustering	160
5.2.2.2	The Two-Step Clustering	163
5.2.3	Navigation / Homography Presentation	167
5.2.3.1	Estimation of the Orientation Deviation	167
5.2.3.2	Position Estimation using a Projection Model	170
5.2.3.3	Position Estimation using Artificial Images	171
5.2.3.4	Velocity Estimation for the Target Vehicle	175
5.2.4	STTC Map	175
5.2.4.1	Comparison of Different STTC Representations	175
5.2.4.2	Velocity Estimation	179
5.3	Results of the Planning Methods	190
5.3.1	Evaluation of the Obstacle Evasion based on Optical Flow Clusters	190
5.3.1.1	Evaluation of the Optimization	190
5.3.1.2	Evaluation of the Obstacle Evasion Approach in HIL Tests	195
5.3.1.3	The Obstacle Evasion in Real World Tests	199
5.3.2	The Direct Homography Control for Navigation Tasks	204
5.3.2.1	Static DHC	204
5.3.2.2	Results of the Platooning	209
5.3.3	STTC Map-Based Planning	214
5.3.3.1	Nullspace Calculation for STTC Map Objects	214
5.3.3.2	Optimization-based Planner	217
6	Conclusion	219
6.1	Discussion	219
6.2	Contributions	221

6.3	Future Work	222
6.3.1	Future Work regarding the Three Representations	222
6.3.2	Possible Transfers and Further Extensions	223
Publications		225
References		227
A Appendix		255
A.1	Applicability to a Conventional Vehicle	255
A.2	Utilization of the Essential Matrix	256
A.3	Car-2-X-Aided Visual Platooning	256
A.4	Tentacle Tree - Hybrid Motion Planning for the ROMO	258
Symbols and Mathematical Notation		261
List of Abbreviations		265

Robust Perception from Optical Sensors for Reactive
Behaviors in Autonomous Robotic Vehicles

Schaub, A.

2018, XV, 267 p. 127 illus., 123 illus. in color., Softcover

ISBN: 978-3-658-19086-6