

Contents

1	Introduction	1
1.1	Engineering Geological Problems Along the Qinghai–Tibet Railway Line	1
1.1.1	Geological Problems in Permafrost Areas	1
1.1.2	Geological Problems in Active Fault Areas	2
1.1.3	Geological Problems in Slope Areas	3
1.1.4	Geological Problems in Geothermal, Aeolian, and Snowdrift Areas	3
1.2	Principles of Railway-Line Selection	4
1.2.1	Line Selection in Permafrost Regions	4
1.2.2	Line Selection in Active Fault Zones	5
1.2.3	Line Selection in Slope Areas	5
1.2.4	Line Selection in Geothermal Areas	6
1.2.5	Line Selection in Aeolian Areas	7
1.2.6	Line Selection in Snowdrift Areas	7
1.2.7	Line Selection in Nature Reserves	9
2	The Qinghai–Tibet Railway Geological Environment	11
2.1	Physical Geography	11
2.1.1	Geographical Location	11
2.1.2	Climatic Characteristics	13
2.1.3	Soil and Vegetation	23
2.1.4	Rare Wild Animals	27
2.1.5	River System	27
2.1.6	Ecological Environment	28
2.2	Topography and Geomorphology	28
2.2.1	Qaidam Basin (K814+500–DK845+400)	29
2.2.2	Valley Terrace North of Kunlun Mountains (DK845+400–DK940+500)	29
2.2.3	Xidatan Structural Valley (DK940+500–DK973+700)	30

2.2.4	Kunlun Medium-High Mountain Area (DK973+700–DK1005+500)	30
2.2.5	Chumar River High Plains (DK1005+500– DK1072+500)	30
2.2.6	Hoh Xil Mountains (DK1072+500–DK1124+500)	30
2.2.7	Beilu River Basin (DK1124+500–DK1145+500)	31
2.2.8	Fenghuo Mountain Area (DK1145+500– DK1165+500)	31
2.2.9	Chiqu Valley (DK1165+500–DK1193+200)	31
2.2.10	Wuli Basin (DK1193+200–DK1202+500)	31
2.2.11	Wuli Mountain (DK1202+500–DK1217+700)	32
2.2.12	Tuotuo River Basin (DK1217+700–DK1245+000)	32
2.2.13	Kaixinling Mountain Area (DK1245+000–DK1252 +800)	32
2.2.14	Tongtian River Basin (DK1252+800–DK1282+800)	32
2.2.15	Buqu Valley (DK1282+800–DK1360+800)	32
2.2.16	Wenquan Fault Basin (DK1360+800–DK1394+800)	33
2.2.17	Tonglha Mountains and Intermontane Basin (DK1394+800–DK1485+200)	33
2.2.18	Touerjiu Mountain Area (DK1485+200– DK1513+770)	33
2.2.19	High Plains Area in Northern Tibet (DK1513+770–DK1801+100)	34
2.2.20	Medium-High Mountain Area Between Samli and Yangbaling (DK1801+100–DK1904+500)	34
2.2.21	Southern Nyainqentanglha Mountain Area from Yangbaling to Lhasa (DK1904+500–DK2006+700)	35
2.3	Formation Lithology	35
2.3.1	Quaternary System	36
2.3.2	Tertiary System	38
2.3.3	Cretaceous	39
2.3.4	Jurassic System	40
2.3.5	Triassic System	40
2.3.6	Permian System	41
2.3.7	Paleozoic Group	41
2.3.8	Magmatic Rocks	42
2.4	Geological Structure	42
2.4.1	Folds	43
2.4.2	Faults	44
2.5	Hydrogeology	49
2.5.1	Regional Hydrogeological Conditions	49
2.5.2	Groundwater Type	50

2.6	Earthquakes and Active Faults	53
2.6.1	Regional Neotectonic Movement.	54
2.6.2	Basic Seismic Intensity Zoning	54
2.6.3	Distribution Characteristics of Active Faults	55
2.7	Distribution of Permafrost Along the Line	55
2.7.1	Basic Distribution Characteristics	56
2.7.2	Distribution of Permafrost Along the Line	57
2.7.3	Types and Distribution of Thaw Areas in Permafrost Regions	62
2.8	Unfavorable and Unique Geology Along the Line	67
2.8.1	Permafrost	67
2.8.2	Geological Hazards in Active Fault Zones	67
2.8.3	Geological Hazards in Slope Areas	68
2.8.4	Geothermal Activity, Sandstorms, and Snowdrifts.	68
2.9	Summary	69
	References.	69
3	Geological Line Selection in Permafrost Regions	73
3.1	Classification of Permafrost	74
3.1.1	Fundamentals of Permafrost	74
3.1.2	Classification of Permafrost.	74
3.1.3	Classification of Permafrost Thawing Settlement.	78
3.1.4	Frost-Heaving Classification of Seasonal Permafrost and Seasonal Melt Layer.	79
3.1.5	Regionalization of Frozen Soil Along the Qinghai–Tibet Railway	79
3.2	Engineering-Geological Features of Permafrost Regions.	82
3.2.1	Engineering-Geological Environment of Permafrost Regions	83
3.2.2	Factors Controlling the Engineering-Geological Conditions in the Permafrost Regions	86
3.2.3	Major Engineering-Geological Problems in Permafrost Regions	93
3.3	Effects of Permafrost on Railway Engineering	99
3.3.1	Frost Heave and Thaw Collapse and Frost Boiling of Roadbed	100
3.3.2	Cutting Slope Collapse and Mudflow	102
3.3.3	Frost Heaving and Thaw Collapse, Deformation and Cracking, and Bridge Jumping of Bridge Foundation	102
3.3.4	Frost Thawing and Boiling of Culverts and Basements and Slump at the Inlets and Outlets	103

3.3.5	Cracking Due to Frost Heaving and Freezing of Tunnel Lining	104
3.3.6	Effects of Permafrost on Stations and Other Railway Engineering Structures.	105
3.4	Principles of Geological Route Selection in Permafrost Regions	106
3.4.1	Overview of Geological Route Selection in Permafrost Regions	106
3.4.2	Conditions Along the Qinghai–Tibet Railway Permafrost Regions	108
3.5	Comparison of Main Line Routes in Permafrost Region	109
3.5.1	Col Route Across Tangalle Mountain	109
3.5.2	Comparison of Roadbed and Bridge Schemes Across Qingshui River	116
3.5.3	Comparison of Bridge Schemes Across Chumar River	117
3.5.4	Comparison of the Schemes to Cross Thaw Lakes and Ponds Between Kaixinling and Tongtian River	118
3.6	Summary	119
	References.	119
4	Line Selection in Active Fault Zones and Meizoseismal Areas.	123
4.1	Spatial Distribution of Active Fault Zones	123
4.1.1	The Active Faults of Eastern Kunlun–Qaidam Terranes.	125
4.1.2	The Active Faults of Songpan County–Ganzi County–Hoh Xil Terrain	127
4.1.3	Active Faults of Qingtang Terrains	129
4.1.4	Active Faults of Lhasa Terrains.	135
4.2	Temporal and Spatial Distribution of Seismic Belts	143
4.2.1	Relationship Between Earthquakes and Active Fault Belts	144
4.2.2	Seismotectonic Zones of Kunlun Mountains	145
4.2.3	Seismotectonic Zone of Jiali–Bengcuo	149
4.2.4	Seismotectonic Zones of Yambajan–Damxung–Gulu	150
4.2.5	Other Seismic Tectonic Belts	154
4.3	Effects of Active Faults and Earthquake Zones on Railway Projects.	157
4.3.1	Effect of Active Faults on Railway Projects	157
4.3.2	Effect of Seismic Areas on Railway Projects.	160

4.4	Active Fault Zones and Line-Selection Principle and Project Settings in Meizoseismal Areas	163
4.4.1	Active Fault Zones and Line-Selection Principle of Meizoseismal Areas	163
4.4.2	Engineering Measures for Active Fault Zones and Meizoseismal Areas Along the Qinghai-Tibet Railway	167
4.5	Major Scheme Comparison and Selection of Active Fault Belts and Meizoseismal Areas	170
4.5.1	Scheme Comparison and Selection of Kunlun Mountain Tunnel	170
4.5.2	Scheme Comparison of Railway-Line Selection in the Wenquan Gypsum Region	178
4.5.3	Bridge-Instead-of-Embankment of Large Budongquan Bridge	179
4.5.4	Scheme Comparison of Line Selection from Xiaonanchuan to Wangkun	180
4.5.5	Scheme Comparison of Railway-Line Selection from Liangdaohe to Nagqu	182
4.6	Summary	184
	References	186
5	Railway-Line Selection in Slope Areas	187
5.1	Distribution of Slope Geological Hazards	187
5.1.1	Fundamental Slope Characteristics	187
5.1.2	Major Geological Hazards Along the Qinghai-Tibet Railway and Their Distribution	188
5.2	Influence of Slope Geological Hazards on Railway Engineering	200
5.2.1	Dangerous Rocks, Rockfall, Collapse, and Rock Heaps	200
5.2.2	Debris Flow	201
5.2.3	Thaw Slumping	209
5.2.4	Slope Wetland	210
5.3	Principles of Railway-Line Selection and Preventive Measures	212
5.3.1	Principles of Railway-Line Selection in Slope Areas	212
5.3.2	Preventive Measures in the Slope Area Along the Qinghai-Tibet Railway	216

5.4	Scheme Comparison for Slope Areas	221
5.4.1	Comparison of the Yambajan Long Tunnel Scheme and the Yambajan Short Tunnel Scheme.	221
5.4.2	Comparison of the Left Bank Scheme and the Right Bank Scheme in Buqu River Source Region Valley	223
5.4.3	Comparison of the Bridge Scheme and the Road Scheme in the Slope Area Near the Exit of Kunlun Mountain Tunnel.	224
5.5	Summary	225
	References.	226
6	Route Selection in Nature Reserves	229
6.1	Overview of Nature Reserves Along the Line	229
6.1.1	Overview of Nature Reserves Along the Qinghai–Tibet Railway	231
6.1.2	Overview of Nature Reserve Adjacent to Railway	233
6.2	Location Relationship Between Nature Reserve and Railway	237
6.2.1	Situation of Railway Passing Through Nature Reserve	237
6.2.2	Relationship Between Railway and Adjacent Nature Reserves	239
6.3	Principles of Route Selection in Nature Reserve.	239
6.3.1	Principles of Railway Route Selection.	240
6.3.2	Setting Principles of Wildlife Passageways During Route Selection	240
6.4	Main Route Selection in Nature Reserve	241
6.4.1	Route Selection in Sanjiangyuan Nature Reserve	241
6.4.2	Route Selection in Hoh Xil Nature Reserve	246
6.4.3	Route Selections in Other Nature Reserves	250
6.5	Solution Taken in the Qinghai–Tibet Railway Route Selection.	254
6.5.1	Effects of Qinghai–Tibet Railway on Ecological Environment	254
6.5.2	Corresponding Measures Taken in the Qinghai–Tibet Railway Route Selection	255
6.6	Summary	263
	References.	264
7	Railroad Route Alignment in Geothermal, Aeolian, and Snowdrift Areas	267
7.1	Road Route Alignment in Geothermal Areas	267
7.1.1	Distribution of Geothermal Resources Along the Qinghai–Tibet Railway	267
7.1.2	Engineering Characteristics of Geothermal Fields	268

7.1.3	Influence of Geothermal Distribution.	269
7.1.4	Influence of Geothermal Activity on the Qinghai–Tibet Railway.	270
7.1.5	Principles of Selecting Line in the Geothermal Areas	273
7.1.6	Selection of the Qinghai–Tibet Railway in the Geothermal Area.	275
7.1.7	Summary.	275
7.2	Road Route Alignment Design in the Aeolian Area.	276
7.2.1	Sand Causing Analysis and Spatial Distribution in Tibet Plateau.	276
7.2.2	Sand Harm to Railway	285
7.2.3	Sand Region of Railway Survey and Design, the Principle of Line Selection and Prevention Measures.	287
7.2.4	The Qinghai–Tibet Railway-Line Selection in the Aeolian Area.	294
7.2.5	Summary.	299
7.3	Road Route Alignment Design in Snowdrift Areas	299
7.3.1	Cause Analysis of Snowdrift and Spatial Distribution in the Qinghai–Tibet Plateau.	300
7.3.2	Influence of Snowdrift.	303
7.3.3	Snowdrifts Influence on the Railway.	305
7.3.4	Avalanche Effects on Railway.	307
7.3.5	Railway Location Principle and Control Measures of Snowdrift Areas	308
7.3.6	Summary.	311
	References.	312

Geological Line Selection for the Qinghai-Tibet Railway
Engineering

Li, J.; Wang, N.; Liu, Z.

2018, XVII, 315 p. 61 illus., 13 illus. in color., Hardcover

ISBN: 978-3-662-55570-5