

Contents

1	Introduction	1
	References	5
2	Transformation of CO₂ to Formic Acid or Formate with Homogeneous Catalysts	7
2.1	CO ₂ Hydrogenation Using Noble Metals	8
2.1.1	Ruthenium Complexes	8
2.1.2	Rhodium Complexes	16
2.1.3	Iridium Complexes	19
2.2	CO ₂ Hydrogenation Using Non-precious Metals	28
2.2.1	Using Phosphine Ligands	28
2.2.2	Using Pincer Ligands	29
2.3	CO ₂ Hydroboration and Hydrosilylation to Formate	31
2.3.1	CO ₂ Hydrosilylation	31
2.3.2	CO ₂ Hydroboration	33
	References	35
3	Transformation of CO₂ to Formic Acid or Formate Over Heterogeneous Catalysts	43
3.1	Nickel-Based Catalyst	43
3.2	Palladium-Based Catalyst	45
3.3	Ruthenium-Based Catalyst	46
3.4	Iridium-Based Catalyst	48
3.5	Gold-Based Catalyst	50
	References	51
4	Transformation of CO₂ to Methanol with Homogeneous Catalysts	53
4.1	Catalytic Disproportionation of Formic Acid to MeOH	58
4.2	Cascade Catalysis of CO ₂ to MeOH	61
4.3	Direct Reduction of CO ₂ to MeOH with Metal Complexes	63

4.3.1	Hydrogen as Reductant	63
4.3.2	Borane as Reductant	64
4.4	Transformation of CO ₂ to MeOH with Organocatalysts or FLPs	71
4.4.1	Borane as Reductant	72
4.4.2	Silane as Reductant	79
4.4.3	Hydrogen as Reductant	81
	References	83
5	Transformation of CO₂ to Methanol Over Heterogeneous Catalysts	89
5.1	Cu-Based Catalysts	89
5.2	Pd-Based Catalysts	106
5.3	Ni-Based Catalysts	110
5.4	Ag-Based Catalysts	111
5.5	Au-Based Catalysts	111
5.6	In-Based Catalysts	113
5.7	Other Heterogeneous Catalysts	113
	References	115
6	Conclusions and Outlook	121

Transformation of Carbon Dioxide to Formic Acid and
Methanol

Wang, W.-H.; Feng, X.; Bao, M.

2018, VI, 123 p. 76 illus., 16 illus. in color., Softcover

ISBN: 978-981-10-3249-3