

Contents

1	Introduction	1
1.1	Definition of the Subject	1
1.2	Coordinate Systems and Fundamental Equations	2
1.3	Material Models	5
1.4	Maximum Friction Law	8
	References	10
2	Rigid Perfectly Plastic Material	13
2.1	Plane Strain Deformation	13
2.2	Axisymmetric Deformation	16
2.3	Compression of a Layer Between Rough Plates	20
2.3.1	Statement of the Problem	21
2.3.2	Solution	22
	References	25
3	Rigid Viscoplastic Material	27
3.1	Plane Strain Deformation [6–8]	27
3.2	Axisymmetric Deformation [9]	36
3.3	Compression of a Layer Between Rough Plates	46
	References	49
4	Anisotropic Rigid Plastic Material	51
4.1	Plane Strain Deformation [1]	51
4.2	Compression of a Layer Between Rough Plates [2]	56
	References	60
5	Numerical Method	61
5.1	The Strain Rate Intensity Factor in Characteristic Coordinates	61
5.2	Benchmark Problem	65
5.3	Numerical Solution	69
5.3.1	General Numerical Scheme for the Boundary Value Problem of Section 2.3	69

5.3.2	Verification of the Accuracy of the Numerical Scheme. . . .	73
5.3.3	The Strain Rate Intensity Factor in Compression of a Finite Layer	76
	References.	80
6	Applications	81
6.1	Generation of Fine Grain Layers Near Frictional Interfaces	81
6.2	Upper Bound Method.	92
6.2.1	Statement of the Problem	93
6.2.2	General Approach	94
6.2.3	Illustrative Example	101
	References.	105
	Index	107

Singular Solutions in Plasticity

Alexandrov, S.

2018, XI, 107 p. 40 illus., Softcover

ISBN: 978-981-10-5226-2