

# Contents

|          |                                                                               |           |
|----------|-------------------------------------------------------------------------------|-----------|
| <b>1</b> | <b>Introduction</b>                                                           | <b>1</b>  |
| 1.1      | General                                                                       | 1         |
| 1.2      | Safety Aspects                                                                | 3         |
|          | References                                                                    | 3         |
| <b>2</b> | <b>The Structural Hot-Spot Stress Approach to Fatigue Analysis</b>            | <b>5</b>  |
| 2.1      | Field of Application                                                          | 5         |
| 2.2      | Types of Hot Spot                                                             | 6         |
| 2.3      | Definition of the Structural Stress at a Type “a” Hot-Spot                    | 7         |
| 2.4      | Use of Stress Concentration Factors                                           | 9         |
| 2.4.1    | Modified Nominal Stress                                                       | 9         |
| 2.4.2    | Structural Stress Concentration Factors, $K_s$                                | 9         |
| 2.4.3    | Stress Magnification Factor Due to Misalignment $K_m$                         | 10        |
| 2.5      | Effect of Component Size on the Fatigue Resistance                            | 12        |
|          | References                                                                    | 12        |
| <b>3</b> | <b>Experimental Determination of the Structural Hot-Spot Stress</b>           | <b>13</b> |
| 3.1      | General                                                                       | 13        |
| 3.2      | Type “a” Hot Spots                                                            | 13        |
| 3.3      | Type “b” Hot Spots                                                            | 15        |
|          | References                                                                    | 16        |
| <b>4</b> | <b>Structural Hot-Spot Stress Determination Using Finite Element Analysis</b> | <b>17</b> |
| 4.1      | General                                                                       | 17        |
| 4.2      | Choice of Element Type                                                        | 18        |
| 4.3      | Methods for Determination of Structural Hot-Spot Stress                       | 19        |

|          |                                                                                                        |           |
|----------|--------------------------------------------------------------------------------------------------------|-----------|
| 4.3.1    | Determination of the Structural Stress at the Weld Toe Using Through-Thickness Linearization . . . . . | 20        |
| 4.3.2    | Determination of the Structural Stress at the Weld Toe Using Surface Stress Extrapolation. . . . .     | 21        |
| 4.3.3    | Determination of the Structural Stress at a Single Point Close to the Weld Toe . . . . .               | 25        |
| 4.4      | Use of Relatively Coarse Element Meshes . . . . .                                                      | 26        |
| 4.4.1    | Solid Element Modelling. . . . .                                                                       | 26        |
| 4.4.2    | Thin Shell (or Plate) Element Modelling . . . . .                                                      | 27        |
| 4.4.3    | Hot-Spot Stress Extrapolation . . . . .                                                                | 27        |
| 4.5      | Use of Relatively Fine Element Meshes . . . . .                                                        | 28        |
| 4.5.1    | Solid Element Modelling. . . . .                                                                       | 28        |
| 4.5.2    | Thin Shell (or Plate) Element Modelling . . . . .                                                      | 29        |
| 4.5.3    | Hot-Spot Stress Extrapolation . . . . .                                                                | 29        |
| 4.6      | Modelling Fillet Welds in Shell Element Models . . . . .                                               | 29        |
|          | References. . . . .                                                                                    | 30        |
| <b>5</b> | <b>Parametric Formulae . . . . .</b>                                                                   | <b>33</b> |
| 5.1      | Misalignment . . . . .                                                                                 | 33        |
| 5.1.1    | Axial Misalignment Between Flat Plates of Equal Thickness Under Axial Loading . . . . .                | 33        |
| 5.1.2    | Axial Misalignment Between Flat Plates of Differing Thickness Under Axial Loading . . . . .            | 34        |
| 5.1.3    | Axial Misalignment Between Tubes or Pipes Under Axial Loading . . . . .                                | 34        |
| 5.1.4    | Axial Misalignment at Joints in Pressurized Cylindrical Shells with Thickness Change. . . . .          | 35        |
| 5.1.5    | Angular Misalignment Between Flat Plates of Equal Thickness Under Axial Loading . . . . .              | 35        |
| 5.1.6    | Angular Misalignment at Longitudinal Joints in Pressurized Cylindrical Shells . . . . .                | 36        |
| 5.1.7    | Ovality in Pressurized Cylindrical Pipes and Shells. . . . .                                           | 37        |
| 5.2      | Structural Discontinuities . . . . .                                                                   | 37        |
|          | References. . . . .                                                                                    | 38        |
| <b>6</b> | <b>Structural Hot-Spot S-N Curves. . . . .</b>                                                         | <b>39</b> |
| 6.1      | General Principles. . . . .                                                                            | 39        |
| 6.2      | Recommended S-N Curves for the Conventional Structural Hot-Spot Stress Approach. . . . .               | 42        |
| 6.2.1    | Hot-Spot S-N Curves. . . . .                                                                           | 42        |
| 6.2.2    | Hot-Spot S-N Curves for Tubular Joints in Steel. . . . .                                               | 43        |
| 6.3      | Recommended S-N Curves for the Other Structural Stress Approaches. . . . .                             | 43        |

|          |                                                                        |           |
|----------|------------------------------------------------------------------------|-----------|
| 6.3.1    | Structural Stress Approach According to Dong . . . . .                 | 43        |
| 6.3.2    | Structural Stress Approach According to Xiao<br>and Yamada . . . . .   | 44        |
| 6.3.3    | Structural Stress Approach According to Haibach . . . . .              | 44        |
|          | References. . . . .                                                    | 44        |
| <b>7</b> | <b>Case Study 1: Box Beam of a Railway Wagon . . . . .</b>             | <b>47</b> |
| 7.1      | Introduction . . . . .                                                 | 47        |
| 7.2      | Materials and Methods . . . . .                                        | 47        |
| 7.2.1    | Description of the Structure. . . . .                                  | 47        |
| 7.2.2    | Angular Misalignment in the Web. . . . .                               | 47        |
| 7.2.3    | Strain Gauge Measurements . . . . .                                    | 48        |
| 7.2.4    | Structural Hot-Spot Stress Determination . . . . .                     | 49        |
| 7.2.5    | S-N Curve . . . . .                                                    | 50        |
| 7.2.6    | Partial Safety Factors. . . . .                                        | 51        |
| 7.3      | Results . . . . .                                                      | 51        |
| 7.3.1    | Stress Concentration Factor, $K_s$ . . . . .                           | 51        |
| 7.3.2    | Results for a Perfectly Straight Web . . . . .                         | 51        |
| 7.3.3    | Effective Magnification Factor, $K_m$ . . . . .                        | 52        |
| 7.3.4    | Results for a Web with Angular Misalignment . . . . .                  | 53        |
| 7.4      | Discussion and Conclusions . . . . .                                   | 53        |
| <b>8</b> | <b>Case Study 2: Hatch Corner Design for Container Ships . . . . .</b> | <b>55</b> |
| 8.1      | Introduction . . . . .                                                 | 55        |
| 8.2      | Materials and Methods . . . . .                                        | 55        |
| 8.2.1    | Description of the Structure. . . . .                                  | 55        |
| 8.2.2    | Service Loads . . . . .                                                | 55        |
| 8.2.3    | Experimental Investigation . . . . .                                   | 56        |
| 8.2.4    | Structural Hot-Spot Stress Determination . . . . .                     | 57        |
| 8.2.5    | S-N Curve Based on Nominal Stress. . . . .                             | 58        |
| 8.3      | Fatigue Assessment. . . . .                                            | 59        |
| 8.4      | Conclusion . . . . .                                                   | 59        |
|          | Reference . . . . .                                                    | 59        |
| <b>9</b> | <b>Case Study 3: Web Frame Corner. . . . .</b>                         | <b>61</b> |
| 9.1      | Introduction . . . . .                                                 | 61        |
| 9.2      | Computation of the Structural Hot-Spot Stress . . . . .                | 62        |
| 9.2.1    | Finite Element Modelling . . . . .                                     | 62        |
| 9.2.2    | Computation of Structural Hot-Spot Stresses. . . . .                   | 63        |
| 9.3      | Fatigue Tests . . . . .                                                | 64        |
| 9.3.1    | Performance of the Tests. . . . .                                      | 64        |
| 9.3.2    | Observed Fatigue Lives. . . . .                                        | 64        |
| 9.3.3    | Comparison with Design S-N Curves . . . . .                            | 65        |
|          | Reference . . . . .                                                    | 66        |

|                                                                            |           |
|----------------------------------------------------------------------------|-----------|
| <b>10 Case Study 4: Loaded Stiffener on T-Bar</b>                          | <b>67</b> |
| 10.1 Introduction                                                          | 67        |
| 10.2 Computation of the Structural Hot-Spot Stress                         | 67        |
| 10.2.1 Finite Element Modelling                                            | 67        |
| 10.2.2 Determination of the Structural Hot-Spot Stress<br>by Extrapolation | 69        |
| 10.2.3 Determination of the Structural Stress According<br>to Dong         | 70        |
| 10.2.4 Determination of the Structural Stress According<br>to Xiao/Yamada  | 72        |
| 10.3 Estimation of the Design Fatigue Life                                 | 72        |
| 10.3.1 Fatigue Life Determined from Extrapolated Stress                    | 72        |
| 10.3.2 Fatigue Life Determined from Dong’s Approach                        | 72        |
| 10.3.3 Fatigue Life Determined from Xiao/Yamada’s<br>Approach              | 73        |
| 10.3.4 Comparison with Test Results                                        | 73        |
| References                                                                 | 73        |
| <b>Appendix</b>                                                            | <b>75</b> |

<http://www.springer.com/978-981-10-5567-6>

Structural Hot-Spot Stress Approach to Fatigue

Analysis of Welded Components

Designer's Guide

Niemi, E.; Fricke, W.; Maddox, S.J.

2018, XIII, 76 p. 38 illus., 17 illus. in color., Hardcover

ISBN: 978-981-10-5567-6