Back to Main Index

Subvolume III/36A2 **Substance**	Fundamentals	Material preparation	Crystal structure	Lattice distortion	Dielectric properties	Thermal properties	Electromechanical	Elastic properties	Optical properties	Light scattering	Conduction	Magnetism	NMR, ESR	Local structures	Domains	Miscellanea
6 Tungsten-bronze-type oxides **6C Solid solutions** **6C-a Systems with $A_5M_{10}O_{30}$-type components**																
a1 $PbNb_2O_6$–$LiNbO_3$	●		●													
a2 $PbNb_2O_6$–$NaNbO_3$	●	●	●													
a3 $PbNb_2O_6$–$KNbO_3$	●	●	●		●											
a4 $PbNb_2O_6$–$RbNbO_3$			●													
a5 $PbNb_2O_6$–$CaNb_2O_6$	●				●											
a6 $PbNb_2O_6$–$SrNb_2O_6$	●				●		●									
a7 $PbNb_2O_6$–$CdNb_2O_6$	●		●													
a8 $PbNb_2O_6$–$BaNb_2O_6$	●	●	●	●	●	●	●									
a9 $PbNb_2O_6$–$Sr_2NaNb_5O_{15}$	●				●											
a10 $PbNb_2O_6$–$Pb_2NaNb_5O_{15}$	●		●													
a11 $PbNb_2O_6$–$Pb_2KNb_5O_{15}$	●		●													
a12 $PbNb_2O_6$–$Ba_2NaNb_5O_{15}$ –$Pb_2NaNb_5O_{15}$	●															
a13 $PbNb_2O_6$–$K_3Li_2Nb_5O_{15}$	●															
a14 $PbNb_2O_6$–$K_2BiNb_5O_{15}$	●															
a15 $PbNb_2O_6$–$R_{2/3}Nb_2O_6$ (R = Y, La, Sm)	●		●		●											
a16 $PbNb_2O_6$–$M_{1/2}Nb_2O_6$ (M = Ce, Th, U)	●		●		●											
a17 $PbNb_2O_6$–$Bi_{2/3}Nb_2O_6$	●		●		●											
a18 $PbNb_2O_6$–$K_{1/2}La_{1/2}Nb_2O_6$	●		●		●		●									
a19 $PbNb_2O_6$–$K_{1/2}Bi_{1/2}Nb_2O_6$	●				●		●									
a20 $PbNb_2O_6$–$SrNb_2O_6$–$BaNb_2O_6$	●		●													
a21 $PbNb_2O_6$–$BaNb_2O_6$–$La_{2/3}Nb_2O_6$	●				●		●		●							●
a22 $PbNb_2O_6$–$PbTiO_3$	●		●	●	●											
a23 $PbNb_2O_6$–$Bi_{4/3}Ti_2O_6$	●															
a24 $PbNb_2O_6$–$BiTiNbO_6$	●															
a25 $PbNb_2O_6$–$PbZrO_3$	●		●	●												
a26 $PbNb_2O_6$–$PbO{\cdot}SnO_2$	●		●													
a27 $PbNb_2O_6$–$PbTa_2O_6$	●		●		●											
a28 $PbTa_2O_6$–$SrTa_2O_6$	●															
a29 $PbTa_2O_6$–$Pb_2NaTa_5O_{15}$	●		●													
a30 $PbTa_2O_6$–$Pb_2KTa_5O_{15}$	●		●													

Back to Main Index

Subvolume III/36A2 **Substance**	Fundamentals	Material preparation	Crystal structure	Lattice distortion	Dielectric properties	Thermal properties	Electromechanical	Elastic properties	Optical properties	Light scattering	Conduction	Magnetism	NMR, ESR	Local structures	Domains	Miscellanea
a31 $PbTa_2O_6$–$M_{1/2}Ta_2O_6$ (M = Ce, Th, U)	•		•													
a32 $(Pb,Ba)(Nb,Ta)_2O_6$	•		•													
a33 $(Pb,Ca,Ba)(Nb,Ta)_2O_6$	•				•											
a34 $(Pb,Sr,Ba)(Nb,Ta)_2O_6$	•				•											
6C-b Systems with $A_6M_{10}O_{30}$-type components																
b1 $Ca_2NaNb_5O_{15}$–$Sr_2NaNb_5O_{15}$					•											
b2 $Sr_2NaNb_5O_{15}$–$Ba_2NaNb_5O_{15}$	•	•	•		•				•							
b3 $Sr_2NaNb_5O_{15}$–$Pb_2NaNb_5O_{15}$	•				•		•									
b4 $Sr_2NaNb_5O_{15}$–$Pb_2KNb_5O_{15}$	•		•		•											
b5 $Sr_2NaNb_5O_{15}$–$Sr_2NaTa_5O_{15}$	•															
b6 $Sr_2NaNb_5O_{15}$–$Na_6Mo_4Nb_6O_{30}$	•		•													
b7 $Sr_2NaNb_5O_{15}$–$Na_6W_4Nb_6O_{30}$	•		•													
b8 $Sr_2KNb_5O_{15}$–$(K,M)Nb_5O_{15}$ (M = Ce, Th, U)	•															
b9 $Sr_2KNb_5O_{15}$–$SrM_{1/2}KNb_5O_{15}$ (M = Ce, Th, U)	•		•													
b10 $Sr_2KNb_5O_{15}$–$Ba_2KNb_5O_{15}$	•		•		•											
b11 $Sr_2KNb_5O_{15}$–$Pb_2KNb_5O_{15}$	•		•													
b12 $Sr_2KNb_5O_{15}$–$Sr_2KTa_5O_{15}$	•															
b13 $Sr_2KNb_5O_{15}$–$K_6Mo_4Nb_6O_{30}$	•		•		•											
b14 $Sr_2KNb_5O_{15}$–$K_6W_4Nb_6O_{30}$	•		•													
b15 $Sr_2KNb_5O_{15}$–$SrK_2Nb_5O_{14}F$	•		•													
b16 $Sr_2KNb_5O_{15}$–$Sr_2KTiNb_4O_{14}F$	•		•		•											
b17 $Sr_2AgNb_5O_{15}$–$Sr_2AgTa_5O_{15}$	•		•		•											
b18 $Sr_2TlNb_5O_{15}$–$SrM_{1/2}TlNb_5O_{15}$ (M = Ce, Th, U)	•		•													
b19 $Ba_2LiNb_5O_{15}$–$Ba_2NaNb_5O_{15}$	•		•		•				•						•	
b20 $Ba_2LiNb_5O_{15}$–$Ba_2LiTa_5O_{15}$	•		•		•											
b21 $Ba_2NaNb_5O_{15}$–$Ba_2KNb_5O_{15}$	•	•	•		•				•	•						
b22 $(Sr,Ba)_2(Li,Na)Nb_5O_{15}$	•				•						•					
b23 $(Sr,Ba)_2(Li,K)Nb_5O_{15}$	•		•		•											
b24 $(Sr,Ba)_2(Na,K)Nb_5O_{15}$	•		•		•		•	•	•		•				•	
b25 $Ba_2NaNb_5O_{15}$–$Pb_2NaNb_5O_{15}$	•		•		•		•									
b26 $Ba_2NaNb_5O_{15}$–$Pb_2KNb_5O_{15}$	•		•		•											
b27 $Ba_2NaNb_5O_{15}$–$Ba_2Na_3LaNb_{10}O_{30}$			•		•											
b28 $Ba_2NaNb_5O_{15}$–$Ba_2LaLiNa_2Nb_{10}O_{30}$	•		•		•											
b29 $Ba_2NaNb_5O_{15}$–$Ba_6InNb_9O_{30}$	•															

Back to Main Index

Subvolume III/36A2 **Substance**	Fundamentals	Material preparation	Crystal structure	Lattice distortion	Dielectric properties	Thermal properties	Electromechanical	Elastic properties	Optical properties	Light scattering	Conduction	Magnetism	NMR, ESR	Local structures	Domains	Miscellanea
b30 $Ba_2NaNb_5O_{15}$–$Ba_2NaTa_5O_{15}$	•				•											
b31 $(Ba,Pb)_2Na(Nb,Ta)_5O_{15}$	•		•													
b32 $Ba_2NaNb_5O_{15}$–$Ba_6Ti_2Nb_8O_{30}$	•		•	•	•			•	•							
b33 $Ba_2NaNb_5O_{15}$– $Ba_2LaCrNb_4O_{15}$	•															
b34 $Ba_2NaNb_5O_{15}$–$Na_6Mo_4Nb_6O_{30}$	•		•													
b35 $Ba_2NaNb_5O_{15}$–$Na_6W_4Nb_6O_{30}$	•		•		•											
b36 $Ba_2NaNb_5O_{15}$–$BaNa_2Nb_5O_{14}F$	•		•													
b37 $Ba_2NaNb_5O_{15}$–$Ba_4Na_2TiNb_9O_{29}F$	•		•		•											
b38 $Ba_2KNb_5O_{15}$–$Pb_2KNb_5O_{15}$	•		•													
b39 $Ba_2KNb_5O_{15}$–$Ba_2KTa_5O_{15}$	•															
b40 $Ba_2AgNb_5O_{15}$–$Ba_2Ag_3RNb_{10}O_{30}$ (R = La, Pr)			•		•		•									
b41 $Pb_2NaNb_5O_{15}$–$Pb_2KNb_5O_{15}$																•
b42 $Pb_2NaNb_5O_{15}$–$K_6W_4Nb_6O_{30}$	•				•		•									
b43 $Pb_2(K,Li)Nb_5O_{15}$	•		•													
b44 $(Pb,M_{1/2})_2KNb_5O_{15}$ (M = Ce, Th, U)	•		•		•											
b45 $Pb_2KNb_5O_{15}$–$Pb_2RbNb_5O_{15}$	•															
b46 $Pb_2KNb_5O_{15}$–$Ba_6Ti_2Nb_8O_{30}$	•															
b47 $Pb_2KNb_5O_{15}$–$Ba_6Zr_2Nb_8O_{30}$	•															
b48 $Pb_2KNb_5O_{15}$–$K_6W_4Nb_6O_{30}$	•		•		•		•									
b49 $Pb_2KNb_5O_{15}$–$Pb_2KLiTiNb_4O_{15}$	•		•		•											
b50 $Pb_2KNb_5O_{15}$–$Pb_2KTa_5O_{15}$	•		•		•											
b51 $K_2LaNb_5O_{15}$–$Pb_2KNb_5O_{15}$	•		•													
b52 $K_2BiNb_5O_{15}$–$Pb_2NaNb_5O_{15}$	•															
b53 $K_2BiNb_5O_{15}$–$Pb_2KNb_5O_{15}$	•															
b54 $Sr_2KTa_5O_{15}$–$SrM_{1/2}KTa_5O_{15}$ (M = Ce, Th, U)	•		•													
b55 $Sr_2TlTa_5O_{15}$–$SrM_{1/2}TlTa_5O_{15}$ (M = Ce, Th, U)	•		•													
b56 $Ba_2NaTa_5O_{15}$–$BaTa_2O_6$			•													
b57 $Pb_2KTa_5O_{15}$–$PbM_{1/2}KTa_5O_{15}$ (M = Ce, Th, U)	•		•													
b58 $CaBaKNb_5O_{15}$–$BaM_{1/2}KNb_5O_{15}$ (M = Ce, Th, U)	•		•													
b59 $CaBaTlNb_5O_{15}$–$BaM_{1/2}TlNb_5O_{15}$ (M = Ce, Th, U)	•		•													
b60 $SrBaKNb_5O_{15}$–$BaM_{1/2}KNb_5O_{15}$ (M = Ce, Th, U)	•		•													

Back to Main Index

Subvolume III/36A2 **Substance**	Fundamentals	Material preparation	Crystal structure	Lattice distortion	Dielectric properties	Thermal properties	Electromechanical	Elastic properties	Optical properties	Light scattering	Conduction	Magnetism	NMR, ESR	Local structures	Domains	Miscellanea
b61 $SrBaTlNb_5O_{15}$–$BaM_{1/2}TlNb_5O_{15}$ (M = Ce, Th, U)	•		•													
b62 $CaBaKTa_5O_{15}$–$BaM_{1/2}KTa_5O_{15}$ (M = Ce, Th, U)	•		•													
b63 $CaBaTlTa_5O_{15}$–$BaM_{1/2}TlTa_5O_{15}$ M = (Ce, Th, U)	•		•													
b64 $SrBaKTa_5O_{15}$–$BaM_{1/2}KTa_5O_{15}$ (M = Ce, Th, U)	•		•													
b65 $SrBaTlTa_5O_{15}$–$BaM_{1/2}TlTa_5O_{15}$ (M = Ce, Th, U)	•		•													
6C-c Systems with $M_6M'_4M''_{10}O_{30}$-type components																
c1 $Na_3Li_2Nb_5O_{15}$–$K_3Li_2Nb_5O_{15}$	•		•		•											
c2 $Na_3Li_2Nb_5O_{15}$–$K_2BiNb_5O_{15}$	•															
c3 $Na_3Li_2Nb_5O_{15}$–$Pb_2KNb_5O_{15}$	•															
c4 $K_3Li_2Nb_5O_{15}$–$K_2BiNb_5O_{15}$	•															
c5 $K_3Li_2Nb_5O_{15}$–$Pb_2NaNb_5O_{15}$	•															
c6 $K_3Li_2Nb_5O_{15}$–$Pb_2KNb_5O_{15}$	•		•	•	•		•									
c7 $K_3Li_2Nb_5O_{15}$–$K_3Li_2Ta_5O_{15}$	•		•		•		•	•	•							
6C-d Systems with AM_2O_6-type components																
d1 $CaNb_2O_6$–$BaNb_2O_6$	•		•													
d2 $SrNb_2O_6$–$BaNb_2O_6$ (SBN)	•	•	•	•	•	•	•	•	•	•	•			•	•	•
d3 $CaNb_2O_6$–$SrNb_2O_6$–$BaNb_2O_6$	•		•		•				•							
d4 $SrNb_2O_6$–$BaNb_2O_6$–$NaNbO_3$	•		•		•		•	•	•							
d5 $SrNb_2O_6$–$BaNb_2O_6$–$La_{2/3}Nb_2O_6$					•											
d6 $(Sr,Ba)Nb_2O_6$ –$(Sr,Ba)_5Li_2Ti_2Nb_8O_{30}$	•		•													
d7 $(Sr,Ba)Nb_2O_6$–$(Sr,Ba)_2TiNb_4O_{14}F$	•		•		•											
6C-e Others																
e1 $SrNb_2O_6$–$KNbO_3$–$LaNb_3O_9$	•		•		•											
e2 $BaNb_2O_6$–$LiNbO_3$–$KNbO_3$	•	•							•							
e3 $BaNb_2O_6$–$NaNbO_3$–$KNbO_3$	•	•	•													
e4 $BaNb_2O_6$–$NaNbO_3$–$RbNbO_3$	•	•	•													
e5 $BaNb_2O_6$–$NaNbO_3$–$LaNb_3O_9$		•														
e6 $BaNb_2O_6$–$LiNbO_3$–$BaTiO_3$	•		•													
e7 $BaNb_2O_6$–$NaNbO_3$–$BaTiO_3$	•	•	•													
e8 K_2O–Nb_2O_5–WO_3	•	•	•		•				•							

Back to Main Index

Subvolume III/36A2 **Substance**	Fundamentals	Material preparation	Crystal structure	Lattice distortion	Dielectric properties	Thermal properties	Electromechanical	Elastic properties	Optical properties	Light scattering	Conduction	Magnetism	NMR, ESR	Local structures	Domains	Miscellanea
e9 $KNbO_3$–$M_{1/4}NbO_3$ (M = Ce, Th, U)	•		•		•											
e10 $(K,Th)_3(Nb,Te)_5O_{15}$			•		•											
e11 $CdO–K_2O–Ta_2O_5$			•		•											