

---

**No. 1C-c35  $\text{PbTiO}_3\text{--PbZrO}_3\text{--Pb}(\text{Co}_{1/3}\text{Nb}_{2/3})\text{O}_3$** 

---

---

**1b** Ferroelectric transition temperature: Fig. 1C-c35-001.


---

**5a** Dielectric constant: see70Kud


---

**7a** Electromechanical coupling: Fig. 1C-c35-002.

---



**Fig. 1C-c35-001.**  $\text{PbTiO}_3$ - $\text{PbZrO}_3$ - $\text{Pb}(\text{Co}_{1/3}\text{Nb}_{2/3})\text{O}_3$ . Phase diagram [70Kud]. Shown by equal  $\Theta_f$  lines. Dashed lines: phase boundaries.



**Fig. 1C-c35-002.**  $\text{PbTiO}_3$ - $\text{PbZrO}_3$ - $\text{Pb}(\text{Co}_{1/3}\text{Nb}_{2/3})\text{O}_3$  (ceramics). Phase diagram [70Kud]. Shown by equal  $k_p$  lines. Dashed lines: phase boundaries.

---

**Reference**

70Kud Kudo, T., Yazaki, T., Naito, F., Sugaya, S.: J. Am. Ceram. Soc. **53** (1970) 326.