

Subject Index

Bold numbers refer to the **book**, roman to the CD, and *italic* to the file of the *Hydrogen Atom* book of 1989

- Adjustment of fundamental constants
 see Fundamental constants, *adjustment*
- Annihilation
 - in exotic atoms *see* Exotic atoms, *annihilation*
 - of positronium *see* Positronium, *annihilation*
- Anomalous magnetic moment 777
 - bound electron **58**, 605–618, 652–656
 - of free electron *see* Electron, *anomalous magnetic moment*
 - of muon *see* Muon, *anomalous magnetic moment*
- Antihydrogen **10**, **18**, **38**, 521–526, 101, 196, 210
- Antiprotonic atoms *see* Exotic atoms, *containing antiproton*
 - hyperfine splitting 494
 - strong interaction 492
- Asymptotic expansion **63**
- Atomic beam, laser spectroscopy
 18–23, **27–28**, 306–311, 315–318, 323
- Atomic fountain **25**
- Atomic interferometry **161**, 554–555, 17–25
- Balmer β lines 767–770
- Beam foil spectroscopy **179–200**, 679, 690
- Bethe-Salpeter equation **7**, 715
- Bose-Einstein condensation *see* Cooling atoms, *BEC*
- Bound state QED **67–75**, **149**, **204**, 607–614, 746, 240–246
 - effective approaches **7–9**, **70**, 363–364, 377
 - high-order corrections **6**, **7**, **69**, 320, 326, 375, 722
 - precision tests **71**, **73**, **184–200**, **205**, 305, 315, 321, 325, 335, 342, 375, 407, 419, 446, 454, 616, 637, 651, 652, 656–659, 664–670, 688, 699
- Breit interaction **217**, 378
- Calibration of spectra
 - optics 81–92, 98–100
 - X-ray 501, 701, 733
- Circular states 133–142
- Cold collision frequency shift **52**
 - hydrogen **48**
- Continuous Stern-Gerlach effect **211**
- Cooling atoms **44**
 - BEC **47**
 - in hydrogen **49**
 - laser cooling 319, 524–525, 546
- Coulomb gauge 377, 591
- Coulomb Green function of electron
 385, 715, 764, 787, 797
- CPT tests **18**, **88–89**, **166**, 521
- Decay rate
 - of exotic atoms **105–115**
 - of positronium *see* Positronium, *decay rate*
- Determination of
 - the electron-to-proton mass ratio *see* Electron-to-proton mass ratio m_e/m_p
 - the fine structure constant *see* Fine structure constant α
 - the Rydberg constant *see* Rydberg constant

- Deuterium atom **25–27, 35, 37, 147, 149**, 336, 342, 343, 419, 420, 422, 654, 661
- Diamagnetic correction **219**
- Dimensional regularization 382
- Doppler broadening **50**, 422, 428, 429, 711, 731
 - reduction **181**, 706
- Doppler shift 426, 428, 429, 711
 - determination of beam velocity **182**, 681
 - relativistic **179**
 - second order **20–21, 27–28, 38**, 423, 549
- Doppler-free spectroscopy **18, 27, 89–92**, 306, 318, 323, 414, 419, 420, 700, 785, *49–60, 68–80, 93–102, 144–151*
- Dynamical diffraction theory 703

- EBIT **184**, 667, 699, 700, 727
- ECRIT 506, 515
- Effective Dirac equation **8**, 593
- Effective Schrödinger equation **8**, 747
- Electron
 - anomalous magnetic moment **147, 148, 157**, 605, 777, *247–256*
 - binding energy
 - in heavy ions **217**
 - magnetic moment **204**, 605
 - mass **145, 215, 216**
- Electron beam, ion trap *see* EBIT
- Electron cyclotron resonance ion trap *see* ECRIT
- Electron-electron interaction **57, 69, 70**, 363, 591
- Electron-to-proton mass ratio m_e/m_p **140**, 660
- Exact calculations
 - in $Z\alpha$ 607–614, 653, 722, 746–751
- Exotic atoms **9–10, 223–243**
 - containing
 - antiproton **9, 246–264**, 489, 517, *211–220*
 - muon **225–228**, 454–466
 - pion **9, 225–228, 235–243**, 500, 508
 - crystal spectrometer 491, 502
 - cyclotron trap 491, 502
- Few-electron ions **5, 6, 179–200, 204, 219**, 591, 679, 688, 746
 - high- Z ions 746
 - electron g factor **205**, 607
 - Lamb shift 670, 727
 - medium Z ions **6**, 699
- Feynman diagrams **159, 163, 166, 171**, 407, 411, 425, 426, 591, 608, 612, 615, 708, 777, 785
- Feynman gauge 608, 609
- Fine structure **5, 58, 73**, 84, **192–200**, 679, 793
 - in helium *see* Helium, *fine structure*
 - in hydrogen *see* Hydrogen atom, *fine structure*
 - in positronium *see* Positronium, *fine structure*
- Fine structure constant α **87, 140, 145, 148, 217**, 314, 315, 322, 407, 419, 423, 428, 660, 661, 786, 788, *251–255*
- Fluorescence 315, 316, 318–320
 - X-ray 505, 701, 729–735
- Frequency chain **11, 23–25, 28–32, 134–137**, 326, 548, 576, 577, 580–583, 586
- Frequency combs **127–130**
- Fundamental constants **85, 87, 89, 100, 140**
 - adjustment **34, 145**, 420
 - determination 11, **73**, 314, 315, 322, 420, 454
 - variation **10, 11**, 549

- g factor 605
 - bound electron **204**, 605–618, 651–662
 - free electron **157, 204**, 605, 776
- Gross structure **91**
 - Balmer- β lines *see* Balmer- β lines
 - in hydrogen *see* Hydrogen atom, *gross structure*
 - in positronium *see* Positronium, *gross structure*
 - Lyman- α lines *see* Lyman- α lines
 - two-photons transitions *see* Two-photons transitions

- Helium atom **5, 57–78**, 363, 746
 - asymptotic expansion **63**
 - Bethe logarithm **67**

- fine structure **73, 161**, 314–326
- Helium ion
 - electron g factor in $^4\text{He}^+$ **205**, 653, 654, 661
 - hyperfine structure in $^3\text{He}^+$ 314, 325, 336–343
 - Lamb shift in $^4\text{He}^+$ **72**, 303–314, 326, 637, 638, 647, 649, 669
- Helium-like ions 593
 - lithium **194**
 - beryllium **194**
 - boron **194**
 - nitrogen **195**, 681
 - fluorine **197**
 - magnesium **197**, 679
 - vanadium 699
 - uranium 593
- Hydrogen atom **1–4, 42, 136, 147, 149**, 352, 356, 746, *1–15, 39–41, 103–122, 268–271, 274–339*
 - electron g factor **205**, 606, 653, 654, 661
 - fine structure 315, *11*
 - gross structure 664, *57–59, 68–80, 93–102*
 - hyperfine structure **136, 157**, 335–343
 - Lamb shift **22–23, 34–37, 157**, 446, 454, 665, *25–38*
- Hydrogen-like ions 637–649, 658, 727, *221–237*
 - helium **72, 187**, 653, 654, 660, 669
 - beryllium 660
 - carbon **204**, 605–618, 654, 655, 659, 660
 - nitrogen **187**, 637, 638, 647, 649, 689
 - oxygen 659, 660
 - fluorine **186**
 - silicon **185, 187**, 666–669
 - phosphorus **186**
 - sulfur **186**
 - chlorine **186**
 - calcium 661
- Hyperfine structure 314, 322, 323, 325
 - in helium-like ions **196, 197**
 - in hydrogen *see* Hydrogen atom, *hyperfine structure*
 - in hydrogen-like ions **188, 218**
 - in muonic atoms 447–451, 455
 - in muonium *see* Muonium, *hyperfine structure*
 - in positronium *see* Positronium, *hyperfine structure*
 - of excited level 414
 - of the ground state 413
- Ion beam, laser spectroscopy **179–200**, 679, 690
- Ion cyclotron motion **209**, 660
- Ion traps **184**
- Ionization **84**, 428
 - by three-photon 423
- Isotope shift 325, 658
 - helium **58**
 - lithium **75**
 - hydrogen-deuterium **25–27**
- Lamb shift **84**, 352, 356, 605, 607, 614, 616, 637–649
 - in muonic atoms 446, 447, 454–466
 - of excited levels **34–37**, 710
 - of $n = 2$ states **184–188**, 314, 326, 454–466, 666, 688, 710, *25–29*
 - of the ground state **22–23, 34–37**, 707, 727
- Landau levels *344–351*
- Larmor precession **211**, 660
- Lasers
 - carbon dioxide **186, 195**, 680
 - dye **136, 186**
 - mode-locked **125–127**
- Lineshape effects **183**, 355, 421, 422, 428, 429, 731, 784, *52–55*
- Lithium-like ions **219**, 554, 597, 658, 659, 710, 724, 746
 - uranium 597, 725, 746
- Logarithmic corrections **69, 73**, 339–340, 375
- Lorentz invariance **81, 88, 166**
- Lyman- α lines 459, 464, 522, 524, 710, 731–735, 767–770
- Magnetic moment
 - nuclear **218**
 - of electron 605
 - – bound **204**, 605–618
 - – free **204**, 605–618
- Main structure *see* Gross structure
- Mass
 - of heavy ions **217**

- of pion 503
- Metastable levels 308, 315, 456, 525, 546
- 2s 335–336
- Muon
 - anomalous magnetic moment **93–96**, 147, **161**
 - beams **98–99**
 - decay **89**, 447, 452
 - magnetic moment **84–89**
 - mass **145**, 420
- Muon/electron
 - charge ratio **91**
 - mass ratio **86, 91**, 428
- Muonic atoms **3, 4, 99**
 - Uehling correction 448–449
- Muonic helium 182–195
- Muonic hydrogen
 - hyperfine structure 335, 446–453, 455
 - Lamb shift 446, 447, 454–466, 637
 - metastable 2s state 446–466
- Muonium **3, 4, 10, 81–100**, 419, 42, 101, 149–151, 171–181
 - formation **83–84**
 - hyperfine structure **84–89, 147, 160**, 335, 342, 447, 452, 171–174
 - Lamb shift 175–177
 - Zeeman effect 171–174
- Muonium-antimuonium conversion **96–98**
- Natural linewidth **185, 191, 192, 198**, 414, 420, 681, 689
- New frequency standards
 - optical **52**, 322, 545, 576, 664, 669, 123–133
- Non-relativistic calculations **57–78**, 654
- Nonrelativistic Quantum Electrodynamics *see* NRQED
- NRQED **8, 9**, 363, 377
- Nuclear mass 607
- Nuclear size **58, 71, 75, 152**, 454, 606
- Nuclear structure **3–5**, 607
 - electric charge distribution 341, 450, 451, 454, 647, 653, 655
 - magnetic moment distribution 341, 450, 451
 - nuclear polarizability **219**, 341, 450, 451, 465
- Orthopositronium *see* Positronium
- Parapositronium *see* Positronium
- Penning trap **207**
- Perturbation theory 426, 428, 784, 785
- Photon-recoil spectroscopy 660
- Pionic atoms *see* Exotic atoms, *containing pion*
- Polarizability 784
 - of atom 549, 554, 784–787, 795, 797
 - of nucleus *see* Nuclear structure, *nuclear polarizability*
 - of proton *see* Proton structure, *polarizability*
- Positronium **3, 4, 10, 228–235**, 375, 407, 42–43, 101, 144–148, 153–170, 210
 - annihilation 375, 411, 157–159
 - decay rate
 - branching 411, 412
 - exotic modes **111**, 414
 - of orthopositronium **106–115**, 375, 412, 414
 - of parapositronium **105–106**, 411
 - orthopositronium 153–155, 159, 169
 - parapositronium 155–157, 159, 169
 - energy levels **115–119**, 408, 409, 415
 - fine structure 408
 - gross structure 408
 - hyperfine structure 335, 408
- Power broadening 428, 784
- Precision frequency measurements **204**, 414, 576, 583–586
 - infra red 422–424, 428
 - optical **23–25, 28–32, 51, 59, 71, 136, 139, 140**, 303–313, 548, 576, 577, 665
 - X-ray 699
- Proton structure 335
 - electric charge distribution 341, 450, 451
 - electric charge radius **153**, 446, 454, 637
 - magnetic moment distribution 341, 450, 451
 - magnetic radius **81**
 - polarizability **81**, 341, 450, 451, 465
- QED **67, 81, 82, 145, 157, 158, 204**, 446, 591, 605, 607, 637, 665–666, 699, 776

- Quantum Electrodynamics *see* QED
- Quantum jumps 212
- Radiative corrections **67**, 369, 665–666, 749
 - one-loop 304, 337, 518, 607–614, 639–643, 653, 780
 - self-energy **217**, 338, 339, 608–609, 611–614, 639, 641–643, 646
 - vacuum-polarization **217**, 338, 340, 341, 609–611, 640, 655
 - Wichmann-Kroll term 641, 655
 - two-loop *see* Two-loop corrections
 - three-loop 646, 781
 - four-loop 781
- Radiative lifetime 762–775
- Radiative-recoil corrections **149**, 369
- Raman scattering 426, 785
- Ramsey method 30–39
- Recoil corrections **149**, **205**, **206**, 338, 369, 607, 646, 653, 714–726
- Relativistic corrections **66**, **206**, 337, 423, 447, 450, 653, 699, 786, 797
- Renormalization of
 - charge 777
 - mass 777
- Resistive cooling **208**
- Rydberg constant **34–36**, **87**, **140**, **145**, **149**, **155**, 407, 637, 664, 39–40, 49–60
- Rydberg states 770–772, 133–142, 335–343
- S-matrix 591, 746
- Selection rules 427, 787
- Self energy of an electron **149**, **151**, 304, 708, 778
- Simple atoms **1–13**
- Spin flips
 - detection **211**
- Stark effect 353, 549
 - ac **21**, 423, 425, 426, 551, 784
- State-dependent corrections 335–343, 446–451, 645, 784, 797
- Storage rings **184**
- Three-body systems **57**, 517, 699
- Three-photon ionization 785, 798
 - in muonium 420, 421
- Trapping
 - of a neutral atom 44
 - of a single ion 545, 660, 669
 - of a single particle **208**
- Two-electron Lamb shift 708
- Two-loop corrections **70**, **149**, **151**, **185**, 304, 338, 340, 375, 637, 643, 647, 649, 654–656, 659, 666, 688, 727, 777
 - bound state **207**, **216**
- Two-photon transitions 785–787, 61–67
 - in helium ion 670
 - $2s - 3s$ 306
 - in hydrogen **43**, **47–52**
 - $1s - 2s$ **18–20**, **25**, **37**, **136**, 522, 525, 664, 68–81
 - $1s - 3s$ **32–34**
 - $2s - 4s$ **22–23**, **37**
 - $2s - 6s$ **32–34**, **37**
 - $2s - 8d$ 68–80
 - $2s - 8s$ **28–32**, **37**
 - $2s - 10d$ 68–80
 - $2s - 12d$ 68–80
 - in muonium 798
 - $1s - 2s$ **89–92**, 420, 149–151
 - in positronium
 - $1s - 2s$ **115**, 414, 144–148
- Vacuum polarization **149**, 382, 708, 779
- Variation of fundamental constants *see* Fundamental constants, *variation*
- Variational method 60
- $1/Z$ expansion **57**, 710
- $Z\alpha$ expansion **57**, **67**, **204**, 304, 614, 615, 639, 654, 659, 666, 710, 746, 787, 797
- Zeeman effect **218**, 551, 605, 762–775
- Zemach correction 338, 341, 450, 451