

Contents of further subvolumes of III/27

Magnetic properties of non-metallic inorganic compounds based on transition elements

Subvolume A: Pnictides and chalcogenides I

| | | |
|-----------|---|----|
| 1 | Magnetic properties of pnictides and chalcogenides | 1 |
| 1.1 | Pnictides and chalcogenides based on 3d transition elements (K. ADACHI, S. OGAWA) | 1 |
| 1.1.1 | Introduction | 1 |
| 1.1.1.1 | General remarks | 1 |
| 1.1.1.2 | List of frequently used symbols and abbreviations | 1 |
| 1.1.2 | Compounds with pyrite, marcasite and arsenopyrite structures | 7 |
| 1.1.2.1 | MX_2 compounds with pyrite (FeS_2) type structure | 8 |
| 1.1.2.1.1 | MnX_2 ($\text{X}=\text{S}, \text{Se}, \text{Te}$) | 15 |
| 1.1.2.1.2 | FeX_2 ($\text{X}=\text{S}, \text{Se}, \text{Te}$) | 18 |
| 1.1.2.1.3 | CoX_2 ($\text{X}=\text{S}, \text{Se}, \text{Te}$) | 20 |
| 1.1.2.1.4 | NiX_2 ($\text{X}=\text{S}, \text{Se}, \text{Te}$) | 28 |
| 1.1.2.1.5 | CuX_2 ($\text{X}=\text{S}, \text{Se}, \text{Te}$) | 33 |
| 1.1.2.1.6 | ZnX_2 ($\text{X}=\text{S}, \text{Se}$) | 36 |
| 1.1.2.2 | $\text{M}_x\text{M}'_{1-x}\text{X}_2$ mixed systems with pyrite (C2) type structure | 37 |
| 1.1.2.2.1 | $\text{Cr}_x\text{Co}_{1-x}\text{S}_2$ | 37 |
| 1.1.2.2.2 | $\text{Mn}_x\text{M}'_{1-x}\text{X}_2$ ($\text{M}'=\text{Fe}, \text{Mg}, \text{Cu}, \text{Zn}; \text{X}=\text{S}, \text{Se}, \text{Te}$) | 37 |
| 1.1.2.2.3 | $\text{Fe}_{1-x}\text{M}'_x\text{S}_2$ ($\text{M}'=\text{Co}, \text{Ni}$) | 41 |
| 1.1.2.2.4 | $\text{Co}_{1-x}\text{Ni}_x\text{S}_2$ | 45 |
| 1.1.2.2.5 | $\text{Ni}_{1-x}\text{Cu}_x\text{S}_2$ | 46 |
| 1.1.2.3 | $\text{MS}_{2-x}\text{Se}_x$ mixed systems with pyrite (C2) type structure | 47 |
| 1.1.2.3.1 | $\text{CoS}_{2-x}\text{Se}_x$ | 47 |
| 1.1.2.3.2 | $\text{NiS}_{2-x}\text{Se}_x$ | 52 |
| 1.1.2.4 | $\text{MY}_x\text{X}_{2-x}$ and $\text{M}_{1-x}\text{M}'_x\text{YX}$ mixed systems with cobaltite or pyrite (C2) type structure | 54 |
| 1.1.2.4.1 | $\text{CoP}_x\text{S}_{2-x}$ | 55 |
| 1.1.2.4.2 | $\text{CoAs}_x\text{S}_{2-x}$ | 56 |
| 1.1.2.4.3 | NiPS | 57 |
| 1.1.2.4.4 | $\text{NiAs}_x\text{S}_{2-x}$ | 58 |
| 1.1.2.4.5 | $\text{Co}_{1-x}\text{Ni}_x\text{AsS}$ | 58 |
| 1.1.2.5 | $\text{MX}_2, \text{MY}_2, \text{M}_x\text{M}'_{1-x}\text{Y}_2$ and $\text{MY}_{2-x}\text{X}_x$ compounds with marcasite (C18) type structure | 59 |
| 1.1.2.5.1 | CrSb_2 | 60 |
| 1.1.2.5.2 | FeP_2 | 61 |
| 1.1.2.5.3 | FeAs_2 | 61 |
| 1.1.2.5.4 | FeSb_2 | 61 |
| 1.1.2.5.5 | CoSb_2 | 62 |
| 1.1.2.5.6 | CoTe_2 | 63 |
| 1.1.2.5.7 | NiAs_2 ($\beta\text{-NiAs}_2$) | 63 |
| 1.1.2.5.8 | NiSb_2 | 63 |

| | | |
|------------|---|-----|
| 1.1.2.5.9 | $M_{1-x}M'_xY_2$ (M, M'=Cr, Fe, Ni; Y=As, Sb) | 64 |
| 1.1.2.5.10 | $FeAs_{2-x}Se_x$ | 64 |
| 1.1.2.6 | MY_xX_{2-x} and MY_2 compounds with arsenopyrite (E07) type structure | 64 |
| 1.1.2.6.1 | $FeSb_xTe_{2-x}$ | 64 |
| 1.1.2.6.2 | CoP_2 | 64 |
| 1.1.2.6.3 | $CoAs_2$ | 65 |
| 1.1.2.6.4 | $CoSb_2$ | 65 |
| 1.1.2.7 | References for 1.1.2 | 65 |
| 1.1.3 | Compounds with NiAs and MnP structures | 70 |
| 1.1.3.1 | $M_{1-x}X$ chalcogenides with NiAs type structure and their mixed systems | 70 |
| 1.1.3.1.1 | $Ti_{1-x}X$ (X=S, Se, Te) | 81 |
| 1.1.3.1.2 | $V_{1-x}X$ (X=S, Se, Te) | 81 |
| 1.1.3.1.3 | $Cr_{1-x}X$ (X=S, Se, Te) | 83 |
| 1.1.3.1.4 | MnX (X=S, Se, Te) | 88 |
| 1.1.3.1.5 | $Fe_{1-x}X$ (X=S, Se, Te) | 89 |
| 1.1.3.1.6 | $Co_{1-x}X$ (X=S, Se, Te) | 92 |
| 1.1.3.1.7 | $Ni_{1-x}X$ (X=S, Se, Te) | 93 |
| 1.1.3.1.8 | References for 1.1.3.1 | 140 |
| 1.1.3.2 | MY pnictides with MnP and NiAs type structures and their mixed systems | 148 |
| 1.1.3.2.1 | MP (M=V, Cr, Mn, Fe) | 159 |
| 1.1.3.2.2 | MAs (M=Ti, V, Cr, Mn, Fe, Co, Ni) | 163 |
| 1.1.3.2.3 | MSb (M=Ti, V, Cr, Mn, Fe, Co, Ni) | 170 |
| 1.1.3.2.4 | MBi (M=Mn, Ni) | 180 |
| 1.1.3.2.5 | $Mn_{1-x}M_xP$ (M=V, Cr, Fe, Co) | 182 |
| 1.1.3.2.6 | $MnP_{1-x}As_x$ | 190 |
| 1.1.3.2.7 | $Mn_{1-x}M_xAs$ (M=Ti, V, Cr, Fe, Co, Ni) | 197 |
| 1.1.3.2.8 | $MnAs_{1-x}Sb_x$ | 206 |
| 1.1.3.2.9 | $Mn_{1-x}M_xSb$ (M=Ti, V, Cr, Fe, Co, Ni) | 208 |
| 1.1.3.2.10 | $MnSb_{1-x}Sn_x$ | 213 |
| 1.1.3.2.11 | Arsenides containing Cr | 214 |
| 1.1.3.2.12 | Antimonides containing Cr | 221 |
| 1.1.3.2.13 | Other mixed pnictides containing Fe | 224 |
| 1.1.3.2.14 | References for 1.1.3.2 | 227 |
| 1.1.4 | Compounds and mixed systems with Fe_2P and Cu_2Sb structures | 232 |
| 1.1.4.1 | M_2P compounds with Fe_2P type structure and their mixed systems | 232 |
| 1.1.4.1.1 | M_2P (M=Mn, Fe, Co, Ni) | 236 |
| 1.1.4.1.2 | Mixed system $(M, M')_2P$ (M, M'=Co, Mn, Fe, Ni) | 248 |
| 1.1.4.1.3 | $Fe_2As_xP_{1-x}$ and related systems containing As | 261 |
| 1.1.4.1.4 | Other mixed systems containing P | 263 |
| 1.1.4.1.5 | References for 1.1.4.1 | 264 |
| 1.1.4.2 | M_2Y compounds with Cu_2Sb type structure and their mixed systems | 265 |
| 1.1.4.2.1 | M_2As (M=Cr, Mn, Fe) | 269 |
| 1.1.4.2.2 | M_2Sb (M=Mn, Cu) | 270 |
| 1.1.4.2.3 | $MnMGe$ (M=Al, Ga) | 273 |
| 1.1.4.2.4 | $(M, M')_2Y$ and $M_2(Y, Y')$ compounds (M, M'=3d metals; Y, Y'=Sb, As) | 275 |
| 1.1.4.2.5 | $Mn_{1-x}M_x(Al, Ga)Ge$ (M=3d metals) | 284 |
| 1.1.4.2.6 | References for 1.1.4.2 | 286 |

| | | |
|---------|--|-----|
| 1.1.5 | Chalcogenide spinels and their mixed systems | 288 |
| | References for 1.1.5 | 373 |
| 1.1.6 | Other pnictides and chalcogenide | 383 |
| 1.1.6.1 | Chalcopyrite, CuFeS_2 , and its Fe-substituted systems | 383 |
| 1.1.6.2 | Anti- CaF_2 type antimonides, $\text{M}'\text{MSb}$, and their mixed systems | 385 |
| 1.1.6.3 | Heusler type antimonides, $\text{M}'_2\text{MSb}$, and their mixed systems | 400 |
| 1.1.6.4 | References for 1.1.6 | 423 |

Subvolume B1: Pnictides and chalcogenides II (Lanthanide monopnictides)

| | | |
|---------|--|-----------------------|
| 1 | Magnetic and related properties of pnictides and chalcogenides | 1 |
| 1.2 | Pnictides and chalcogenides based on lanthanides (W. SUSKI, T. PALEWSKI) | 1 |
| 1.2.1 | Lanthanide monopnictides | 1 |
| 1.2.1.1 | Introduction | 1 |
| 1.2.1.2 | List of frequently used symbols and abbreviations | 5 |
| 1.2.1.3 | Survey of lanthanide monopnictides | 11 |
| | La monopnictides | 11 |
| | Ce monopnictides | 15 |
| | Pr monopnictides | 46 |
| | Nd monopnictides | 50 |
| | Sm monopnictides | 51 |
| | Eu monopnictides | 54 |
| | Gd monopnictides | 55 |
| | Tb monopnictides | 57 |
| | Dy monopnictides | 61 |
| | Ho monopnictides | 64 |
| | Er monopnictides | 67 |
| | Tm monopnictides | 70 |
| | Yb monopnictides | 73 |
| | Lu monopnictides | 81 |
| 1.2.1.4 | Figures and tables | 83 |
| 1.2.1.5 | References for 1.2.1 | 418 |
| 1.2.2 | Lanthanide monochalcogenides | see subvolume B2 |
| 1.2.3 | Binary lanthanide polypnictides and polychalcogenides | see subvolume B3 |
| 1.2.4 | Ternary lanthanide pnictides and chalcogenides | see subvolumes B4, B5 |
| | Contents of further subvolumes of III/27 | 429 |
| | List of editor and authors of Vol. III/27 | 452 |

Subvolume B2: Pnictides and chalcogenides II (Lanthanide monochalcogenides)

| | | |
|---------|--|------------------|
| 1 | Magnetic and related properties of pnictides and chalcogenides | 1 |
| 1.2 | Pnictides and chalcogenides based on lanthanides | 1 |
| 1.2.1 | Lanthanide monopnictides | see subvolume B1 |
| 1.2.2 | Lanthanide monochalcogenides (W. SUSKI, T. PALEWSKI) | 1 |
| 1.2.2.1 | Introduction | 1 |
| 1.2.2.2 | List of frequently used symbols and abbreviations | 2 |
| 1.2.2.3 | Survey of lanthanide monochalcogenides | 9 |
| | La monochalcogenides | 9 |
| | Ce monochalcogenides | 11 |
| | Pr monochalcogenides | 17 |
| | Nd monochalcogenides | 18 |
| | Sm monochalcogenides | 19 |
| | Eu monochalcogenides | 34 |
| | Gd monochalcogenides | 56 |
| | Tb monochalcogenides | 59 |
| | Dy monochalcogenides | 60 |
| | Ho monochalcogenides | 61 |
| | Er monochalcogenides | 61 |
| | Tm monochalcogenides | 62 |
| | Yb monochalcogenides | 77 |
| 1.2.2.4 | Figures and tables | 83 |
| 1.2.2.5 | References for 1.2.2 | 421 |

Subvolume B3: Pnictides and chalcogenides II (Binary lanthanide polypnictides and polychalcogenides)

| | | |
|---------|---|------------------|
| 1 | Magnetic and related properties of pnictides and chalcogenides | 1 |
| 1.2 | Pnictides and chalcogenides based on lanthanides | 1 |
| 1.2.1 | Lanthanide monopnictides | see subvolume B1 |
| 1.2.2 | Lanthanide monochalcogenides | see subvolume B2 |
| 1.2.3 | Binary lanthanide polypnictides and polychalcogenides (W. SUSKI, T. PALEWSKI) | 1 |
| 1.2.3.0 | Introduction | 1 |
| | References for 1.2.3.0 | 11 |
| 1.2.3.1 | List of frequently used symbols and abbreviations | 13 |

| | | |
|-----------|---|-----|
| 1.2.3.2 | Survey of binary lanthanide pnictides | 19 |
| 1.2.3.2.1 | Ln ₄ X ₃ pnictides with anti-Th ₃ P ₄ structure | 19 |
| | Figures and tables for 1.2.3.2.1 | 28 |
| | References for 1.2.3.2.1 | 84 |
| 1.2.3.2.2 | LnX ₃ tripnictides EuP ₃ , EuAs ₃ , and their mutually mixed compounds. | 87 |
| | Figures and tables for 1.2.3.2.2 | 93 |
| | References for 1.2.3.2.2 | 129 |
| 1.2.3.2.3 | Ln ₂ X, Ln ₅ X ₃ , Ln ₃ X ₂ and LnX ₂ lanthanide pnictides. | 130 |
| | Figures and tables for 1.2.3.2.3 | 141 |
| | References for 1.2.3.2.3 | 176 |
| 1.2.3.3 | Survey of binary lanthanide chalcogenides | 178 |
| 1.2.3.3.1 | Ln ₃ X ₄ chalcogenides with Th ₃ P ₄ -type structure | 178 |
| | Figures and tables for 1.2.3.3.1 | 199 |
| | References for 1.2.3.3.1 | 274 |
| 1.2.3.3.2 | Ln ₂ X ₃ chalcogenides | 279 |
| | Figures for 1.2.3.3.2 | 290 |
| | References for 1.2.3.3.2 | 316 |
| 1.2.3.3.3 | LnX ₂ , Ln ₂ X ₅ and LnX ₃ lanthanide and other polychalcogenides | 318 |
| | Figures and tables for 1.2.3.3.3 | 328 |
| | References for 1.2.3.3.3 | 360 |
| 1.2.4 | Ternary lanthanide pnictides and chalcogenides see subvolumes B4, B5 | |
| | Contents of further subvolumes of III/27 | 362 |
| | List of editor and authors of Vol. III/27 | 387 |

Subvolume B4: Pnictides and Chalcogenides II (Ternary lanthanide pnictides)

Part α: 1:1:1 and 1:1:2 type compounds

| | | |
|-------------|--|-----|
| 1 | Magnetic and related properties of pnictides and chalcogenides | 1 |
| 1.2 | Pnictides and chalcogenides based on lanthanides | 1 |
| 1.2.1 | Lanthanide monopnictides see subvolume B1 | |
| 1.2.2 | Lanthanide monochalcogenides see subvolume B2 | |
| 1.2.3 | Binary lanthanide polypnictides and polychalcogenides see subvolume B3 | |
| 1.2.4 | Ternary lanthanide pnictides and chalcogenides | 1 |
| 1.2.4.1 | Ternary lanthanide pnictides (Ln-T-X) (T. PALEWSKI, W. SUSKI) | 1 |
| 1.2.4.1.0 | Introduction | 1 |
| | Figures for the Introduction | 12 |
| 1.2.4.1.1 | List of frequently used symbols and abbreviations | 61 |
| 1.2.4.1.2 | Survey of ternary lanthanide pnictides | 67 |
| 1.2.4.1.2.1 | Ternary 1:1:1 compounds | 67 |
| | Figures and Tables for 1.2.4.1.2.1 | 106 |

| | | |
|-------------|---|--------------------------|
| 1.2.4.1.2.2 | Ternary 1:1:2 compounds | 367 |
| | Figures and Tables for 1.2.4.1.2.2 | 379 |
| 1.2.4.1.2.3 | Ternary 1:2:2 compounds | see subvolume B4 β |
| 1.2.4.1.2.4 | Ternary 1:4:12 compounds | see subvolume B4 β |
| 1.2.4.1.2.5 | Ternary 3:3:4 compounds | see subvolume B4 β |
| 1.2.4.1.2.6 | Ternary compounds of various types | see subvolume B4 β |
| | References for 1.2.4.1 | 429 |
| | Contents of further subvolumes of III/27 | 444 |
| | List of editor and authors of Vol. III/27 | 475 |

Subvolume B4: Pnictides and Chalcogenides II (Ternary lanthanide pnictides)

Part β : 1:2:2, 1:4:12, 3:3:4 and other type compounds

| | | |
|-------------|--|---------------------------|
| 1 | Magnetic and related properties of pnictides and chalcogenides | 1 |
| 1.2 | Pnictides and chalcogenides based on lanthanides | 1 |
| 1.2.1 | Lanthanide monopnictides | see subvolume B1 |
| 1.2.2 | Lanthanide monochalcogenides | see subvolume B2 |
| 1.2.3 | Binary lanthanide polypnictides and polychalcogenides | see subvolume B3 |
| 1.2.4 | Ternary lanthanide pnictides and chalcogenides | 1 |
| 1.2.4.1 | Ternary lanthanide pnictides (Ln-T-X) (T. PALEWSKI, W. SUSKI) | 1 |
| 1.2.4.1.0 | Introduction | 1 |
| | Figures for the Introduction | 12 |
| 1.2.4.1.1 | List of frequently used symbols and abbreviations | 61 |
| 1.2.4.1.2 | Survey of ternary lanthanide pnictides | 67 |
| 1.2.4.1.2.1 | Ternary 1:1:1 compounds | see subvolume B4 α |
| 1.2.4.1.2.2 | Ternary 1:1:2 compounds | see subvolume B4 α |
| 1.2.4.1.2.3 | Ternary 1:2:2 compounds | 67 |
| | Figures and Tables for 1.2.4.1.2.3 | 82 |
| 1.2.4.1.2.4 | Ternary 1:4:12 compounds | 146 |
| | Figures and Tables for 1.2.4.1.2.4 | 161 |
| 1.2.4.1.2.5 | Ternary 3:3:4 compounds | 247 |
| | Figures and Tables for 1.2.4.1.2.5 | 257 |
| 1.2.4.1.2.6 | Ternary compounds of various type | 316 |
| | Figures and Tables for 1.2.4.1.2.6 | 334 |
| | References for 1.2.4.1 | 404 |
| | Contents of further subvolumes of III/27 | 419 |
| | List of editor and authors of Vol. III/27 | 450 |

Subvolume B5: Pnictides and Chalcogenides II (Ternary lanthanide chalcogenides, misfit compounds, and ternary lanthanide pnictides s containing s-or p- electron elements)

| | | |
|-----------|--|--------------------------------------|
| 1 | Magnetic and related properties of pnictides and chalcogenides | 1 |
| 1.2 | Pnictides and chalcogenides based on lanthanides | 1 |
| 1.2.1 | Lanthanide monopnictides | see subvolume B1 |
| 1.2.2 | Lanthanide monochalcogenides | see subvolume B2 |
| 1.2.3 | Binary lanthanide polypnictides and polychalcogenides | see subvolume B3 |
| 1.2.4 | Ternary lanthanide pnictides and chalcogenides | |
| 1.2.4.1 | Ternary lanthanide pnictides (Ln-T-X) | see subvolumes B4 α , β |
| 1.2.4.2 | Ternary lanthanide chalcogenides, misfit compounds, and ternary lanthanide pnictides containing s- or p-electron elements (T. PALEWSKI, W. SUSKI) | 1 |
| 1.2.4.2.1 | Introduction | 1 |
| | Figures for 1.2.4.2.1 | 10 |
| | References for 1.2.4.2.1 | 33 |
| 1.2.4.2.2 | List of frequently used symbols and abbreviations | 35 |
| 1.2.4.2.3 | Survey of ternary chalcogenides containing d-electron elements | 43 |
| | Figures and tables for 1.2.4.2.3 | 64 |
| | References for 1.2.4.2.3 | 148 |
| 1.2.4.2.4 | Survey of misfit compounds | 151 |
| | Figures and tables for 1.2.4.2.4 | 176 |
| | References for 1.2.4.2.4 | 295 |
| 1.2.4.2.5 | Survey of ternary pnictides and chalcogenides containing s-, p- or f-electron elements | 298 |
| | Figures and tables for 1.2.4.2.5 | 328 |
| | References for 1.2.4.2.5 | 425 |
| | Contents of further subvolumes of III/27 | 433 |
| | List of editor and authors of Vol. III/27 | 465 |

Subvolume B7: Pnictides and Chalcogenides III (Binary non-equiatomic actinide pnictides and chalcogenides)

| | | |
|-----------|---|------------------|
| 1 | Magnetic and related properties of pnictides and chalcogenides | 1 |
| 1.3 | Pnictides and chalcogenides based on actinides | 1 |
| 1.3.1 | Actinide monopnictides and monochalcogenides | see subvolume B6 |
| 1.3.2 | Binary non-equiatomic actinide pnictides and chalcogenides (D. KACZOROWSKI; R. TROĆ) | 1 |
| 1.3.2.1 | Introduction | 1 |
| 1.3.2.1.1 | General remarks | 1 |

| | | |
|-----------|---|-----|
| 1.3.2.1.2 | Synthesis of binary phases and their crystallochemistry | 1 |
| 1.3.2.1.3 | Crystal structures and valence states | 4 |
| 1.3.2.1.4 | Physical properties | 8 |
| 1.3.2.1.5 | Arrangement of figures and tables | 13 |
| 1.3.2.2 | List of frequently used symbols and abbreviations | 14 |
| 1.3.2.2.1 | Symbols | 14 |
| 1.3.2.2.2 | Abbreviations | 17 |
| 1.3.2.3 | Survey | 19 |
| 1.3.2.4 | Figures and tables | 49 |
| 1.3.2.5 | References for 1.3.2 | 290 |
| | Index of substances for Volume III/27B7 | 301 |
| | Contents of further subvolumes of III/27 | 310 |
| | List of editor and authors of Vol. III/27 | 348 |

Subvolume B8: Pnictides and Chalcogenides III (Ternary actinide pnictides and chalcogenides)

| | | |
|-------------|--|------------------|
| 1 | Magnetic and related properties of pnictides and chalcogenides | 1 |
| 1.3 | Pnictides and chalcogenides based on actinides | 1 |
| 1.3.1 | Actinide monopnictides and monochalcogenides | see subvolume B6 |
| 1.3.2 | Binary non-equiatomic actinide pnictides and chalcogenides | see subvolume B7 |
| 1.3.3 | Ternary actinide pnictides and chalcogenides (D. KACZOROWSKI) | 1 |
| 1.3.3.1 | Introduction | 1 |
| 1.3.3.1.1 | General | 1 |
| 1.3.3.1.2 | Magnetic and related properties | 2 |
| 1.3.3.1.2.1 | Ternary actinide pnictides and chalcogenides containing s- and p-electron elements | 2 |
| 1.3.3.1.2.2 | Ternary actinide pnictides and chalcogenides containing d-electron elements | 5 |
| 1.3.3.1.2.3 | Ternary actinide pnictides and chalcogenides containing 4f-electron elements | 10 |
| 1.3.3.1.3 | Arrangement of figures and tables | 10 |
| 1.3.3.1.4 | References for 1.3.3.1 | 11 |
| 1.3.3.2 | List of frequently used symbols and abbreviations | 15 |
| 1.3.3.2.1 | Symbols | 15 |
| 1.3.3.2.2 | Abbreviations | 18 |
| 1.3.3.3 | Ternary actinide pnictides and chalcogenides containing s- and p-electron elements (A = Li, Na, K, Rb, Cs; B = Mg, Ca, Sr, Ba; M = Si, Ge, Sn, Pb; Z = Cl, Br, I) | 20 |
| 1.3.3.3.1 | Survey | 20 |
| 1.3.3.3.2 | Figures and tables | 35 |
| 1.3.3.4 | Ternary actinide pnictides and chalcogenides containing d-electron transition elements (T) | 171 |
| 1.3.3.4.1 | Survey | 171 |
| 1.3.3.4.2 | Figures and tables | 184 |

| | | |
|-----------|---|-----|
| 1.3.3.5 | Ternary actinide pnictides and chalcogenides containing lanthanide atoms (Ln) | 331 |
| 1.3.3.5.1 | Survey | 331 |
| 1.3.3.5.2 | Figures and tables | 335 |
| 1.3.3.6 | References for 1.3.3.2...1.3.3.5 | 349 |
| | Contents of further subvolumes of III/27 | 358 |
| | List of editor and authors of Vol. III/27 | 391 |

Subvolume C1: Binary lanthanide oxides

| | | |
|-------|--|-----|
| 2 | Magnetic properties of binary lanthanide and actinide oxides | 1 |
| 2.1 | Binary lanthanide oxides (W. SUSKI, T. PALEWSKI) | 1 |
| 2.1.1 | Introduction | 1 |
| 2.1.2 | List of frequently used symbols and abbreviations | 6 |
| 2.1.3 | Survey of lanthanide oxides | 10 |
| | La oxides | 10 |
| | Ce oxides | 10 |
| | Pr oxides | 13 |
| | Nd oxides | 16 |
| | Pm oxides | 16 |
| | Sm oxides | 16 |
| | Eu oxides | 18 |
| | Gd oxides | 25 |
| | Tb oxides | 25 |
| | Dy oxides | 27 |
| | Ho oxides | 27 |
| | Er oxides | 28 |
| | Tm oxides | 29 |
| | Yb oxides | 29 |
| | Lu oxides | 30 |
| 2.1.4 | Figures and tables | 31 |
| 2.1.5 | References for 2.1 | 121 |

Subvolume C2: Binary actinide oxides

| | | |
|---------|--|------------------|
| 2 | Magnetic and related properties of binary lanthanide and actinide oxides | 1 |
| 2.1 | Binary lanthanide oxides | see subvolume C1 |
| 2.2 | Binary actinide oxides (R. TROĆ, D. KACZOROWSKI) | 1 |
| 2.2.1 | Introduction | 1 |
| 2.2.1.1 | General | 1 |
| 2.2.1.2 | Chemical stability of binary actinide oxides | 2 |

| | | |
|---------|---|-----|
| 2.2.1.3 | Preparation technique and phase relations of binary actinide oxides | 3 |
| 2.2.1.4 | Electronic structure of binary actinide oxides | 5 |
| 2.2.1.5 | Magnetic and related properties of binary actinide oxides | 7 |
| 2.2.1.6 | Arrangement of figures and tables | 10 |
| 2.2.1.7 | References for 2.2.1 | 11 |
| 2.2.2 | List of frequently used symbols and abbreviations | 13 |
| 2.2.3 | Survey of binary actinide oxides with the CaF_2 -type crystal structure (actinide dioxides) | 17 |
| | AnO_2 , comparison of properties | 17 |
| | ThO_2 | 18 |
| | UO_2 | 19 |
| | UO_{2+x} | 28 |
| | $(\text{U}, \text{M})\text{O}_{2+x}$ | 29 |
| | NpO_2 | 35 |
| | NpO_{2+x} | 37 |
| | $\text{U}_{1-y}\text{Np}_y\text{O}_2$ | 38 |
| | PuO_2 | 38 |
| | $\text{U}_{1-y}\text{Pu}_y\text{O}_{2.00}$ | 39 |
| | $\text{Pu}_{1-y}\text{Np}_y\text{O}_2$ | 40 |
| | AmO_2 | 40 |
| | $\text{U}_{1-y}\text{Am}_y\text{O}_{2-x}$ | 40 |
| | CmO_2 | 40 |
| | BkO_2 | 41 |
| | CfO_2 | 41 |
| 2.2.4 | Survey of binary actinide oxides with miscellaneous crystal structures | 42 |
| | An_2O_3 , comparison of properties | 42 |
| | Np_2O_3 | 42 |
| | Pu_2O_3 | 42 |
| | Am_2O_3 | 42 |
| | Cm_2O_3 | 42 |
| | Bk_2O_3 | 43 |
| | Cf_2O_3 | 43 |
| | Cf_7O_{12} | 43 |
| | Es_2O_3 | 43 |
| | Survey of binary uranium oxides UO_x ($x \geq 2.25$) | 43 |
| | U_4O_9 ($\text{UO}_{2.25}$) | 43 |
| | U_3O_7 ($\text{UO}_{2.33}$) | 44 |
| | U_3O_8 ($\text{UO}_{2.67}$) | 45 |
| | U_2O_5 ($\text{UO}_{2.5}$) | 45 |
| | UO_3 | 45 |
| 2.2.5 | Figures and tables | 47 |
| 2.2.6 | References for 2.2.2 - 2.2.5 | 213 |
| | Contents of further subvolumes of III/27 | 224 |
| | List of editor and authors of Vol. III/27 | 248 |

Subvolume D: Oxy-spinels

| | | |
|-------|---|-----|
| 3 | Magnetic properties of oxy-spinels | 1 |
| 3.1 | Binary oxy-spinels (Co_3O_4 , Fe_3O_4 , $\gamma\text{-Fe}_2\text{O}_3$, Mn_3O_4) (V. A. M. BRABERS, T. E. WHALL) | 1 |
| 3.1.1 | Introduction | 1 |
| | a) List of frequently used symbols | 1 |
| | b) List of abbreviations | 3 |
| 3.1.2 | Cobalt oxide, Co_3O_4 | 4 |
| | References for 3.1.2 | 16 |
| 3.1.3 | Magnetite, Fe_3O_4 | 72 |
| | References for 3.1.3 | 72 |
| 3.1.4 | Maghemite, $\gamma\text{-Fe}_2\text{O}_3$ | 77 |
| | References for 3.1.4 | 85 |
| 3.1.5 | Hausmannite, Mn_3O_4 | 86 |
| | References for 3.1.5 | 99 |
| 3.2 | Iron oxy-spinels (V. A. M. BRABERS) | 100 |
| 3.2.1 | Introduction | 100 |
| | a) General remarks | 100 |
| | b) List of frequently used symbols | 100 |
| | c) List of abbreviations | 103 |
| | d) Survey on tables and figures for 3.2 | 105 |
| 3.2.2 | Fe-oxide spinels containing Al, Ca or Cd | 106 |
| | References for 3.2.2 | 141 |
| 3.2.3 | Fe-oxide spinels containing Co | 143 |
| | References for 3.2.3 | 173 |
| 3.2.4 | Fe-oxide spinels containing Cr | 175 |
| | References for 3.2.4 | 189 |
| 3.2.5 | Fe-oxide spinels containing Cu | 190 |
| | References for 3.2.5 | 216 |
| 3.2.6 | Fe-oxide spinels containing Ga, Ge, In, Li or Mg | 218 |
| | References for 3.2.6 | 267 |
| 3.2.7 | Fe-oxide spinels containing Mn, Mo | 270 |
| | References for 3.2.7 | 301 |
| 3.2.8 | Fe-oxide spinels containing Ni | 303 |
| | References for 3.2.8 | 331 |
| 3.2.9 | Fe-oxide spinels containing Sb, Sn, Ti, V or Zn | 333 |
| | References for 3.2.9 | 365 |
| 3.3 | Non-iron oxy-spinels (E. AGOSTINELLI, D. FIORANI, A. M. TESTA) | 367 |
| 3.3.1 | Introduction | 367 |
| | a) General remarks | 367 |
| | b) List of frequently used symbol | 367 |
| | c) List of abbreviations | 369 |
| 3.3.2 | General properties of oxide spinels | 370 |
| | References for 3.3.2 | 374 |

| | | |
|--------|--|-----|
| 3.3.3 | Al-oxide spinels and Al-oxide spinels with substitutions | 375 |
| | References for 3.3.3 | 386 |
| 3.3.4 | Co-oxide spinels and Co-oxide spinels with substitutions | 387 |
| | References for 3.3.4 | 400 |
| 3.3.5 | Cr-oxide spinels and Cr-oxide spinels with substitutions | 401 |
| | References for 3.3.5 | 420 |
| 3.3.6 | Ga-oxide spinels and Ga-oxide spinels with substitutions | 421 |
| | References for 3.3.6 | 426 |
| 3.3.7 | Ge-oxide spinels and Ge-oxide spinels with substitutions | 427 |
| | References for 3.3.7 | 434 |
| 3.3.8 | In-oxide spinels and In-oxide spinels with substitutions | 434 |
| | References for 3.3.8 | 436 |
| 3.3.9 | Mn-oxide spinels and Mn-oxide spinels with substitutions | 437 |
| | References for 3.3.9 | 463 |
| 3.3.10 | Rh-oxide spinels and Rh-oxide spinels with substitutions | 465 |
| | References for 3.3.10 | 469 |
| 3.3.11 | Sb-oxide spinels and Sb-oxide spinels with substitutions | 469 |
| | References for 3.3.11 | 475 |
| 3.3.12 | Sn-oxide spinels and Sn-oxide spinels with substitutions | 475 |
| | References for 3.3.12 | 478 |
| 3.3.13 | Te-oxide spinels and Te-oxide spinels with substitutions | 479 |
| | Reference for 3.3.13 | 479 |
| 3.3.14 | Ti-oxide spinels and Ti-oxide spinels with substitutions | 480 |
| | References for 3.3.14 | 495 |
| 3.3.15 | V-oxide spinels and V-oxide spinels with substitutions | 496 |
| | References for 3.3.15 | 501 |

Subvolume E: Garnets

| | | |
|-----------|---|----|
| 4 | Magnetic properties of garnets | 1 |
| 4.1 | Iron garnets (P. NOVAK) | 1 |
| 4.1.1 | Introduction | 1 |
| 4.1.1.1 | General remarks | 1 |
| 4.1.1.2 | List of frequently used symbols and abbreviations | 1 |
| 4.1.2 | Magnetic properties | 4 |
| 4.1.2.1 | Magnetic moments and molecular field data | 4 |
| 4.1.2.1.1 | Saturation magnetization and Curie temperature | 4 |
| 4.1.2.1.2 | Molecular-field- and exchange constants | 18 |
| 4.1.2.1.3 | Magnetic moments of the rare earth ions | 20 |
| 4.1.2.2 | Magnetic phase transitions | 21 |
| 4.1.2.2.1 | Spontaneous spin-reorientational transitions | 22 |
| 4.1.2.2.2 | Field induced transitions | 23 |
| 4.1.2.3 | Magnetocrystalline anisotropy | 25 |
| 4.1.2.3.1 | Cubic anisotropy | 25 |
| 4.1.2.3.2 | Non-cubic anisotropy | 31 |
| 4.1.2.4 | Ferromagnetic resonance (FMR) | 39 |
| 4.1.2.4.1 | Resonance field | 39 |
| 4.1.2.4.2 | FMR line width | 40 |
| 4.1.2.4.3 | g-factor | 43 |

| | | |
|-----------|--|-----|
| 4.1.2.5 | Spin waves, magnetostatic modes and relaxation | 45 |
| 4.1.2.5.1 | Spin waves and magnetostatic modes | 45 |
| 4.1.2.5.2 | Non-linear effects and relaxation | 46 |
| 4.1.2.6 | Nuclear magnetic resonance (NMR) | 49 |
| 4.1.2.7 | Mössbauer spectroscopy | 51 |
| 4.1.2.8 | Magnetic domains (stripe and bubble domains) | 53 |
| 4.1.2.8.1 | Static properties | 53 |
| 4.1.2.8.2 | Dynamic properties | 58 |
| 4.1.3 | Magnetoelastic properties | 60 |
| 4.1.3.1 | Magnetostriction | 60 |
| 4.1.3.2 | Magnetoelastic waves | 63 |
| 4.1.4 | Elastic properties | 63 |
| 4.1.5 | Optical and magneto-optical properties | 64 |
| 4.1.5.1 | Optical properties | 65 |
| 4.1.5.1.1 | Absorption of light | 65 |
| 4.1.5.1.2 | Reflection of light | 73 |
| 4.1.5.1.3 | Refractive index | 75 |
| 4.1.5.2 | Magneto-optical properties | 77 |
| 4.1.5.2.1 | Faraday rotation | 77 |
| 4.1.5.2.2 | Magnetic circular dichroism (MCD) | 93 |
| 4.1.5.2.3 | Kerr effects | 100 |
| 4.1.5.2.4 | Magnetic linear birefringence (MLB) and nonmagnetic linear birefringence | 102 |
| 4.1.5.2.5 | Magnetic linear dichroism (MLD) | 103 |
| 4.1.5.3 | Photoinduced effects | 104 |
| 4.1.6 | Thermal properties | 106 |
| 4.1.7 | Electrical properties | 107 |
| 4.1.7.1 | Electrical conductivity | 107 |
| 4.1.7.2 | Magnetoresistance and magnetoelectric effect | 110 |
| 4.1.8 | Crystal structure | 111 |
| 4.1.9 | References for 4.1 | 113 |
| 4.1.10 | List of iron garnets in III/4a, b, 12a and 27e | 125 |
| 4.2 | Non-iron garnets (Z. A. KAZEI, N. P. KOLMAKOVA, V. I. SOKOLOV) | 136 |
| 4.2.1 | Introduction | 136 |
| 4.2.1.1 | General remarks | 136 |
| 4.2.1.2 | List of frequently used symbols and abbreviation | 136 |
| 4.2.2 | Magnetic susceptibility | 140 |
| 4.2.2.1 | Rare earth garnets | 140 |
| 4.2.2.2 | 3d-ion garnets | 143 |
| 4.2.3 | Magnetization and magnetic structure | 148 |
| 4.2.3.1 | Magnetic moments and magnetic anisotropies of terbium, dysprosium and holmium aluminum garnets | 149 |
| 4.2.3.2 | Magnetic moments of rare earth gallium garnets | 151 |
| 4.2.3.3 | Magnetic neutron scattering in dysprosium aluminum garnets | 151 |
| 4.2.3.4 | Magnetic neutron scattering in terbium, holmium and dysprosium gallium garnets | 156 |
| 4.2.3.5 | Magnetization and magnetic phase transitions in manganese germanium garnets | 157 |
| 4.2.3.6 | Garnets with several 3d-ions | 160 |
| 4.2.4 | Results of magnetic resonance experiments | 162 |
| 4.2.4.1 | Electron paramagnetic resonance of paramagnetic metal ions in diamagnetic garnets | 162 |
| 4.2.4.2 | Electron paramagnetic resonance of rare earth ions in diamagnetic garnets | 164 |
| 4.2.4.3 | Electron paramagnetic resonance of impurities in paramagnetic garnets | 166 |
| 4.2.4.4 | Nuclear magnetic resonance | 167 |

| | | |
|----------|--|-----|
| 4.2.4.5 | Antiferromagnetic resonance | 167 |
| 4.2.5 | Optical and magnetooptical properties | 169 |
| 4.2.5.1 | Crystal-field parameters | 169 |
| 4.2.5.2 | Optical spectra and index of refraction | 171 |
| 4.2.5.3 | Information on colour centres | 186 |
| 4.2.5.4 | Further references for results from optical measurements | 190 |
| 4.2.5.5 | Magnetooptical properties | 197 |
| 4.2.6 | Mössbauer spectroscopy | 202 |
| 4.2.7 | Electron spin-lattice relaxation of paramagnetic ions in garnets | 205 |
| 4.2.8 | Thermal properties | 207 |
| 4.2.8.1 | Heat capacity | 207 |
| 4.2.8.2 | Derived thermodynamic functions | 215 |
| 4.2.8.3 | Debye temperature | 218 |
| 4.2.8.4 | Thermal expansion | 219 |
| 4.2.8.5 | Kapitza conductance | 222 |
| 4.2.8.6 | Thermal conductivity | 223 |
| 4.2.8.7 | Ultrasound attenuation | 227 |
| 4.2.9 | Elastic and photoelastic properties | 230 |
| 4.2.9.1 | Elastic and photoelastic constants at room temperature | 230 |
| 4.2.9.2 | Temperature dependences | 231 |
| 4.2.10 | Magnetostriction | 232 |
| 4.2.10.1 | Magnetostriction of rare earth garnets | 232 |
| 4.2.10.2 | Magnetostriction of antiferromagnetic garnets with 3d-ions | 235 |
| 4.2.11 | Electrical properties | 237 |
| 4.2.11.1 | Electrical conductivity and thermoelectric power | 238 |
| 4.2.11.2 | Photoconductivity | 242 |
| 4.2.12 | References for 4.2 | 243 |
| 4.2.13 | List of non-iron garnets in III/4b, 12a and 27e | 253 |

Subvolume FI α : Perovskites I (Part α)

| | | |
|---------|--|----|
| 5 | Magnetic properties of oxides with perovskite, corundum, ilmenite and amorphous structures | 1 |
| 5.1 | Perovskite-type oxides based on 3d elements (E. BURZO) | 1 |
| 5.1.1 | Introduction for Chap. 5.1 - 5.3 | 1 |
| 5.1.1.1 | General remarks | 1 |
| 5.1.1.2 | List of frequently used symbols and abbreviations | 2 |
| 5.1.2 | Scandium-based perovskites | 6 |
| | References for 5.1.2 | 8 |
| 5.1.3 | Titanium-based perovskites | 9 |
| 5.1.3.1 | Crystal structure. Lattice parameters | 9 |
| 5.1.3.2 | Magnetization and magnetic susceptibilities | 20 |
| 5.1.3.3 | Electron paramagnetic resonance (EPR) data | 27 |
| 5.1.3.4 | Nuclear gamma resonance (NGR) data | 30 |
| 5.1.3.5 | Perturbed angular correlations (PAC) | 33 |
| 5.1.3.6 | Electrical resistivities | 33 |
| 5.1.3.7 | Heat capacity | 42 |
| 5.1.3.8 | Dielectric properties | 44 |

| | | |
|----------|---|-----|
| 5.1.3.9 | Electron spectroscopy data | 46 |
| 5.1.3.10 | Infrared spectra | 48 |
| 5.1.3.11 | Optical spectra | 49 |
| 5.1.3.12 | References for 5.1.3 | 53 |
| 5.1.4 | Vanadium-based perovskites | 62 |
| 5.1.4.1 | Crystal structure. Lattice parameters | 62 |
| 5.1.4.2 | Magnetization and magnetic susceptibilities | 71 |
| 5.1.4.3 | ^{51}V nuclear magnetic resonance (NMR) data | 84 |
| 5.1.4.4 | Electron paramagnetic resonance (EPR) data | 86 |
| 5.1.4.5 | Electrical resistivities | 87 |
| 5.1.4.6 | Heat capacity | 94 |
| 5.1.4.7 | Infrared spectra | 94 |
| 5.1.4.8 | Electron spectroscopy data | 95 |
| 5.1.4.9 | Optical spectra | 98 |
| 5.1.4.10 | References for 5.1.4 | 99 |
| 5.1.5 | Chromium-based perovskites | 102 |
| 5.1.5.1 | Crystal structure. Lattice parameters | 102 |
| 5.1.5.2 | Magnetization and magnetic susceptibilities | 109 |
| 5.1.5.3 | Neutron diffraction data | 112 |
| 5.1.5.4 | Electrical resistivities | 113 |
| 5.1.5.5 | Dielectric properties | 118 |
| 5.1.5.6 | Thermal properties | 118 |
| 5.1.5.7 | Infrared spectra | 119 |
| 5.1.5.8 | Electron spectroscopy data | 119 |
| 5.1.5.9 | References for 5.1.5 | 120 |
| 5.1.6 | Manganese-based perovskites | 123 |
| 5.1.6.1 | Introduction | 123 |
| 5.1.6.2 | Crystal structure. Lattice parameters. Preparation methods | 123 |
| 5.1.6.3 | Magnetization and magnetic susceptibilities | 147 |
| 5.1.6.4 | Neutron diffraction data | 166 |
| 5.1.6.5 | Nuclear magnetic resonance (NMR) data | 169 |
| 5.1.6.6 | Nuclear gamma resonance (NGR) data | 170 |
| 5.1.6.7 | Positron annihilation | 171 |
| 5.1.6.8 | Heat capacity | 171 |
| 5.1.6.9 | Electrical resistivities | 173 |
| 5.1.6.10 | Mechanical properties | 186 |
| 5.1.6.11 | Infrared data | 186 |
| 5.1.6.12 | Magneto-optical properties | 188 |
| 5.1.6.13 | X-ray photoelectron spectroscopy | 189 |
| 5.1.6.14 | References for 5.1.6 | 194 |
| 5.1.7 | Iron-based perovskites | 200 |
| 5.1.7.1 | Crystal structure. Lattice parameters | 200 |
| 5.1.7.2 | Magnetization and magnetic susceptibilities | 220 |
| 5.1.7.3 | Neutron diffraction data | 227 |
| 5.1.7.4 | Nuclear gamma resonance (NGR) data | 229 |
| 5.1.7.5 | Electron paramagnetic resonance (EPR) data | 249 |
| 5.1.7.6 | Electrical resistivities | 251 |
| 5.1.7.7 | Magnetoelectric effect | 260 |
| 5.1.7.8 | Dielectric properties | 262 |
| 5.1.7.9 | X-ray photoemission (XPS) and ultraviolet photoemission (UPS) spectroscopy data | 264 |
| 5.1.7.10 | References for 5.1.7 | 267 |
| 5.1.8 | Cobalt-based perovskites | 274 |
| 5.1.8.1 | Crystal structure. Lattice parameters. Preparation | 274 |

| | | |
|---------|---|-----|
| 5.1.8.2 | Magnetic properties | 288 |
| 5.1.8.3 | Neutron diffraction data | 298 |
| 5.1.8.4 | Nuclear gamma resonance (NGR) data | 299 |
| 5.1.8.5 | Ferromagnetic resonance data | 304 |
| 5.1.8.6 | Electrical resistivities | 305 |
| 5.1.8.7 | Electron spectroscopy data | 311 |
| 5.1.8.8 | References for 5.1.8 | 312 |
| 5.1.9 | Nickel-based perovskites | 316 |
| 5.1.9.1 | Crystal structure. Lattice parameters | 316 |
| 5.1.9.2 | Magnetization and magnetic susceptibilities | 326 |
| 5.1.9.3 | Neutron diffraction data | 332 |
| 5.1.9.4 | Electron paramagnetic resonance (EPR) data | 338 |
| 5.1.9.5 | Electrical resistivities | 338 |
| 5.1.9.6 | Heat capacity | 342 |
| 5.1.9.7 | Optical studies | 342 |
| 5.1.9.8 | X-ray absorption spectroscopy | 342 |
| 5.1.9.9 | References for 5.1.9 | 343 |

Subvolume F1 β : Perovskites I (Part β)

| | | |
|---------------|--|---------------------------|
| 5 | Magnetic properties of oxides with perovskite, corundum, ilmenite and amorphous structures | 1 |
| 5.1 | Perovskite-type oxides based on 3d elements (E. BURZO) | 1 |
| 5.1.1 | Introduction for Chap. 5.1 - 5.3 | 1 |
| 5.1.1.1 | General remarks | 1 |
| 5.1.1.2 | List of frequently used symbols and abbreviations | 2 |
| 5.1.2 - 5.1.9 | | see subvolume F1 α |
| 5.1.10 | Copper-based perovskites | 6 |
| 5.1.10.1 | Crystal structure. Lattice parameters | 6 |
| 5.1.10.2 | Magnetization and magnetic susceptibilities | 19 |
| 5.1.10.3 | Neutron diffraction data | 28 |
| 5.1.10.4 | Nuclear gamma resonance (NGR) data | 30 |
| 5.1.10.5 | Nuclear quadrupol resonance (NQR) data | 31 |
| 5.1.10.6 | Electron paramagnetic resonance (EPR) data | 32 |
| 5.1.10.7 | Heat capacity | 32 |
| 5.1.10.8 | Electrical resistivities | 33 |
| 5.1.10.9 | X-ray photoelectron spectroscopy | 38 |
| 5.1.10.10 | Optical studies | 39 |
| 5.1.10.11 | Muon spin rotation | 39 |
| 5.1.10.12 | References for 5.1.10 | 40 |
| 5.1.11 | Mixed transition metal perovskites | 45 |
| 5.1.11.1 | Crystal structure. Lattice parameters | 45 |
| 5.1.11.2 | Magnetization and magnetic susceptibilities | 65 |
| 5.1.11.3 | Neutron diffraction data | 87 |
| 5.1.11.4 | Nuclear magnetic resonance (NMR) data | 88 |
| 5.1.11.5 | Electron paramagnetic resonance (EPR) data | 91 |
| 5.1.11.6 | Nuclear gamma resonance (NGR) data | 93 |

| | | |
|-----------|---|-----|
| 5.1.11.7 | Electrical resistivities | 107 |
| 5.1.11.8 | Magnetoelectric effect | 121 |
| 5.1.11.9 | Dielectric properties | 121 |
| 5.1.11.10 | X-ray electron spectroscopy | 125 |
| 5.1.11.11 | Infrared and optical spectroscopy | 126 |
| 5.1.11.12 | References for 5.1.11 | 128 |
| 5.2 | Perovskite-type oxides based on 4d or 5d elements (E. BURZO) | 135 |
| 5.2.1 | Rhutenium-based perovskites | 135 |
| 5.2.1.1 | Crystal structure. Lattice parameters | 135 |
| 5.2.1.2 | Magnetic properties | 150 |
| 5.2.1.3 | Neutron diffraction data | 164 |
| 5.2.1.4 | Nuclear gamma resonance (NGR) data | 165 |
| 5.2.1.5 | Magnetic anisotropy | 171 |
| 5.2.1.6 | Electrical resistivities | 172 |
| 5.2.1.7 | Infrared spectra | 175 |
| 5.2.1.8 | References for 5.2.1 | 176 |
| 5.2.2 | Other 4d element perovskites | 179 |
| 5.2.2.1 | Crystal structure. Lattice parameters | 179 |
| 5.2.2.2 | Magnetization and magnetic susceptibilities | 196 |
| 5.2.2.3 | Neutron diffraction data | 202 |
| 5.2.2.4 | Electron paramagnetic resonance (EPR) data | 204 |
| 5.2.2.5 | Nuclear gamma resonance (NGR) data | 204 |
| 5.2.2.6 | Heat capacity | 205 |
| 5.2.2.7 | Electrical resistivities | 205 |
| 5.2.2.8 | Dielectric properties | 213 |
| 5.2.2.9 | Optical data | 217 |
| 5.2.2.10 | Infrared spectra | 218 |
| 5.2.2.11 | Photoelectron spectroscopy | 218 |
| 5.2.2.12 | References for 5.2.2 | 220 |
| 5.2.3 | Iridium-based perovskites | 226 |
| 5.2.3.1 | Crystal structure. Lattice parameters | 226 |
| 5.2.3.2 | Magnetic properties | 232 |
| 5.2.3.3 | Neutron diffraction data | 241 |
| 5.2.3.4 | Nuclear gamma resonance (NGR) data | 241 |
| 5.2.3.5 | Electrical resistivities | 243 |
| 5.2.3.6 | Infrared spectra | 244 |
| 5.2.3.7 | References for 5.2.3 | 244 |
| 5.2.4 | Other 5d element perovskites | 246 |
| 5.2.4.1 | Crystal structure. Lattice parameters | 246 |
| 5.2.4.2 | Magnetization and magnetic susceptibilities | 262 |
| 5.2.4.3 | Neutron diffraction data | 269 |
| 5.2.4.4 | Nuclear gamma resonance (NGR) data | 270 |
| 5.2.4.5 | Electron paramagnetic resonance (EPR) data | 271 |
| 5.2.4.6 | Electrical resistivities | 271 |
| 5.2.4.7 | Dielectric properties | 272 |
| 5.2.4.8 | Birefringence | 273 |
| 5.2.4.9 | Raman spectroscopy. IR spectroscopy | 274 |
| 5.2.4.10 | References for 5.2.4 | 275 |
| 5.3 | Miscellaneous perovskite-type oxides ($[\text{AC}_3](\text{B}_4)\text{O}_{12}$ -type perovskites) (E. BURZO) | 280 |

| | | |
|--------|--|-----|
| 5.3.1 | Crystal structure. Lattice parameters. Preparation | 280 |
| 5.3.2 | Magnetization and magnetic susceptibilities | 290 |
| 5.3.3 | Neutron diffraction data | 297 |
| 5.3.4 | Nuclear magnetic resonance (NMR) data | 301 |
| 5.3.5 | Nuclear gamma resonance (NGR) data | 301 |
| 5.3.6 | Electrical resistivities | 303 |
| 5.3.7 | Elastic properties | 304 |
| 5.3.8 | Kerr effect. | 304 |
| 5.3.9 | Infrared spectra | 305 |
| 5.3.10 | References for 5.3 | 307 |

Subvolume F2: Perovskite-type layered cuprates (high- T_c superconductors and related compounds)

| | | |
|-----------|---|-----|
| 5.4 | Perovskite-type layered cuprates (high- T_c superconductors and related compounds) (Z.A. KAZEI, I.B. KRYNETSKII) | 1 |
| 5.4.1 | Introduction | 1 |
| 5.4.1.1 | General remarks | 1 |
| 5.4.1.2 | List of frequently used symbols and abbreviations | 3 |
| 5.4.2 | Magnetic susceptibility and concentration phase diagrams | 8 |
| 5.4.2.1 | Rare earth cuprates $\text{Ln}_2\text{CuO}_{4-y}$ (2-1-4) | 8 |
| 5.4.2.1.1 | Pure La_2CuO_4 , Y_2CuO_4 and model compounds $\text{Sr}_2\text{CuO}_2\text{Cl}_2$, CuO | 9 |
| 5.4.2.1.2 | Doped $\text{La}_{2-x}\text{M}'_x\text{Cu}_{1-y}\text{M}''_y\text{O}_{4-8}$ ($\text{M}' = \text{Ba, Bi, Ca, Sr}$; $\text{M}'' = \text{Li, Ni, Zn}$) | 16 |
| 5.4.2.1.3 | $\text{Ln}_2\text{CuO}_{4-y}$ with magnetic rare earth ions ($\text{Ln} = \text{Pr-Gd, Dy-Tm}$) | 23 |
| 5.4.2.2 | Rare earth cuprates $\text{LnBa}_2\text{Cu}_3\text{O}_{7-y}$ (1-2-3), $\text{YBa}_2\text{Cu}_4\text{O}_8$ (1-2-4) | 32 |
| 5.4.2.2.1 | Pure compounds $\text{YBa}_2\text{Cu}_3\text{O}_x$ and $\text{YBa}_2\text{Cu}_4\text{O}_8$ | 32 |
| 5.4.2.2.2 | Doped $\text{Y}(\text{Ba}_{0.55}\text{La}_{0.45})_2\text{Cu}_3\text{O}_{7+y}$, $\text{YBa}_2(\text{Cu}_{1-y}\text{M}_y)_3\text{O}_x$ ($\text{M} = \text{Co, Fe, Ni, Sc, Zn}$), and $\text{Y}_{1-x}\text{Na}_x\text{Ba}_2\text{Cu}_3\text{O}_{7-d}$ | 39 |
| 5.4.2.2.3 | $\text{LnBa}_2\text{Cu}_3\text{O}_{7-y}$ with magnetic rare earth ions ($\text{Ln} = \text{Pr-Gd, Dy-Yb}$) | 45 |
| 5.4.2.2.4 | Summary of susceptibility parameters and transition temperatures for $\text{LnBa}_2\text{Cu}_3\text{O}_{7-y}$ series | 57 |
| 5.4.2.3 | Bi- and Tl- based layered cuprates | 64 |
| 5.4.2.4 | Related compounds $\text{Ln}_2\text{Cu}_2\text{O}_5$ ($\text{Ln} = \text{Tb-Lu, Y, Sc, In}$) (2-2-5) | 69 |
| 5.4.2.5 | Related compounds $\text{Ln}_2\text{BaCuO}_5$ ($\text{Ln} = \text{Dy, Ho, Er, Y}$) (2-1-1-5) | 73 |
| 5.4.3 | Magnetization and magnetic phase transitions | 75 |
| 5.4.3.1 | Pure La_2CuO_4 and doped $\text{La}_{2-x}\text{M}'_x\text{Cu}_{1-y}\text{M}''_y\text{O}_4$ ($\text{M}' = \text{Y, Ba, Sr}$; $\text{M}'' = \text{Fe, Ni, Zn}$). Model compounds $\text{Sr}_2\text{CuO}_2\text{Cl}_2$, CuO , Bi-based cuprates | 75 |
| 5.4.3.2 | $\text{Ln}_2\text{CuO}_{4-y}$ with magnetic rare earth ions ($\text{Ln} = \text{Pr-Gd}$) | 80 |
| 5.4.3.3 | Rare earth cuprates $\text{LnBa}_2\text{Cu}_3\text{O}_{7-y}$ ($\text{Ln} = \text{Y, Pr-Gd, Dy-Yb}$) | 86 |
| 5.4.3.4 | Rare earth cuprates $\text{Ln}_2\text{Cu}_2\text{O}_5$ ($\text{Ln} = \text{Y, Dy-Yb}$) and $\text{Ln}_2\text{BaCuO}_5$ ($\text{Ln} = \text{Gd, Dy-Er}$) | 96 |
| 5.4.4 | Magnetic neutron scattering and diffraction | 102 |
| 5.4.4.1 | Magnetic structures and spin correlations | 102 |
| 5.4.4.1.1 | La_2CuO_4 , $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$, Bi_2CuO_4 and model compounds $\text{Sr}_2\text{CuO}_2\text{Cl}_2$, CuO | 102 |
| 5.4.4.1.2 | $\text{Ln}_2\text{CuO}_{4-y}$ with magnetic rare earth ions (Pr, Nd, Gd) | 110 |

| | | |
|-----------|---|-----|
| 5.4.4.1.3 | Pure and doped $\text{LnBa}_2\text{Cu}_3\text{O}_x$ ($\text{Ln} = \text{Y, Pr, Nd}$), $\text{TlBa}_2\text{YCu}_2\text{O}_7$ | 117 |
| 5.4.4.1.4 | $\text{LnBa}_2\text{Cu}_3\text{O}_{7-y}$ with magnetic rare earth ions ($\text{Ln} = \text{Gd, Dy-Tm}$) | 128 |
| 5.4.4.1.5 | Rare earth cuprates $\text{DyBa}_2\text{Cu}_4\text{O}_8$ and $\text{ErBa}_2\text{Cu}_4\text{O}_8$ (1-2-4) | 136 |
| 5.4.4.1.6 | Related compounds $\text{Ln}_2\text{Cu}_2\text{O}_5$ | 139 |
| 5.4.4.2 | Inelastic neutron scattering and crystal field parameters | 141 |
| 5.4.4.2.1 | Pure and doped Nd_2CuO_4 | 141 |
| 5.4.4.2.2 | Rare earth cuprates $\text{LnBa}_2\text{Cu}_3\text{O}_{7-y}$ | 144 |
| 5.4.5 | Magnetic resonance experiments | 157 |
| 5.4.5.1 | Nuclear resonance measurements | 157 |
| 5.4.5.1.1 | Pure and doped La_2CuO_4 , model compound CuO , pure and doped Nd_2CuO_4 | 158 |
| 5.4.5.1.2 | Pure and doped $\text{LnBa}_2\text{Cu}_3\text{O}_x$ ($\text{Ln} = \text{Y, Pr-Gd, Dy-Er, Yb}$), $\text{Bi}_2\text{Sr}_2(\text{Ca}_{1-x}\text{Y}_x)\text{Cu}_2\text{O}_{8+y}$, $\text{Pb}_2\text{Sr}_2\text{YCu}_3\text{O}_{8+\delta}$ | 162 |
| 5.4.5.2 | Electron paramagnetic and antiferromagnetic resonance measurements | 170 |
| 5.4.5.2.1 | Pure and doped $\text{Ln}_2\text{CuO}_{4-y}$ ($\text{Ln} = \text{La, Gd}$) | 170 |
| 5.4.5.2.2 | $\text{YBa}_2\text{Cu}_3\text{O}_7$ and related compounds, Bi-based cuprates | 172 |
| 5.4.5.2.3 | $\text{Y}_{1-x}\text{Gd}_x\text{Ba}_2\text{Cu}_3\text{O}_{7-y}$ and $\text{Y}_{2-x}\text{Gd}_x\text{BaCuO}_5$ | 176 |
| 5.4.5.3 | μ^+ SR measurements | 186 |
| 5.4.5.3.1 | Pure and doped Ln_2CuO_4 ($\text{Ln} = \text{La, Pr, Nd, Sm}$), model compounds $\text{Sr}_2\text{CuO}_2\text{Cl}_2$, CuO | 186 |
| 5.4.5.3.2 | Pure and doped compounds $\text{LnBa}_2\text{Cu}_3\text{O}_x$ ($\text{Ln} = \text{Y, Pr, Gd, Dy-Er}$), related compounds Y_2BaCuO_5 and BaCuO_2 | 191 |
| 5.4.5.3.3 | Bi-based cuprates | 198 |
| 5.4.6 | Mössbauer spectroscopy | 200 |
| 5.4.6.1 | Pure and doped Ln_2CuO_4 ($\text{Ln} = \text{La, Eu, Gd}$), La_2CoO_4 , SrLaFeO_4 | 200 |
| 5.4.6.2 | Pure and doped $\text{LnBa}_2(\text{Cu}_{1-x}\text{Fe}_x)_3\text{O}_z$ ($\text{Ln} = \text{Dy, Pr, Gd, Er, Yb}$) | 203 |
| 5.4.6.2.1 | Mössbauer spectra for rare earth elements | 203 |
| 5.4.6.2.2 | Mössbauer spectra of ^{57}Fe doped $\text{LnBa}_2\text{Cu}_3\text{O}_z$ ($\text{Ln} = \text{Y, Pr, Gd}$), $\text{YBa}_2\text{Cu}_4\text{O}_8$ and related compounds | 204 |
| 5.4.6.3 | Compounds related to Bi-based high- T_c cuprates | 214 |
| 5.4.7 | Heat capacity and derived thermodynamic properties | 215 |
| 5.4.7.1 | $\text{La}_{2-x}\text{M}_x\text{CuO}_{4-y}$ ($\text{M} = \text{Sr, Ba}$), $\text{YBa}_2\text{Cu}_3\text{O}_{7-y}$ and $\text{Bi}_2\text{Sr}_2(\text{Ca, Y})\text{Cu}_2\text{O}_{8-y}$ | 215 |
| 5.4.7.2 | $\text{Ln}_2\text{CuO}_{4-y}$ with magnetic rare earth ions ($\text{Ln} = \text{Pr-Gd}$) | 224 |
| 5.4.7.3 | $\text{LnBa}_2\text{Cu}_3\text{O}_{7-y}$ with magnetic rare earth ions ($\text{Ln} = \text{Pr-Gd, Dy-Yb}$) | 227 |
| 5.4.7.4 | Related compounds $\text{Ln}_2\text{Cu}_2\text{O}_5$ ($\text{Ln} = \text{Tb-Yb, Y, Lu}$), $\text{Ln}_2\text{BaCuO}_5$ ($\text{Ln} = \text{Sm-Gd, Dy-Yb, Y}$), and Y_2BaZnO_5 | 241 |
| 5.4.8 | Thermal expansion and magnetostriction | 244 |
| 5.4.8.1 | Thermal expansion of $\text{LnBa}_2\text{Cu}_3\text{O}_{7-x}$ ($\text{Ln} = \text{Y, Sm-Gd, Dy-Tm}$) | 244 |
| 5.4.8.2 | Magnetostriction | 246 |
| 5.4.8.2.1 | La_2CuO_4 | 247 |
| 5.4.8.2.2 | $\text{LnBa}_2\text{Cu}_3\text{O}_{7-x}$ ($\text{Ln} = \text{Y, Pr, Nd, Sm-Gd, Dy-Tm}$) and related compounds $\text{Ln}_2\text{Cu}_2\text{O}_5$ ($\text{Ln} = \text{Y, Dy-Lu}$) | 248 |
| 5.4.9 | Transport properties | 255 |
| 5.4.10 | References for 5.4 | 259 |

Subvolume F2S: Perovskite-type layered cuprates (high- T_c superconductors and related compounds)

Supplement and extension to Vol. III/27F2.

| | | |
|--|---|-----|
| 5 | Magnetic properties of oxides with perovskite, corundum and ilmenite type structures and amorphous oxides | 1 |
| 5.4 | Perovskite-type layered cuprates (high- T_c superconductors and related compounds) (Z.A. KAZEI, I.B. KRYNETSKII) | 1 |
| Numbering of chapters in this supplement is the same as in III/27F2. For reasons of simplicity the prefix 5.4 is dropped, i.e. section 5.4.1 is given as 1 only, 5.4.1.1 as 1.1, etc.. | | |
| 1 | Introduction | 1 |
| 1.1 | General remarks | 1 |
| 1.2 | List of frequently used symbols and abbreviations | 3 |
| 2 | Magnetic susceptibilities and concentration phase diagrams | 10 |
| 2.1 | Rare earth cuprates Ln_2CuO_4 (2-1-4) | 10 |
| 2.1.1 | Pure $\text{La}_2\text{CuO}_{4\pm\delta}$, $\text{La}_2\text{NiO}_{4\pm\delta}$, Y_2CuO_4 , Bi_2CuO_4 and model compounds CuO , BaCuO_{2+x} | 10 |
| 2.1.2 | Doped $\text{La}_{2-x}\text{M}'_x\text{Cu}_{1-y}\text{M}''_y\text{O}_{4-\delta}$ ($\text{M}' = \text{Bi, Sr}$; $\text{M}'' = \text{Co, Fe, Ga, Ni, Zn}$) | 16 |
| 2.1.3 | Pure and doped $\text{Ln}_{2-x}\text{M}_x\text{CuO}_{4-\delta}$, $\text{Ln}_2\text{NiO}_{4-\delta}$ with magnetic rare earth or transuranium ions ($\text{Ln} = \text{Pr} - \text{Tm, Cm}$; $\text{M} = \text{Ce, Ln, Sr, Y}$) | 25 |
| 2.2 | Rare earth cuprates $\text{LnBa}_2\text{Cu}_3\text{O}_{7-\delta}$ (1-2-3), $\text{LnBa}_2\text{Cu}_4\text{O}_{8-\delta}$ (1-2-4), $\text{Ln}_2\text{Ba}_4\text{Cu}_7\text{O}_{15-\delta}$ (2-4-7) | 37 |
| 2.2.1 | Pure $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ and $\text{YBa}_2\text{Cu}_4\text{O}_{8-\delta}$ | 37 |
| 2.2.2 | Doped $\text{YBa}_2\text{Cu}_{3-y}\text{M}_y\text{O}_{7-\delta}$ and $\text{YBa}_2\text{Cu}_{4-y}\text{M}_y\text{O}_{8-\delta}$ ($\text{M} = \text{Co, Fe, Zn}$) | 40 |
| 2.2.3 | Pure and substituted $\text{LnM}_2\text{Cu}_3\text{O}_{7-\delta}$, $\text{LnM}_2\text{Cu}_4\text{O}_{8-\delta}$, $\text{Ln}_2\text{M}_4\text{Cu}_7\text{O}_{15-\delta}$, $\text{LnM}_2\text{Cu}_2\text{NbO}_{8-\delta}$ with magnetic rare earth ions ($\text{Ln} = \text{Pr} - \text{Yb}$; $\text{M} = \text{Ba, Sr}$) | 44 |
| 2.3 | Bi-, Hg-, Pb-, Tl- based layered cuprates and spin ladder systems ($\text{Sr,A})_{14}\text{Cu}_{24}\text{O}_{41}$, Sr_2CuO_3 , $(\text{La,Sr})\text{CuO}_{2.5}$ ($\text{A} = \text{Ca, Ba, La}$) | 61 |
| 2.4 | Related compounds $\text{Ln}_2\text{Cu}_2\text{O}_5$ (2-2-5), Ln_2BaMO_5 (2-1-1-5) ($\text{Ln} = \text{Pr} - \text{Yb, Y}$; $\text{M} = \text{Co, Cu, Ni, Fe, Zn}$) | 69 |
| 3 | Magnetization and magnetic phase transitions | 76 |
| 3.1 | Pure and doped La_2CuO_4 , model compounds CuO , $\text{Ca}_2\text{CuO}_2\text{Cl}_2$, $\text{Sr}_2\text{CuO}_2\text{Cl}_2$, $\text{Ba}_2\text{Cu}_3\text{O}_4\text{Cl}_2$, and Bi_2CuO_4 | 76 |
| 3.2 | Pure and doped Ln_2CuO_4 ($\text{Ln} = \text{Y, Pr, Nd, Sm-Tb, Ho}$) | 81 |
| 3.3 | Pure and doped $\text{LnBa}_2\text{Cu}_3\text{O}_x$ ($\text{Ln} = \text{Y; Pr, Nd, Gd, Dy}$) | 91 |
| 3.3.1 | Pure and doped $\text{YBa}_2\text{Cu}_3\text{O}_x$ | 91 |
| 3.3.2 | Pure and doped $\text{LnBa}_2\text{Cu}_3\text{O}_x$ with magnetic rare earth ions ($\text{Ln} = \text{Pr, Nd, Gd, Dy}$) | 96 |
| 3.4 | Related compounds $\text{Ln}_2\text{Cu}_2\text{O}_5$ ($\text{Ln} = \text{Y, Sc, In, Tm, Yb, Lu}$) | 100 |
| 3.5 | Layered cuprates of quaternary family (M-2122) | 104 |
| 3A | Electric polarization and magnetoelectric effect | 110 |
| 3A.1 | Pure cuprates $\text{Ln}_2\text{CuO}_{4-y}$ with magnetic rare earth ions ($\text{Ln} = \text{La, Nd, Sm, Gd}$) | 110 |
| 4 | Magnetic neutron scattering and diffraction | 114 |
| 4.1 | Magnetic structures and spin correlations | 114 |
| 4.1.1 | Pure $\text{La}_2\text{CuO}_{4\pm\delta}$, $\text{La}_2\text{NiO}_{4\pm\delta}$, Bi_2CuO_4 and model compounds $\text{M}_2\text{CuO}_2\text{Cl}_2$ ($\text{M} = \text{Ca, Sr}$) | 114 |
| 4.1.2 | Doped $\text{La}_{2-x}\text{M}'_x\text{Cu}_{1-y}\text{M}''_y\text{O}_{4-\delta}$ ($\text{M}' = \text{Ba, Sr, Nd}$; $\text{M}'' = \text{Zn}$) | 122 |

| | | |
|---------|--|-----|
| 4.1.3 | Pure and doped $\text{Ln}_{2-x}\text{M}_x\text{CuO}_{4-\delta}$, $\text{Ln}_2\text{NiO}_{4-\delta}$ with magnetic rare earth ions ($\text{Ln} = \text{La, Pr} - \text{Gd}$; $\text{M} = \text{Ce, Ln, Sr}$) | 130 |
| 4.1.4 | Pure and doped $\text{YBa}_2(\text{Cu}_{1-x}\text{M}_x)_3\text{O}_{7-\delta}$, $\text{YBa}_2(\text{Cu}_{1-x}\text{M}_x)_4\text{O}_{8-\delta}$ ($\text{M} = \text{Al, Co, Fe, Ni, Zn}$) | 139 |
| 4.1.5 | Pure and substituted $\text{LnM}_2\text{Cu}_3\text{O}_{7-\delta}$, $\text{LnM}_2\text{Cu}_4\text{O}_{8-\delta}$, $\text{Ln}_2\text{M}_4\text{Cu}_7\text{O}_{15-\delta}$, $\text{LnM}_2\text{Cu}_2\text{NbO}_{8-\delta}$ with magnetic rare earth ions ($\text{Ln} = \text{Pr} - \text{Er}$; $\text{M} = \text{Ba, Sr}$) | 151 |
| 4.1.6 | Bi-, Tl- and Hg- based layered cuprates and spin ladder systems | 165 |
| 4.1.7 | Related compounds $\text{Ln}_2\text{Cu}_2\text{O}_5$ (2-2-5), Ln_2BaMO_5 (2-1-1-5) ($\text{Ln} = \text{Pr} - \text{Yb, Y}$; $\text{M} = \text{Co, Cu, Ni, Fe, Zn}$) | 166 |
| 4.2 | Inelastic neutron scattering and crystal field parameters | 171 |
| 4.2.1 | Pure and doped $\text{Ln}_2\text{Cu}_{1-x}\text{M}_x\text{O}_{4-\delta}$ with magnetic rare earth ions ($\text{Ln} = \text{La, Pr, Nd}$; $\text{M} = \text{Ce}$) | 171 |
| 4.2.2 | $\text{LnBa}_2\text{Cu}_3\text{O}_{7-\delta}$, $\text{LnBa}_2\text{Cu}_4\text{O}_{8-\delta}$ with magnetic rare earth ions ($\text{Ln} = \text{Pr} - \text{Er}$) | 181 |
| 4.2.3 | Related compounds $\text{Ln}_2\text{Cu}_2\text{O}_5$ (2-2-5) ($\text{Ln} = \text{Er}$) | 200 |
| 5 | Magnetic resonance experiments | 201 |
| 5.1 | Nuclear resonance measurements | 201 |
| 5.1.1 | Pure and doped Ln_2CuO_4 ($\text{Ln} = \text{La, Pr, Nd}$) | 201 |
| 5.1.1.1 | Pure and doped $\text{La}_{2-x}\text{M}'_x\text{Cu}_{1-y}\text{M}''_y\text{O}_4$ ($\text{M}' = \text{Sr, Ba, Eu}$; $\text{M}'' = \text{Li, Zn}$) | 202 |
| 5.1.1.2 | Doped Ln_2CuO_4 with rare earth ions ($\text{Ln} = \text{Pr, Nd}$), model compounds CuO , $\text{Sr}_2\text{CuO}_2\text{Cl}_2$, and $\text{La}_4\text{Ba}_2\text{Cu}_2\text{O}_{10}$ | 209 |
| 5.1.2 | $\text{LnBa}_2\text{Cu}_3\text{O}_x$ and $\text{LnBa}_3\text{Cu}_4\text{O}_8$ | 211 |
| 5.1.2.1 | Pure and doped $\text{LnBa}_2\text{Cu}_3\text{O}_x$ ($\text{Ln} = \text{Y, Pr, Gd, Tm}$) | 211 |
| 5.1.2.2 | Pure and doped $\text{LnBa}_2\text{Cu}_4\text{O}_8$ ($\text{Ln} = \text{Y, Gd}$), $\text{Y}_2\text{Ba}_4\text{Cu}_7\text{O}_{15}$ and $\text{La}_{1.89}\text{Ca}_{1.11}\text{Cu}_2\text{O}_6$ | 220 |
| 5.1.2.3 | $\text{LnSr}_2\text{Cu}_2\text{GaO}_7$ ($\text{Ln} = \text{Y, Nd, Pr, Gd}$) and $\text{LnBa}_2\text{Cu}_2\text{NbO}_8$ ($\text{Ln} = \text{Y, Nd, Pr, La}$) | 225 |
| 5.1.3 | Hg- and Bi- based cuprates | 227 |
| 5.2 | Electron paramagnetic and antiferromagnetic resonance measurements | 230 |
| 5.2.1 | Pure and doped Ln_2CuO_4 ($\text{Ln} = \text{La, Pr, Nd, Gd}$), model compounds $\text{Sr}_2\text{CuO}_2\text{F}_{2.4}$, $\text{Ba}_2\text{Cu}_3\text{O}_4\text{Cl}_2$, and Bi_2CuO_4 | 230 |
| 5.2.2 | Pure and doped $\text{LnBa}_2\text{Cu}_3\text{O}_6$ ($\text{Ln} = \text{Y, Pr, Sm, Gd, Er}$) | 236 |
| 5.2.2.1 | Related compounds $\text{Ln}_2\text{Cu}_2\text{O}_5$ ($\text{Ln} = \text{Y, In, Lu}$) and $\text{Ln}_2\text{BaCuO}_5$ ($\text{Ln} = \text{Y, Gd, Yb}$) | 240 |
| 5.2.3 | Tl- and Bi- based cuprates | 243 |
| 5.3 | $\mu^+\text{SR}$ measurements | 245 |
| 5.3.1 | Pure and doped $\text{La}_{2-x}\text{M}'_x\text{Cu}_{1-y}\text{M}''_y\text{O}_4$ ($\text{M}' = \text{Sr, Ba, Nd}$; $\text{M}'' = \text{Li, Zn}$) | 245 |
| 5.3.2 | Pure and doped $\text{LnBa}_2\text{Cu}_3\text{O}_x$ ($\text{Ln} = \text{Y, Gd}$), $\text{La}_2\text{SrCu}_2\text{O}_{6+\delta}$ | 249 |
| 6 | Mössbauer spectroscopy | 251 |
| 6.1 | Pure and doped Ln_2CuO_4 ($\text{Ln} = \text{La, Gd}$), model compounds $(\text{Sr,Ca})_2\text{CuO}_2\text{Cl}_2$, Sr_2CuO_3 and CuO | 251 |
| 6.1.1 | Transmission Mössbauer spectroscopy | 251 |
| 6.1.2 | Emission Mössbauer spectroscopy | 258 |
| 6.2 | Pure and doped $\text{LnBa}_2\text{Cu}_3\text{O}_x$ ($\text{Ln} = \text{Y, Pr, Nd, Gd, Er, Tm, Yb}$) | 259 |
| 6.2.1 | Transmission Mössbauer spectroscopy | 259 |
| 6.2.1.1 | Pure and doped $\text{YBa}_2\text{Cu}_3\text{O}_x$, $\text{YBa}_2\text{Cu}_4\text{O}_{8+\delta}$ | 259 |
| 6.2.1.2 | Pure and doped $\text{LnBa}_2\text{Cu}_3\text{O}_x$ with magnetic rare earth ions ($\text{Ln} = \text{Pr, Gd, Dy, Er, Yb}$) | 265 |
| 6.2.2 | Emission Mössbauer spectroscopy | 271 |
| 6.3 | Compounds related to $\text{LnBa}_2\text{Cu}_3\text{O}_x$ | 272 |
| 6.4 | Bi- and Pb- based cuprates | 279 |
| 7 | Heat capacity and derived thermodynamic properties | 284 |
| 7.1 | Pure and substituted $\text{La}_{2-x}\text{M}'_x\text{Cu}_{1-y}\text{M}''_y\text{O}_{4\pm\delta}$ ($\text{M}' = \text{Ba, Sr}$; $\text{M}'' = \text{Zn}$) | 284 |

| | | |
|-------|--|-----|
| 7.2 | Pure and substituted $\text{Ln}_{2-x}\text{M}_x\text{CuO}_{4-\delta}$ with magnetic rare earth ions ($\text{Ln} = \text{Pr} - \text{Yb}$; $\text{M} = \text{Ce, Ln}$) | 286 |
| 7.3 | Pure and substituted $\text{LnM}'_2\text{Cu}_{3-y}\text{M}''_y\text{O}_{7-\delta}$, $\text{LnM}'_2\text{Cu}_4\text{O}_{8-\delta}$, $\text{Ln}_2\text{M}'_4\text{Cu}_7\text{O}_{15-\delta}$, $\text{LnM}'_2\text{Cu}_2\text{NbO}_{8-\delta}$ with magnetic rare earth ions ($\text{Ln} = \text{Pr} - \text{Yb}$, Y ; $\text{M}' = \text{Ba, Sr}$; $\text{M}'' = \text{Al, Ga, Mo}$) | 291 |
| 7.4 | Bi-, Hg-, Pb-, Tl- based layered cuprates | 307 |
| 7.5 | Related compounds $\text{Ln}_2\text{Cu}_2\text{O}_5$ (2-2-5), Ln_2BaMO_5 (2-1-1-5) ($\text{Ln} = \text{Pr} - \text{Yb}$, Y ; $\text{M} = \text{Cu, Zn}$) | 310 |
| 8 | Elastic and magnetoelastic properties | 312 |
| 8.1 | Elastic moduli and sound velocity | 312 |
| 8.1.1 | $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ | 312 |
| 8.1.2 | Pure and doped Ln_2CuO_4 with magnetic rare earth ions ($\text{Ln} = \text{Nd, Gd}$) | 313 |
| 8.1.3 | $\text{LnBa}_2\text{Cu}_3\text{O}_x$ ($\text{Ln} = \text{Gd, Dy}$) | 315 |
| 8.2 | Thermal expansion | 316 |
| 8.2.1 | Pure Ln_2CuO_4 with magnetic rare earth ions ($\text{Ln} = \text{Pr, Nd, Sm} - \text{Gd}$) and $\text{LnBa}_2\text{Cu}_3\text{O}_{7-\delta}$ ($\text{Ln} = \text{Pr, Dy}$) | 316 |
| 8.3 | Magnetostriction | 317 |
| 8.3.1 | $\text{DyBa}_2\text{Cu}_3\text{O}_{6.8}$, model compound CuO , and rare earth cuprates $\text{Ln}_2\text{Cu}_2\text{O}_5$ ($\text{Ln} = \text{Dy, Ho}$) | 317 |
| 9 | References for 1 - 8 | 320 |
| | Contents of further subvolumes of III/27 | 354 |
| | List of editor and authors of Vol. III/27 | 382 |

Subvolume F3: Perovskites II, oxides with corundum, ilmenite and amorphous structures

| | | |
|---------|--|-----|
| 5.5 | Perovskite-type oxides RMO_3 ($\text{R} = \text{rare earth element, M} = 3\text{d element or Al}$) (H.P.J. WIJN) | 1 |
| 5.5.1 | Introduction | 1 |
| 5.5.1.1 | General remarks | 1 |
| 5.5.1.2 | Magnetic configurations | 2 |
| 5.5.1.3 | List of frequently used symbols and abbreviations | 5 |
| 5.5.2 | RAIO_3 compounds | 8 |
| 5.5.3 | RScO_3 compounds | 22 |
| 5.5.4 | RTiO_3 compounds | 25 |
| 5.5.5 | RVO_3 compounds | 46 |
| 5.5.6 | RCrO_3 compounds | 56 |
| 5.5.7 | RMnO_3 compounds | 91 |
| 5.5.8 | RFeO_3 compounds | 101 |
| 5.5.8.1 | LaFeO_3 compounds | 104 |
| 5.5.8.2 | CeFeO_3 | 107 |
| 5.5.8.3 | PrFeO_3 | 107 |
| 5.5.8.4 | NdFeO_3 compounds | 108 |
| 5.5.8.5 | SmFeO_3 compounds | 110 |
| 5.5.8.6 | EuFeO_3 compounds | 116 |

| | | |
|-----------|---|-----|
| 5.5.8.7 | GdFeO ₃ compounds | 118 |
| 5.5.8.8 | TbFeO ₃ compounds | 120 |
| 5.5.8.9 | DyFeO ₃ compounds | 125 |
| 5.5.8.10 | HoFeO ₃ compounds | 134 |
| 5.5.8.11 | ErFeO ₃ compounds | 138 |
| 5.5.8.12 | TmFeO ₃ compounds | 143 |
| 5.5.8.13 | YbFeO ₃ | 146 |
| 5.5.8.14 | LuFeO ₃ compounds | 146 |
| 5.5.8.15 | YFeO ₃ compounds | 147 |
| 5.5.9 | RCO ₃ compounds | 152 |
| 5.5.10 | RNiO ₃ compounds | 158 |
| 5.5.11 | References for 5.5 | 159 |
| 5.6 | Oxides with corundum and ilmenite structures (Y. ENDOH, K. KAKURAI, A.K. KATORI) | 173 |
| 5.6.1 | Introduction | 173 |
| 5.6.2 | List of frequently used symbols and abbreviations | 173 |
| 5.6.3 | Oxides with corundum structure | 176 |
| 5.6.3.1 | Binary oxides M ₂ O ₃ ; M = 3d transition element | 177 |
| 5.6.3.2 | Pseudo-binary and ternary oxides (M _{1-x} M' _x) ₂ O ₃ ; M, M' = 3d transition elements | 190 |
| 5.6.4 | Oxides with ilmenite structure | 205 |
| 5.6.4.1 | Single ternary oxides MM'O ₃ ; M, M' = 3d transition elements | 205 |
| 5.6.4.2 | Mixed pseudo-ternary Ti oxides (M _x M' _{1-x})TiO ₃ ; M, M' = Mn, Fe, Co or Ni | 221 |
| 5.6.5 | Solid solutions between oxides with corundum and ilmenite structure | 233 |
| 5.6.6 | References for 5.6 | 235 |
| 5.7 | Amorphous oxides (M.S. SEEHRA, G. SRINIVASAN) | 239 |
| 5.7.1 | Introduction | 239 |
| 5.7.1.0 | Scope of the review | 239 |
| 5.7.1.1 | Symbols and abbreviations | 240 |
| 5.7.2 | Oxide glasses | 242 |
| 5.7.2.0 | General remarks | 242 |
| 5.7.2.1 | Phosphate glasses | 242 |
| 5.7.2.1.0 | General remarks | 242 |
| 5.7.2.1.1 | Ti - based phosphates | 243 |
| 5.7.2.1.2 | V - based phosphates | 244 |
| 5.7.2.1.3 | Cr - based phosphates | 244 |
| 5.7.2.1.4 | Mn - based phosphates | 246 |
| 5.7.2.1.5 | Fe - based phosphates | 246 |
| 5.7.2.1.6 | Co - based phosphates | 247 |
| 5.7.2.1.7 | Spinel ferrite based phosphates | 248 |
| 5.7.2.2 | Borate glasses | 249 |
| 5.7.2.2.0 | General remarks | 249 |
| 5.7.2.2.1 | Mn - borate glasses | 250 |
| 5.7.2.2.2 | Fe - alkali - borate glasses | 252 |
| 5.7.2.2.3 | Fe - BaO - borate glasses | 253 |
| 5.7.2.2.4 | Fe - CaO - borate glasses | 256 |
| 5.7.2.3 | Silicate glasses | 259 |
| 5.7.2.3.0 | General remarks | 259 |
| 5.7.2.3.1 | Mn - aluminosilicate glasses | 259 |

| | | |
|-------------|---|-----|
| 5.7.2.3.2 | Mixed-valence Fe - silicate glasses | 261 |
| 5.7.2.3.3 | Ferrous - silicate glasses | 263 |
| 5.7.2.3.4 | Co - aluminosilicate glasses | 264 |
| 5.7.3 | Amorphous oxides prepared by various techniques | 267 |
| 5.7.3.1 | Amorphous 3d oxides | 267 |
| 5.7.3.1.0 | General remarks | 267 |
| 5.7.3.1.1 | Cr - oxides | 267 |
| 5.7.3.1.2 | Fe (ferric) - oxides | 267 |
| 5.7.3.2 | Mixed binary oxides | 269 |
| 5.7.3.2.0 | General remarks | 269 |
| 5.7.3.2.1 | Amorphous garnets | 270 |
| 5.7.3.2.2 | Other mixed oxides | 275 |
| 5.7.3.2.2.1 | ZnFe ₂ O ₄ | 275 |
| 5.7.3.2.2.2 | Fe _{0.69} Ga _{1.37} O ₃ | 276 |
| 5.7.3.2.2.3 | (Fe ₂ O ₃) _x (SrO) _{1-x} | 278 |
| 5.7.3.2.2.4 | (Fe ₂ O ₃) _x (Bi ₂ O ₃) _{1-x} | 279 |
| 5.7.3.2.2.5 | CoFe ₂ O ₄ | 281 |
| 5.7.3.2.2.6 | CuFe ₂ O ₄ | 282 |
| 5.7.3.2.2.7 | Bi ₂ CuO ₄ | 284 |
| 5.7.3.3 | Fe ₂ O ₃ - Bi ₂ O ₃ - based ternary oxides | 285 |
| 5.7.3.3.0 | General remarks | 285 |
| 5.7.3.3.1 | Fe ₂ O ₃ · Li ₂ O · Bi ₂ O ₃ oxides | 286 |
| 5.7.3.3.2 | Fe ₂ O ₃ · K ₂ O · Bi ₂ O ₃ oxides | 289 |
| 5.7.3.3.3 | Fe ₂ O ₃ · CaO · Bi ₂ O ₃ oxides | 290 |
| 5.7.3.3.4 | Fe ₂ O ₃ · ZnO · Bi ₂ O ₃ oxides | 295 |
| 5.7.3.3.5 | Fe ₂ O ₃ · CuO · Bi ₂ O ₃ oxides | 301 |
| 5.7.3.3.6 | Fe ₂ O ₃ · Bi ₂ O ₃ · ABO ₃ oxides | 307 |
| 5.7.4 | Theoretical status | 315 |
| 5.7.5 | References for 5.7 | 317 |

Subvolume G: Various other oxides

| | | |
|---------|--|----|
| 6 | Magnetic properties of oxides with various other structures | 1 |
| 6.1 | Binary oxides of d transition elements (M. S. SEEHRA, H. P. J. WIJN) | 1 |
| 6.1.1 | Introduction | 1 |
| 6.1.1.1 | Scope of the review | 1 |
| 6.1.1.2 | Earlier reviews | 1 |
| 6.1.1.3 | Symbols and abbreviations | 2 |
| 6.1.2 | Monoxides of 3d transition elements | 4 |
| 6.1.2.1 | Simple monoxides MO | 4 |
| | References for 6.1.2.1 | 26 |
| 6.1.2.2 | Mixed monoxides M ^I _{1-p} M ^{II} _p O | 30 |
| | References for 6.1.2.2 | 31 |

| | | |
|-----------|--|-----|
| 6.1.2.3 | Diluted monoxides $M_pN_{1-p}O$ | 31 |
| | References for 6.1.2.3 | 37 |
| 6.1.2.4 | Electronic structures | 37 |
| 6.1.3 | Dioxides of 3d transition elements | 38 |
| 6.1.3.1 | Simple dioxides MO_2 | 38 |
| 6.1.3.2 | Pseudo binary vanadium dioxides $V_{1-x}M_xO_2$ | 44 |
| | References for 6.1.3 | 60 |
| 6.1.4 | Intermediate phase binary oxides | 62 |
| 6.1.4.1 | Magnéli phases M_nO_{2n-1} | 62 |
| 6.1.4.2 | The vanadium compounds V_nO_{2n+1} | 65 |
| | References for 6.1.4 | 69 |
| 6.1.5 | Oxides of 4d and 5d transition elements | 71 |
| | References of 6.1.5 | 84 |
| 6.2 | Oxides with trirutile and pyrochlore structure (J. E. GREEDAN) | 87 |
| 6.2.0 | Introduction | 87 |
| 6.2.1 | Trirutile structure oxides | 88 |
| 6.2.1.1 | Crystal structure and crystallographic data | 88 |
| 6.2.1.2 | Magnetic properties | 89 |
| 6.2.1.2.1 | $A^{6+}B_2^{3+}O_6$ | 90 |
| 6.2.1.2.2 | $A^{2+}B_2^{5+}O_6$ | 94 |
| 6.2.1.3 | References for 6.2.1 | 99 |
| 6.2.2 | Pyrochlore structure oxides | 100 |
| 6.2.2.1 | Crystal structure | 100 |
| 6.2.2.1.1 | Space group and atomic positions | 100 |
| 6.2.2.1.2 | B_2O_6 network | 100 |
| 6.2.2.1.3 | A_2O' network | 101 |
| 6.2.2.1.4 | Magnetic sublattices | 102 |
| 6.2.2.2 | Magnetic properties | 103 |
| 6.2.2.2.1 | $A_2^{3+}B_2^{4+}O_6O'$ pyrochlores | 103 |
| 6.2.2.2.2 | $A_2^{3+}BB'O_7$ pyrochlores | 118 |
| 6.2.2.2.3 | $(AA')(BB')O_7$ | 121 |
| 6.2.2.2.4 | $A_2^{2+}B_2^{5+}O_7$ pyrochlores | 121 |
| 6.2.2.2.5 | $(AA')^{2+}(BB')^{5+}O_7$ | 121 |
| 6.2.2.3 | References for 6.2.2 | 122 |
| 6.3 | Hexagonal ferrites (G. ALBANESE, A. DERIU) | 124 |
| 6.3.1 | Introduction | 124 |
| 6.3.1.1 | General remarks | 124 |
| 6.3.1.2 | Quantities and units. | 124 |
| 6.3.1.3 | List of symbols and abbreviations | 128 |
| 6.3.2 | Chemical compositions and phase diagrams of hexagonal ferrites | 130 |
| 6.3.3 | Crystal structures of hexagonal ferrites | 130 |
| 6.3.4 | M(magnetoplumbite)-type ferrites | 131 |
| 6.3.4.1 | Reviewed compositions | 131 |
| 6.3.4.2 | Intrinsic magnetic properties and crystalline structure | 136 |
| 6.3.4.3 | Extrinsic magnetic properties and microstructure | 147 |
| 6.3.4.4 | Phase formation and morphology studies | 156 |
| 6.3.4.5 | Electric and dielectric properties | 162 |

| | | |
|---------|--|-----|
| 6.3.4.6 | High frequency magnetic properties | 165 |
| 6.3.4.7 | Optical properties | 168 |
| 6.3.5 | W-type ferrites | 172 |
| 6.3.5.1 | Reviewed compositions | 172 |
| 6.3.5.2 | Intrinsic magnetic properties and crystalline structure | 173 |
| 6.3.5.3 | Extrinsic magnetic properties and microstructure | 182 |
| 6.3.5.4 | Phase formation and morphology studies | 183 |
| 6.3.5.5 | Electric and dielectric properties | 185 |
| 6.3.5.6 | High frequency magnetic properties | 185 |
| 6.3.5.7 | Optical properties | 186 |
| 6.3.6 | Y-type ferrites | 187 |
| 6.3.6.1 | Reviewed compositions | 187 |
| 6.3.6.2 | Intrinsic magnetic properties and crystalline structure | 188 |
| 6.3.6.3 | Extrinsic magnetic properties and microstructure | 191 |
| 6.3.6.4 | Phase formation and morphology studies | 191 |
| 6.3.6.5 | Electric and dielectric properties | 192 |
| 6.3.6.6 | High frequency magnetic properties | 192 |
| 6.3.6.7 | Optical properties | 194 |
| 6.3.7 | Z-type ferrites | 194 |
| 6.3.7.1 | Reviewed compositions | 194 |
| 6.3.7.2 | Intrinsic magnetic properties and crystalline structure | 194 |
| 6.3.7.3 | Phase formation and morphology studies | 195 |
| 6.3.7.4 | High frequency magnetic properties | 195 |
| 6.3.7.5 | Optical properties | 196 |
| 6.3.8 | X-type ferrites | 197 |
| 6.3.8.1 | Reviewed compositions | 197 |
| 6.3.8.2 | Intrinsic magnetic properties and crystalline structure | 197 |
| 6.3.8.3 | Phase formation and morphology studies. | 198 |
| 6.3.9 | Further compositions | 199 |
| 6.3.10 | Microwave device applications of hexagonal ferrites | 207 |
| 6.3.11 | Magnetic recording applications of hexagonal ferrites | 209 |
| 6.3.12 | References for 6.3 | 216 |
| 6.4 | RFe ₂ O ₄ compounds (K. SIRATORI) | 225 |
| 6.4.1 | Introduction | 225 |
| 6.4.2 | General background and scope | 226 |
| 6.4.3 | Exchange coupling constants estimated from the data in the paramagnetic region | 227 |
| 6.4.4 | The Verwey transition | 229 |
| 6.4.5 | Magnetization in the state of 2-dimensional spin order | 231 |
| 6.4.6 | Relaxation | 237 |
| 6.4.7 | References for 6.4 | 238 |

Subvolume H: Boron containing oxides

| | | |
|-------|--|---|
| 7 | Magnetic properties of crystalline and vitreous boron containing oxide systems | 1 |
| 7.0 | Introduction (E. BURZO) | 1 |
| 7.0.1 | General remarks | 1 |

| | | |
|----------|--|-----|
| 7.0.2 | List of frequently used symbols and abbreviations | 1 |
| 7.1 | Crystalline boron containing oxide compounds (E. BURZO) | 6 |
| 7.1.1 | FeBO ₃ and other MBO ₃ -based compounds (M = 3d or 4f element) | 6 |
| 7.1.1.0 | Introduction | 6 |
| 7.1.1.1 | Preparation. Crystal structures | 7 |
| 7.1.1.2 | Magnetization and magnetic susceptibility | 13 |
| 7.1.1.3 | Magnetic structure | 18 |
| 7.1.1.4 | Hyperfine parameters determined by nuclear gamma resonance method | 18 |
| 7.1.1.5 | Antiferromagnetic resonance (AFMR). Magnetostatic modes. Spin waves | 25 |
| 7.1.1.6 | Electron paramagnetic resonance data | 34 |
| 7.1.1.7 | Magnetic properties as determined by nuclear magnetic resonance method | 34 |
| 7.1.1.8 | Anisotropy | 40 |
| 7.1.1.9 | Magnetoelastic properties. Magnetostriction | 41 |
| 7.1.1.10 | Magneto-optical and optical properties | 43 |
| 7.1.1.11 | Photomagnetic effects | 50 |
| 7.1.1.12 | Surface magnetism (with an introduction on domain structure) | 53 |
| 7.1.1.13 | References for 7.1.1 | 58 |
| 7.1.2 | Fe ₃ BO ₆ -based compounds | 65 |
| 7.1.2.0 | Introduction | 65 |
| 7.1.2.1 | Crystal structure and lattice parameters | 67 |
| 7.1.2.2 | Magnetization and magnetic susceptibility | 68 |
| 7.1.2.3 | Magnetic structure | 71 |
| 7.1.2.4 | Hyperfine parameters | 73 |
| 7.1.2.5 | Data obtained by antiferromagnetic resonance | 77 |
| 7.1.2.6 | Magneto-optical and optical properties | 78 |
| 7.1.2.7 | References for 7.1.2 | 80 |
| 7.1.3 | Boron ferrites and related compounds | 82 |
| 7.1.3.0 | Introduction | 82 |
| 7.1.3.1 | Crystal structures. Lattice parameters | 84 |
| 7.1.3.2 | Magnetization and magnetic susceptibility | 88 |
| 7.1.3.3 | Neutron data | 90 |
| 7.1.3.4 | Nuclear gamma resonance data | 91 |
| 7.1.3.5 | Heat capacity | 94 |
| 7.1.3.6 | Infrared properties | 94 |
| 7.1.3.7 | References for 7.1.3 | 95 |
| 7.1.4 | Miscellaneous boron containing oxide compounds | 96 |
| 7.1.4.0 | Introduction | 96 |
| 7.1.4.1 | Crystal structures. Lattice parameters | 98 |
| 7.1.4.2 | Magnetic properties | 114 |
| 7.1.4.3 | Magnetic structure | 116 |
| 7.1.4.4 | Local structure as determined by NMR method | 117 |
| 7.1.4.5 | Electron paramagnetic resonance data | 118 |
| 7.1.4.6 | Resistive properties | 119 |
| 7.1.4.7 | Optical properties | 119 |
| 7.1.4.8 | References for 7.1.4 | 123 |
| 7.2 | Boracites M ₃ B ₇ O ₁₃ X and related compounds (E. BURZO) | 128 |
| 7.2.1 | Preparation. Crystal structures | 128 |
| 7.2.2 | Magnetization and magnetic susceptibility | 148 |

| | | |
|--------|--|-----|
| 7.2.3 | Magnetic structure | 152 |
| 7.2.4 | Hyperfine parameters as determined from nuclear gamma resonance studies | 156 |
| 7.2.5 | Nuclear magnetic resonance (NMR) data | 160 |
| 7.2.6 | Electron paramagnetic resonance data | 161 |
| 7.2.7 | Heat capacity | 165 |
| 7.2.8 | Resistivity data | 168 |
| 7.2.9 | Dielectric and related properties | 169 |
| 7.2.10 | Magnetoelectric properties | 174 |
| 7.2.11 | Elastic and magnetoelastic properties | 181 |
| 7.2.12 | Optical properties | 181 |
| 7.2.13 | References for 7.2 | 198 |
| 7.3 | Boron glasses (E. BURZO) | 205 |
| 7.3.0 | Introduction | 205 |
| 7.3.1 | Structure of glasses (X-ray and neutron diffraction) | 206 |
| 7.3.2 | Local structure of glasses as determined by nuclear magnetic resonance | 213 |
| 7.3.3 | Thermal expansion | 219 |
| 7.3.4 | Magnetization. Magnetic susceptibility | 222 |
| 7.3.5 | Hyperfine parameters as determined by nuclear gamma resonance | 229 |
| 7.3.6 | Glass properties determined from electron paramagnetic resonance studies | 240 |
| 7.3.7 | Resistive and dielectric properties | 245 |
| 7.3.8 | Heat capacity | 256 |
| 7.3.9 | Optical properties | 258 |
| 7.3.10 | Electron spectroscopy | 266 |
| 7.3.11 | References for 7.3 | 267 |

Subvolume I 1: Orthosilicates

| | | |
|-----------|--|-----|
| | List of frequently used symbols and abbreviations. | XI |
| | Symbols. | XI |
| | Abbreviations. | XIV |
| 8 | Magnetic and related properties of silicates and phosphates | 1 |
| 8.1 | Silicates | 1 |
| 8.1.1 | Orthosilicates (E. BURZO) | 1 |
| 8.1.1.1 | M_2SiO_4 ($M_2 = Be_2, Zn_2, LiAl, Li_2Be, Li_4$) orthosilicates and related compounds | 1 |
| 8.1.1.1.1 | Crystal structure. Lattice parameters | 1 |
| 8.1.1.1.2 | Electron paramagnetic resonance (EPR) data | 8 |
| 8.1.1.1.3 | Nuclear magnetic resonance (NMR) data | 8 |
| 8.1.1.1.4 | Electrical conductivity | 10 |
| 8.1.1.1.5 | Heat capacity | 11 |
| 8.1.1.1.6 | Dielectric properties | 12 |
| 8.1.1.1.7 | X-ray emission spectra | 12 |
| 8.1.1.1.8 | Optical properties | 12 |
| | Tables and figures | 13 |
| | References for 8.1.1.1 | 29 |

| | | |
|------------|---|-----|
| 8.1.1.2 | Chiavennite, esperite, larsenite and related silicates | 31 |
| 8.1.1.2.1 | Crystal structure. Lattice parameters | 31 |
| 8.1.1.2.2 | Magnetic properties | 33 |
| 8.1.1.2.3 | Optical properties | 33 |
| | Tables and figures | 34 |
| | References for 8.1.1.2 | 41 |
| 8.1.1.3 | Olivines, their polymorphs and related silicates | 42 |
| 8.1.1.3.1 | Crystal structure. Lattice parameters | 42 |
| 8.1.1.3.2 | Neutron diffraction data | 54 |
| 8.1.1.3.3 | Magnetizations, magnetic susceptibilities, magnetic ordering temperatures | 57 |
| 8.1.1.3.4 | Nuclear gamma resonance (NGR) data | 60 |
| 8.1.1.3.5 | Nuclear magnetic resonance (NMR) data | 63 |
| 8.1.1.3.6 | Electron paramagnetic resonance (EPR) data | 64 |
| 8.1.1.3.7 | Thermal properties | 65 |
| 8.1.1.3.8 | Electrical resistivity | 66 |
| 8.1.1.3.9 | Dielectric properties | 69 |
| 8.1.1.3.10 | Optical properties | 70 |
| | Tables and figures | 77 |
| | References for 8.1.1.3 | 130 |
| 8.1.1.4 | Calcium and europium containing olivines and related silicates | 141 |
| 8.1.1.4.1 | Crystal structure. Lattice parameters | 141 |
| 8.1.1.4.2 | Neutron diffraction data | 149 |
| 8.1.1.4.3 | Magnetic susceptibility | 149 |
| 8.1.1.4.4 | Nuclear gamma resonance (NGR) data | 150 |
| 8.1.1.4.5 | Nuclear magnetic resonance (NMR) data | 150 |
| 8.1.1.4.6 | Ferroelastic properties | 152 |
| 8.1.1.4.7 | Optical properties | 152 |
| | Tables and figures | 154 |
| | References for 8.1.1.4 | 174 |
| 8.1.1.5 | Silicate garnets | 179 |
| 8.1.1.5.1 | Crystal structure. Lattice parameters | 179 |
| 8.1.1.5.2 | Magnetic properties | 188 |
| 8.1.1.5.3 | Neutron diffraction data | 193 |
| 8.1.1.5.4 | Nuclear gamma resonance (NGR) data | 194 |
| 8.1.1.5.5 | Nuclear magnetic resonance (NMR) and EPR data | 197 |
| 8.1.1.5.6 | Heat capacity | 199 |
| 8.1.1.5.7 | Electrical resistivity | 199 |
| 8.1.1.5.8 | Raman and infrared data | 200 |
| 8.1.1.5.9 | Optical data. Faraday rotation | 202 |
| | Tables and figures | 206 |
| | References for 8.1.1.5 | 246 |
| 8.1.1.6 | ASiO ₄ (A = Zr, Hf, U, Th) and related compounds | 254 |
| 8.1.1.6.1 | Crystal structure. Lattice parameters | 254 |
| 8.1.1.6.2 | Magnetic properties | 257 |
| 8.1.1.6.3 | Nuclear magnetic resonance (NMR) data | 257 |
| 8.1.1.6.4 | Electron paramagnetic resonance (EPR) data | 257 |
| 8.1.1.6.5 | Optical properties | 259 |
| | Tables and figures | 260 |
| | References for 8.1.1.6 | 269 |
| 8.1.1.7 | Afwillite, vyuntspakhite, kinoite, euclase and related silicates | 272 |

| | | |
|------------|---|-----|
| 8.1.1.7.1 | Crystal structure. Lattice parameters | 272 |
| 8.1.1.7.2 | Heat capacity | 275 |
| 8.1.1.7.3 | Optical properties | 275 |
| | Tables and figures | 276 |
| | References for 8.1.1.7 | 283 |
| 8.1.1.8 | Al ₂ SiO ₅ and related structures | 284 |
| 8.1.1.8.1 | Crystal structure. Lattice parameters | 284 |
| 8.1.1.8.2 | Magnetic data | 292 |
| 8.1.1.8.3 | Nuclear gamma resonance (NGR) data | 292 |
| 8.1.1.8.4 | Nuclear magnetic resonance (NMR) data | 295 |
| 8.1.1.8.5 | Electron spin resonance (ESR) data | 295 |
| 8.1.1.8.6 | Thermal properties | 297 |
| 8.1.1.8.7 | X-ray absorption spectroscopy | 298 |
| 8.1.1.8.8 | Optical properties | 298 |
| 8.1.1.8.9 | Dielectric properties | 301 |
| | Tables and figures | 302 |
| | References for 8.1.1.8 | 334 |
| 8.1.1.9 | Sapphirine and related silicates | 339 |
| 8.1.1.9.1 | Crystal structure. Lattice parameters | 339 |
| 8.1.1.9.2 | Nuclear gamma resonance (NGR) data | 343 |
| 8.1.1.9.3 | Optical properties | 343 |
| | Tables and figures | 345 |
| | References for 8.1.1.9 | 354 |
| 8.1.1.10 | Humite and leucophoenicite groups | 355 |
| 8.1.1.10.1 | Crystal structure. Lattice parameters | 355 |
| 8.1.1.10.2 | Nuclear gamma resonance (NGR) data | 359 |
| 8.1.1.10.3 | Nuclear magnetic resonance (NMR) data | 359 |
| 8.1.1.10.4 | Optical properties | 359 |
| | Tables and figures | 362 |
| | References for 8.1.1.10 | 375 |
| 8.1.1.11 | Welinite, katoptrite, tritomite and related silicates | 377 |
| 8.1.1.11.1 | Crystal structure. Lattice parameters | 377 |
| 8.1.1.11.2 | Optical properties | 379 |
| | Tables and figures | 380 |
| | References for 8.1.1.11 | 385 |
| 8.1.1.12 | CaTiSiO ₅ , CaSnSiO ₅ and related silicates | 386 |
| 8.1.1.12.1 | Crystal structure. Lattice parameters | 386 |
| 8.1.1.12.2 | Nuclear gamma resonance (NGR) data | 391 |
| 8.1.1.12.3 | Nuclear magnetic resonance (NMR) data | 391 |
| 8.1.1.12.4 | Electron paramagnetic resonance (EPR) data | 392 |
| 8.1.1.12.5 | Heat capacity | 392 |
| 8.1.1.12.6 | Dielectric properties | 393 |
| 8.1.1.12.7 | EXAFS and XANES data | 393 |
| 8.1.1.12.8 | Optical properties | 394 |
| | Tables and figures | 396 |
| | References for 8.1.1.12 | 416 |
| 8.1.1.13 | Cerites and chloritoids | 418 |
| 8.1.1.13.1 | Crystal structure. Lattice parameters | 418 |
| 8.1.1.13.2 | Nuclear gamma resonance (NGR) data | 420 |
| 8.1.1.13.3 | Heat capacity | 420 |

| | | |
|------------|---|-----|
| 8.1.1.13.4 | Optical properties | 421 |
| | Tables and figures | 423 |
| | References for 8.1.1.13 | 435 |
| 8.1.1.14 | Borosilicates and related compounds | 436 |
| 8.1.1.14.1 | Crystal structures. Lattice parameters | 436 |
| 8.1.1.14.2 | Nuclear gamma resonance (NGR) data | 442 |
| 8.1.1.14.3 | Nuclear magnetic resonance (NMR) data | 443 |
| 8.1.1.14.4 | Optical properties | 444 |
| 8.1.1.14.5 | XAFS spectroscopy | 444 |
| | Tables and figures | 445 |
| | References for 8.1.1.14 | 472 |
| 8.1.1.15 | Uranyl silicates | 475 |
| 8.1.1.15.1 | Crystal structure. Lattice parameters | 475 |
| 8.1.1.15.2 | Nuclear magnetic resonance (NMR) data | 477 |
| 8.1.1.15.3 | Optical properties | 477 |
| | Tables and figures | 479 |
| | References for 8.1.1.15 | 487 |
| 8.1.1.16 | Thörnebohmites, britholites and related silicates | 488 |
| 8.1.1.16.1 | Crystal structures. Lattice parameters | 488 |
| 8.1.1.16.2 | Magnetic properties | 491 |
| 8.1.1.16.3 | Nuclear gamma resonance (NGR) data | 491 |
| 8.1.1.16.4 | Thermal properties | 491 |
| 8.1.1.16.5 | Optical properties | 491 |
| | Tables and figures | 492 |
| | References for 8.1.1.16 | 504 |
| | Contents of further subvolumes of III/27 | 506 |
| | List of editor and authors of III/27 | 539 |

Subvolume I 2: Sorosilicates

| | | |
|-----------|---|----|
| | List of frequently used symbols and abbreviations. | IX |
| | Symbols. | IX |
| | Abbreviations. | XI |
| 8 | Magnetic and related properties of silicates and phosphates | 1 |
| 8.1 | Silicates (E. BURZO). | 1 |
| 8.1.1 | Orthosilicates see subvolume III/27I1 | |
| 8.1.2 | Sorosilicates | 1 |
| 8.1.2.1 | Diorthopyrosilicates | 1 |
| 8.1.2.1.1 | Crystal structures. Lattice parameters | 1 |
| 8.1.2.1.2 | Magnetic properties | 6 |
| 8.1.2.1.3 | Nuclear magnetic resonance (NMR) data | 7 |

| | | |
|-----------|---|-----|
| 8.1.2.1.4 | Optical properties | 7 |
| | Tables and figures | 8 |
| | References for 8.1.2.1 | 27 |
| 8.1.2.2 | Melilites and related silicates | 29 |
| 8.1.2.2.1 | Crystal structure. Lattice parameters | 29 |
| 8.1.2.2.2 | Magnetic properties. Neutron diffraction data | 43 |
| 8.1.2.2.3 | ⁵⁷ Fe nuclear gamma resonance (NGR) data | 46 |
| 8.1.2.2.4 | Perturbed angular correlation (PAC) | 47 |
| 8.1.2.2.5 | Nuclear magnetic resonance (NMR) data | 47 |
| 8.1.2.2.6 | EXAFS data | 48 |
| 8.1.2.2.7 | Heat capacity | 48 |
| 8.1.2.2.8 | Piezoelectric properties | 49 |
| 8.1.2.2.9 | Optical properties | 50 |
| | Tables and figures | 52 |
| | References for 8.1.2.2 | 85 |
| 8.1.2.3 | Ilvaite, lawsonite and related silicates | 90 |
| 8.1.2.3.1 | Crystal structure. Lattice parameters | 90 |
| 8.1.2.3.2 | Neutron diffraction data | 97 |
| 8.1.2.3.3 | Magnetization and magnetic susceptibilities | 97 |
| 8.1.2.3.4 | Nuclear gamma resonance (NGR) data | 98 |
| 8.1.2.3.5 | Nuclear magnetic resonance (NMR) data | 100 |
| 8.1.2.3.6 | Dielectric properties | 101 |
| 8.1.2.3.7 | Electrical resistivity | 101 |
| 8.1.2.3.8 | Heat capacity | 102 |
| 8.1.2.3.9 | Optical properties | 103 |
| | Tables and figures | 106 |
| | References for 8.1.2.3 | 139 |
| 8.1.2.4 | Tilleyite, hemimorphite, wöhlerite and related silicates | 142 |
| 8.1.2.4.1 | Crystal structures. Lattice parameters | 142 |
| 8.1.2.4.2 | Nuclear magnetic resonance (NMR) data | 145 |
| 8.1.2.4.3 | Optical properties | 145 |
| | Tables and figures | 147 |
| | References for 8.1.2.4 | 158 |
| 8.1.2.5 | Götzenite, labuntsovit, andremeyerite and related silicates | 160 |
| 8.1.2.5.1 | Crystal structure. Lattice parameters | 160 |
| 8.1.2.5.2 | Nuclear gamma resonance (NGR) data | 164 |
| 8.1.2.5.3 | Nuclear magnetic resonance (NMR) data | 164 |
| 8.1.2.5.4 | Optical properties | 165 |
| | Tables and figures | 166 |
| | References for 8.1.2.5 | 184 |
| 8.1.2.6 | Lomonosovite, innelite, kentrolite and related silicates | 187 |
| 8.1.2.6.1 | Crystal structure. Lattice parameters | 187 |
| 8.1.2.6.2 | Optical properties | 191 |
| | Tables and figures | 192 |
| | References for 8.1.2.6 | 206 |
| 8.1.2.7 | Epidotes, chevkinites, vesuvianite, orientite and related silicates | 207 |
| 8.1.2.7.1 | Crystal structure. Lattice parameters | 207 |
| 8.1.2.7.2 | Magnetic properties | 215 |
| 8.1.2.7.3 | Nuclear gamma resonance (NGR) data | 215 |
| 8.1.2.7.4 | Nuclear magnetic resonance (NMR) data | 216 |

| | | |
|-----------|--|-----|
| 8.1.2.7.5 | Electron paramagnetic resonance (EPR) data | 217 |
| 8.1.2.7.6 | Dielectric properties | 218 |
| 8.1.2.7.7 | Heat capacity | 218 |
| 8.1.2.7.8 | EXAFS and XANES data | 218 |
| 8.1.2.7.9 | Optical properties | 218 |
| | Tables and figures | 221 |
| | References for 8.1.2.7 | 255 |
| 8.1.2.8 | Zunyite, davreuxite, keldyshite, gageite, pumpellyite, jennite and related silicates | 259 |
| 8.1.2.8.1 | Crystal structures. Lattice parameters | 259 |
| 8.1.2.8.2 | Nuclear gamma resonance (NGR) data | 264 |
| 8.1.2.8.3 | Nuclear magnetic resonance (NMR) data | 264 |
| 8.1.2.8.4 | Optical properties | 265 |
| | Tables and figures | 266 |
| | References for 8.1.2.8 | 283 |
| | Index of substances for Volume III/27I2 | 285 |
| | A) Alphabetical index of element systems | 286 |
| | B) Alphabetical index of mineral names | 306 |
| | Contents of further subvolumes of III/27 | 311 |
| | List of editor and authors of III/27 | 347 |

Subvolume J1: Halides I

| | | |
|---------|---|----|
| 9 | Magnetic properties of halides | 1 |
| 9.1 | MX_2 and $\text{MX}_2 \cdot n\text{H}_2\text{O}$ compounds (M = 3d element, X = halogen element) (K. KATSUMATA) | 1 |
| 9.1.1 | Introduction | 1 |
| 9.1.1.1 | General remarks | 1 |
| 9.1.1.2 | List of frequently used symbols and abbreviations | 2 |
| 9.1.2 | Macroscopic magnetic and related properties of MX_2 compounds | 4 |
| 9.1.2.1 | MF_2 compounds | 4 |
| 9.1.2.2 | MCl_2 compounds | 13 |
| 9.1.2.3 | MBr_2 compounds | 20 |
| 9.1.2.4 | MI_2 compounds | 25 |
| 9.1.3 | Macroscopic magnetic and related properties of $\text{MX}_2 \cdot n\text{H}_2\text{O}$ compounds | 28 |
| 9.1.4 | Microscopic magnetic and related properties of MX_2 and $\text{MX}_2 \cdot n\text{H}_2\text{O}$ compounds | 47 |
| 9.1.4.1 | MX_2 compounds | 47 |
| 9.1.4.2 | $\text{MX}_2 \cdot n\text{H}_2\text{O}$ compounds | 54 |
| 9.1.5 | References for 9.1 | 56 |
| 9.2 | $\text{M}_{1-x}\text{M}'_x\text{X}_2$ and $\text{M}_{1-x}\text{M}'_x\text{X}_2 \cdot n\text{H}_2\text{O}$ compounds (M, M' = 3d element, X = halogen element) (K. KATSUMATA) | 59 |

| | | |
|-----------|--|-----|
| 9.2.1 | Introduction | 59 |
| 9.2.1.1 | General remarks | 59 |
| 9.2.1.2 | List of frequently used symbols and abbreviations | 60 |
| 9.2.2 | Static magnetic and related properties of $M_{1-x}M'_xX_2$ and $M_{1-x}M'_xX_2 \cdot nH_2O$ compounds | 61 |
| 9.2.2.1 | Static magnetic and related properties of $M_{1-x}M'_xF_2$ compounds | 61 |
| 9.2.2.2 | Static magnetic and related properties of $M_{1-x}M'_xCl_2$ compounds | 72 |
| 9.2.2.3 | Static magnetic and related properties of $Fe_{1-x}Co_xBr_2$ compound | 88 |
| 9.2.2.4 | Static magnetic and related properties of $M_{1-x}M'_xX_2 \cdot nH_2O$ compounds | 92 |
| 9.2.3 | Dynamical magnetic and related properties of $M_{1-x}M'_xX_2$ and $M_{1-x}M'_xX_2 \cdot nH_2O$ compounds | 103 |
| 9.2.3.1 | Dynamical magnetic and related properties of $M_{1-x}M'_xF_2$ compounds | 103 |
| 9.2.3.2 | Dynamical magnetic and related properties of $M_{1-x}M'_xCl_2$ compounds | 104 |
| 9.2.3.3 | Dynamical magnetic and related properties of $Fe_{1-x}Co_xBr_2$ compound | 110 |
| 9.2.3.4 | Dynamical magnetic and related properties of $Fe_{1-x}Co_xCl_2 \cdot 2H_2O$ compound | 111 |
| 9.2.4 | References for 9.2 | 112 |
| 9.3 | MX_3 compounds ($M = 3d$ element, $X =$ halogen element) (K. KATSUMATA) | 114 |
| 9.3.1 | Introduction | 114 |
| 9.3.1.1 | General remarks | 114 |
| 9.3.1.2 | List of frequently used symbols and abbreviations | 114 |
| 9.3.2 | Macroscopic magnetic and related properties of MX_3 compounds | 116 |
| 9.3.2.1 | MF_3 compounds | 117 |
| 9.3.2.2 | MCl_3 compounds | 121 |
| 9.3.2.3 | MBr_3 compounds | 128 |
| 9.3.2.4 | MI_3 compounds | 130 |
| 9.3.3 | Microscopic magnetic and related properties of CrX_3 compounds | 132 |
| 9.3.4 | References for 9.3 | 134 |
| 9.4 | MCl_2 -GIC; MCl_3 -GIC ($M = 3d$ element) (M. MATSUURA, M. HAGIWARA) | 136 |
| 9.4.1 | Introduction | 136 |
| 9.4.1.1 | General remarks | 136 |
| 9.4.1.2 | List of frequently used symbols | 140 |
| 9.4.1.3 | List of abbreviations | 142 |
| 9.4.2 | Singly intercalated compounds | 144 |
| 9.4.2.1 | General survey | 144 |
| 9.4.2.2 | $CoCl_2$ -GIC | 148 |
| 9.4.2.2.1 | Stage 2 $CoCl_2$ -GIC | 148 |
| 9.4.2.2.2 | Stage n $CoCl_2$ -GIC ($n \geq 3$) | 159 |
| 9.4.2.2.3 | Stage 1 $CoCl_2$ -GIC | 160 |
| 9.4.2.3 | $NiCl_2$ -GIC | 163 |
| 9.4.2.3.1 | Stage 2 $NiCl_2$ -GIC | 163 |
| 9.4.2.3.2 | Stage n $NiCl_2$ -GIC ($n \geq 3$) | 168 |
| 9.4.2.3.3 | Stage 1 $NiCl_2$ -GIC | 168 |

| | | |
|-----------|---|-----|
| 9.4.2.4 | MCl_2 -GIC ($\text{M} = \text{Mn, Cu}$) | 170 |
| 9.4.2.4.1 | Stage n MnCl_2 -GIC | 170 |
| 9.4.2.4.2 | Stage n CuCl_2 -GIC | 175 |
| 9.4.2.5 | MCl_3 -GIC ($\text{M} = \text{Cr, Fe}$) | 176 |
| 9.4.2.5.1 | Stage n CrCl_3 -GIC | 176 |
| 9.4.2.5.2 | Stage 1 FeCl_3 -GIC | 179 |
| 9.4.2.5.3 | Stage n FeCl_3 -GIC ($n \geq 2$) | 182 |
| 9.4.3 | Bi-intercalation compounds | 184 |
| 9.4.3.1 | General survey | 184 |
| 9.4.3.2 | $\text{M}'(\text{magnetic})\text{Cl}_n\text{-M}''(\text{nonmagnetic})\text{Cl}_m\text{-GBIC}$ ($\text{M}' = \text{Co, Cr, M}'' = \text{Al, Ga, Cd}$) | 186 |
| 9.4.3.2.1 | $\text{CoCl}_2\text{-GaCl}_3\text{-GBIC}$ | 186 |
| 9.4.3.2.2 | $\text{CoCl}_2\text{-AlCl}_3\text{-GBIC}$ | 186 |
| 9.4.3.2.3 | $\text{CrCl}_3\text{-AlCl}_3\text{-GBIC}$ | 186 |
| 9.4.3.2.4 | $\text{CrCl}_3\text{-CdCl}_2\text{-GBIC}$ | 186 |
| 9.4.3.3 | $\text{M}'(\text{magnetic})\text{Cl}_n\text{-M}''(\text{magnetic})\text{Cl}_m\text{-GBIC}$ ($\text{M}', \text{M}'' = \text{Cr, Mn, Fe, Co, Ni}$) | 188 |
| 9.4.3.3.1 | $\text{CoCl}_2\text{-FeCl}_3\text{-GBIC}$ | 188 |
| 9.4.3.3.2 | $\text{NiCl}_2\text{-FeCl}_3\text{-GBIC}$ | 189 |
| 9.4.3.3.3 | $\text{NiCl}_2\text{-CrCl}_3\text{-GBIC}$ | 191 |
| 9.4.3.3.4 | $\text{MnCl}_2\text{-CrCl}_3\text{-GBIC}$ | 193 |
| 9.4.4 | Mixed intercalation compounds | 193 |
| 9.4.4.1 | General survey | 193 |
| 9.4.4.2 | Mixed compounds | 194 |
| 9.4.4.2.1 | $\text{Co}_{1-x}\text{Ni}_x\text{Cl}_2\text{-GIC}$ | 194 |
| 9.4.4.2.2 | $\text{Co}_{1-x}\text{Mn}_x\text{Cl}_2\text{-GIC}$ | 196 |
| 9.4.4.2.3 | $\text{Co}_{1-x}\text{Fe}_x\text{Cl}_2\text{-GIC}$ | 198 |
| 9.4.4.3 | Diluted compounds | 198 |
| 9.4.4.3.1 | $\text{Co}_{1-x}\text{Al}_x\text{Cl}_2\text{-GIC}$ | 198 |
| 9.4.4.3.2 | $\text{Co}_{1-x}\text{Mg}_x\text{Cl}_2\text{-GIC}$ | 199 |
| 9.4.5 | References for 9.4 | 201 |
| 9.5 | $\text{MM}'\text{F}_5$ and $\text{MM}'\text{F}_5 \cdot n\text{H}_2\text{O}$ compounds ($\text{M, M}' = 3\text{d element or Al; } n = 2 \text{ or } 7$) (H.P.J. Wijn) | 206 |
| 9.5.1 | List of symbols and abbreviations | 206 |
| 9.5.2 | $\text{MM}'\text{F}_5$ compounds | 206 |
| 9.5.3 | $\text{MM}'\text{F}_5 \cdot 2\text{H}_2\text{O}$ compounds | 213 |
| 9.5.3.1 | Crystal structure | 213 |
| 9.5.3.2 | Magnetic structures | 214 |
| 9.5.3.3 | Mössbauer data | 217 |
| 9.5.3.4 | Magnetization curves | 222 |
| 9.5.3.5 | Paramagnetic properties | 224 |
| 9.5.4 | $\text{MM}'\text{F}_5 \cdot 7\text{H}_2\text{O}$ compounds | 226 |
| 9.5.5 | References for 9.5 | 232 |

Subvolume J2: Halides II

| | | |
|---------|---|-----|
| 9.6 | AMX ₃ and AMX ₃ · 2H ₂ O compounds (A, M = metal, X = halogen element) (A. CHELKOWSKI) | 1 |
| 9.6.0 | Introduction | 1 |
| 9.6.0.1 | General remarks | 1 |
| 9.6.0.2 | List of frequently used symbols and abbreviations | 2 |
| 9.6.1 | Table | 7 |
| 9.6.2 | Figures | 56 |
| 9.6.3 | References for 9.6 and 9.9 | 247 |
| 9.7 | AMF ₄ and AMF ₄ · H ₂ O compounds (A = alkali element, Tl or NH ₄ , M = 3d element) (H.P.J. WIJN) | 259 |
| 9.7.1 | AMF ₄ compounds | 259 |
| 9.7.2 | AMF ₄ · H ₂ O compounds | 275 |
| 9.7.3 | References for 9.7 | 280 |
| 9.8 | A ₂ MX ₅ and A ₂ MX ₅ · H ₂ O compounds (A = Li, Na, K, Rb, Cs, Tl, NH ₄ ; M = 3d element; X = F, Cl, Br) (A. CHELKOWSKI, H.P.J. WIJN) | 282 |
| 9.8.1 | Introduction | 282 |
| 9.8.2 | A ₂ MX ₅ compounds | 282 |
| 9.8.2.1 | Crystallographic properties of A ₂ MX ₅ compounds | 282 |
| 9.8.2.2 | Magnetic properties of A ₂ MX ₅ compounds | 284 |
| 9.8.3 | A ₂ MX ₅ · H ₂ O compounds | 296 |
| 9.8.3.1 | Crystallographic properties of A ₂ MX ₅ · H ₂ O compounds | 296 |
| 9.8.3.2 | Magnetic properties of A ₂ MX ₅ · H ₂ O compounds | 296 |
| 9.8.4 | References for 9.8 | 318 |
| 9.9 | A ₂ MM'X ₆ compounds (A, M, M' = metal, X = halogen element) (A. CHELKOWSKI) | 321 |
| 9.9.0 | Introduction | 321 |
| 9.9.1 | Table | 322 |
| 9.9.2 | Figures | 326 |
| 9.10 | A ₂ M ²⁺ M ³⁺ F ₇ compounds (A = Na, Ag; M = 3d element, Mg, Al or In) (H.P.J. WIJN) | 337 |
| 9.10.1 | Introduction | 337 |
| 9.10.2 | Crystallographic properties of A ₂ M ²⁺ M ³⁺ F ₇ compounds | 337 |
| 9.10.3 | Magnetic properties of A ₂ M ²⁺ M ³⁺ F ₇ compounds | 340 |
| 9.10.4 | References for 9.10 | 350 |
| 9.11 | A ₅ M ₃ F ₁₄ compounds (A = Na, K or Ag; M = 3d element or Al) (H.P.J. WIJN) | 351 |
| 9.11.1 | Crystallographic properties of A ₅ M ₃ F ₁₄ compounds | 351 |
| 9.11.2 | Magnetic properties of A ₅ M ₃ F ₁₄ compounds | 352 |
| 9.11.3 | References for 9.11 | 359 |

Subvolume J3: Halide perovskite-type layer structures

| | | |
|------------|---|-----|
| 9.12 | Halide perovskite-type layer structures (R. GEICK) | 1 |
| 9.12.1 | Introduction | 1 |
| 9.12.1.1 | Characterization of perovskite-type Layer structures | 1 |
| 9.12.1.2 | Lattice dynamics: intralayer and interlayer forces | 4 |
| 9.12.1.3 | Comments on notation and units and Table 1 | 9 |
| 9.12.1.4 | References for 9.12.1 | 40 |
| 9.12.2 | Structural properties | 43 |
| 9.12.2.1 | Structures | 43 |
| 9.12.2.1.1 | General aspects | 43 |
| 9.12.2.1.2 | Easy-axis antiferromagnets | 45 |
| 9.12.2.1.3 | Easy-plane ferromagnets and antiferromagnets | 47 |
| 9.12.2.1.4 | Structures resulting from structural phase transitions | 49 |
| 9.12.2.1.5 | Mixed crystals | 52 |
| 9.12.2.2 | Structural phase transitions | 54 |
| 9.12.2.2.1 | Experimental investigations | 54 |
| 9.12.2.2.2 | Group-theoretical considerations | 61 |
| 9.12.2.2.3 | Structural phase transitions in monoammonium compounds | 65 |
| 9.12.2.2.4 | Model for the phase transitions in monoammonium compounds | 68 |
| 9.12.2.2.5 | Long-chain compounds | 73 |
| 9.12.2.2.6 | Diammonium compounds | 74 |
| 9.12.2.3 | Figures for 9.12.2 and Tables 2, 3 and 4 | 78 |
| 9.12.2.4 | References for 9.12.2 | 148 |
| 9.12.3 | Magnetic properties | 159 |
| 9.12.3.1 | Antiferromagnets | 159 |
| 9.12.3.1.1 | Exchange interaction | 159 |
| 9.12.3.1.2 | Mn-compounds, spin-wave theory | 160 |
| 9.12.3.1.3 | Temperature-dependent properties, high temperature series | 167 |
| 9.12.3.1.4 | Double-layer compounds | 171 |
| 9.12.3.1.5 | Ni- and Fe-compounds | 172 |
| 9.12.3.1.6 | Spin-flop transition – AFMR under various conditions | 175 |
| 9.12.3.1.7 | Canted antiferromagnets, weak ferromagnetism | 181 |
| 9.12.3.1.8 | Antiferromagnetic Cu-compounds | 184 |
| 9.12.3.1.9 | Co-compounds (2D Ising Model) | 186 |
| 9.12.3.2 | Ferromagnets | 188 |
| 9.12.3.2.1 | Cu-compounds | 188 |
| 9.12.3.2.2 | Cr-compounds | 195 |
| 9.12.3.2.3 | Spin-reorientation transitions – FMR under various conditions | 201 |
| 9.12.3.2.4 | Magnetic polaritons | 208 |
| 9.12.3.2.5 | Parallel pumping experiments | 210 |
| 9.12.3.3 | Doped and mixed systems | 213 |
| 9.12.3.3.1 | Paramagnetic centres in diamagnetic host crystals | 213 |

| | | |
|-------------|---|-----|
| 9.12.3.3.2 | Magnetic ordering in diluted systems | 216 |
| 9.12.3.3.3 | Spin waves in diluted magnets | 222 |
| 9.12.3.3.4 | Excitations in mixed antiferromagnets | 227 |
| 9.12.3.3.5 | Mixed antiferromagnets with competing anisotropies | 233 |
| 9.12.3.3.6 | Mixed magnets with competing exchange interactions | 236 |
| 9.12.3.4 | Figures for 9.12.3 and Table 5 | 243 |
| 9.12.3.5 | References for 9.12.3 | 328 |
| 9.12.4 | Critical phenomena | 349 |
| 9.12.4.1 | Static critical behaviour | 349 |
| 9.12.4.1.1 | General | 349 |
| 9.12.4.1.2 | 2D Ising Model | 351 |
| 9.12.4.1.3 | Experimental determination of α | 354 |
| 9.12.4.1.4 | Experimental determination of β | 356 |
| 9.12.4.1.5 | Experimental determination of γ , ν and η | 357 |
| 9.12.4.1.6 | Experimental test of the two-scale-factor universality | 360 |
| 9.12.4.1.7 | 2D Heisenberg model | 361 |
| 9.12.4.1.8 | 2D XY-model | 364 |
| 9.12.4.1.9 | Crossover phenomena | 376 |
| 9.12.4.1.10 | 3D XY-model – structural phase transitions | 379 |
| 9.12.4.1.11 | Critical behaviour near the percolation threshold | 382 |
| 9.12.4.1.12 | Random field effects – random field Ising model | 391 |
| 9.12.4.1.13 | Critical properties of spin glasses – 2D Ising spin glass | 398 |
| 9.12.4.2 | Dynamic critical properties and relaxation | 402 |
| 9.12.4.2.1 | Characteristic frequency from neutron inelastic scattering | 402 |
| 9.12.4.2.2 | Relaxation time – activated dynamics – aging | 403 |
| 9.12.4.2.3 | Spin-wave lineshape of a 2D Heisenberg ferromagnet | 409 |
| 9.12.4.2.4 | 2D XY-model: influence of vortices on $S(\mathbf{q}, \omega)$ | 411 |
| 9.12.4.2.5 | Critical broadening of the NMR linewidth | 413 |
| 9.12.4.2.6 | Critical broadening of the EPR linewidth | 414 |
| 9.12.4.2.7 | Critical EPR linewidth due to solitons or due to magnons? | 417 |
| 9.12.4.2.8 | EPR linewidth at high temperatures – spin diffusion | 420 |
| 9.12.4.2.9 | EPR linewidth in mixed crystals | 423 |
| 9.12.4.3 | Figures for 9.12.4 and Table 6 | 427 |
| 9.12.4.4 | References for 9.12.4 | 485 |
| | Contents of further subvolumes of III/27 | 504 |
| | List of editor and authors of Vol. III/27 | 530 |

List of editor and authors of III/27

Editor

H. P. J. Wijn, Institut für Werkstoffe der Elektrotechnik der Rheinisch-Westfälischen Technischen Hochschule Aachen, Templergraben, 52062 Aachen, FRG

Authors

K. Adachi, Department of Physics, Nagoya University, Nagoya 464, Japan (27 A)

E. Agostinelli, Istituto di Teoria e Struttura Elettronica - CNR, Via Salaria, 00016 Monterotondo Stazione (Roma), Italy (27 D)

G. Albanese, Dipartimento di Fisica, Università degli Studi di Parma, Viale delle Scienze, I-43100 Parma, Italy (27 G)

V. A. M. Brabers, Technische Universiteit Eindhoven, Den Dolech, 5600 MB Eindhoven, The Netherlands (27 D)

E. Burzo, Universitatea Babes Bolyai, Facultatea de Fizica, 3400 Cluj-Napoca, Romania (27 H, 27 F1 α , 27 F1 β , 27 I 1, 27 I 2)

A. Chelkowski, Institute of Physics, Silesian University, 40-007 Katowice, Poland (27 J2)

A. Deriu, Dipartimento di Fisica, Università degli Studi di Parma, Viale delle Scienze, I-43100 Parma, Italy (27 G)

Y. Endoh, Neutron Scattering Laboratory, Department of Physics, Tohoku University, Aramaki, Aoba-ku, Sendai 980, Japan (27 F3)

D. Fiorani, Istituto di Teoria e Struttura Elettronica - CNR, Via Salaria, 00016 Monterotondo Stazione (Roma), Italy (27 D)

R. Geick, Physikalisches Institut der Universität Würzburg, Am Hubland, 97074 Würzburg, FRG (27 J3)

J. E. Greedan, Institute for Material Research, McMaster University, Main Street West, Hamilton, Ontario L8S, 4M1, Canada (27 G)

M. Hagiwara, Department of Electronics and Information Science, Kyoto Institute of Technology, Matsugasaki, Kyoto 606, Japan (27 J1)

D. Kaczorowski, Polish Academy of Sciences, W. Trzebiatowski Institute of Low Temperature and Structure Research, 50-950 Wrocław 2, Poland (27 B7, 27 B8, 27 C2)

K. Kakurai, Neutron Scattering Facility, Institute for Solid State Physics, University of Tokyo, Tokai mura, Ibaraki 319-11, Japan (27 F3)

A. K. Katori, Institute for Solid State Physics, University of Tokyo, Roppongi, Minato-ku, Tokyo 107, Japan (27 F3)

K. Katsumata, Institute of Physical and Chemical Research (RIKEN), Wako, Saitama, 351-01, Japan (27 J1)

Z.A. Kazei, Department of Physics (DFEF), Problem Laboratory for Magnetism, Moscow State University, Leninskiye Gory, 119899 Moscow, Russia **(27 E, 27 F2, 27 F2S)**

N. P. Kolmakova, Department of Physics (DFEF), Problem Laboratory for Magnetism, Moscow State University, Leninskiye Gory, 119899 Moscow, Russia **(27 E)**

I. B. Krynetskii, Department of Physics (DFEF), Laboratory for Problems of Magnetism, Moscow State University, Leninskiye Gory, 119899 Moscow, Russia **(27 F2, 27 F2S)**

M. Matsuura, Department of Electronics and Information Science, Kyoto Institute of Technology, Matsugasaki Sakyo, Kyoto 606, Japan **(27 J1)**

P. Novák, Institute of Physics, Czechoslovak Academy of Sciences, Na Slovance, 18040 Prague 8, Czechoslovakia **(27 E)**

S. Ogawa, Institute of Solid State Physics, Tokyo University, Roppongi, Minatu-ku, Tokyo, Japan **(27 A)**

T. Palewski, International Laboratory of High Magnetic Fields and Low Temperatures, 53-421 Wrocław, Poland **(27 B1, 27 B2, 27 B3, 27 B4 α , 27 B4 β , 27 B5, 27 C1)**

M. S. Seehra, Phys. Dept., West Virginia University, Morgantown WV 26506, USA **(27 G, 27 F3)**

K. Siratori, Dept. of Physics, Faculty of Science, Osaka University, Toyonaka, Osaka 560, Japan **(27 G)**

G. Srinivasan, Department of Physics, Oakland University, Rochester, Michigan 48309 - 4401, USA **(27 F3)**

V. I. Sokolov, Department of Physics (DFEF), Problem Laboratory for Magnetism, Moscow State University, Leninskiye Gory, 119899 Moscow, Russia **(27 E)**

W. Suski, Polish Academy of Sciences, W. Trzebiatowski Institute of Low Temperature and Structure Research, 50-950 Wrocław 2, and International Laboratory of High Magnetic Fields and Low Temperatures, 53-421 Wrocław, Poland **(27 B1, 27 B2, 27 B3, 27 B4 α , 27 B4 β , 27 B5, 27 C1)**

A.M. Testa, Istituto di Teoria e Struttura Elettronica - CNR, Via Salaria, 00016 Monterotondo Stazione (Roma), Italy **(27 D)**

R. Troć, Polish Academy of Sciences, W. Trzebiatowski Institute of Low Temperature and Structure Research, 50-950 Wrocław 2, Poland **(27 B7, 27 C2)**

T. E. Whall, Department of Physics, University of Warwick, Coventry CV4-7AL, United Kingdom **(27 D)**

H. P. J. Wijn, Institut für Werkstoffe der Elektrotechnik der Rheinisch-Westfälischen Technischen Hochschule Aachen, Templergraben, 52062 Aachen, FRG **(27 G, 27 J1, 27 J2)**