

Index

- α -HIO₃ 143, 183
- α -Iodic Acid 143
- β -BaB₂O₄ 142
- π -pulse 36
- ⁶LiNbO₃ 227
- ⁶LiTaO₃ 227
- ⁷LiNbO₃ 227
- 1,1,1-Trichloroethane 226
- 1,2-Dichloroethane 224
- 1,2-Diethylbenzene 224
- 1,2-Dimethylcyclohexane 224
- 1,3-Dibromobenzene 224
- 1,3-Pentadiene 225
- 1,4-Dimethylcyclohexane 224
- 1,4-Dimethylnitrobenzene 231
- 1,4-Dioxane 224
- 1-Bromonaphthalene 225, 231
- 1-Bromopropane 224
- 1-Chloronaphthalene 225
- 1-Fluoro-2-chlorobenzene 224
- 2 π -pulse 35
- 2,2-Dichlorodiethylether 224
- 2,4-Dinitrotoluene 231
- 2-Bromopropane 224
- 2-Ethyl-naphthalene 225
- 2-Nitropropane 225
- 3-Methyl-4-Nitro-Pyridine-1-Oxide 142
- 3-Methylbutadiene 224
- 4-Hydroxy-3-Methoxy-Benzaldehyde (Vanillin)
142
- Abbe's number 97
- ABCD
 - matrix 111
 - transformation 120
- Aberration 127
 - lens 117
 - spherical 117
 - third-order 119
- Absorber
 - saturable 237
- Absorbing
 - gas 237
 - liquid 237
- Absorption
 - excited-state 237
- Acetic acid 224, 229
- Acetone 224, 226, 229, 230, 238
- Achromatic correction 97
- Acoustic phonons 217
- ADA 143, 165
- Adiabatic
 - equations 20
 - pulse amplification 25
- ADP 143, 160, 161, 164, 166, 168, 176, 180
- Ag₃AsS₃ 142, 166, 171, 173, 186
- Ag₃SbS₃ 142
- AgGaS₂ 142, 166, 171, 173, 186
- AgGaSe₂ 142, 166, 174, 186
- Air
 - thick lens in 113
- Airy's disc 92
- Al₂O₃ 225
- Ammonia 225
- Ammonium Dihydrogen Arsenate 143
- Ammonium Dihydrogen Phosphate 143
- Amplification
 - stimulated 221
- Amplifier
 - feed-back 3
- Angle
 - birefringence 145
 - Brewster's 101
 - divergence 82
 - walk-off 145
- Angular
 - moment 56
 - spectrum representation 87
- Aniline 224, 229
- Annular aperture 92
- Anti-Stokes
 - emission, higher-order 222
 - line 218
 - Raman scattering, coherent 222
 - scattering 222
- Aperture
 - annular 92
 - circular 90
 - length 151
 - rectangular 89
- Apodization
 - Gaussian 114

-
- Approach
 - perturbation 206
 - Approximation
 - dipole 12
 - far-field, Fraunhofer 87
 - Fraunhofer 88
 - far-field 87
 - Fresnel's 85, 86
 - Fresnel–Kirchhoff 86
 - plane-wave 152
 - Rayleigh–Sommerfeld 86
 - rotating-wave 14
 - Ar 211
 - Argon laser 166
 - Astigmatic
 - beam
 - general 121, 123
 - simple 120, 121
 - general 64
 - simple 63
 - system
 - general 116
 - Astigmatism
 - inner 64
 - intrinsic 60, 65
 - Axis
 - principal 58
 - of the beam 57
 - Azoxybenzene 231

 - Ba 210
 - $\text{Ba}_2\text{NaNb}_5\text{O}_{15}$ 142, 227
 - Banana (Barium Sodium Niobate) 142, 158, 179, 183
 - Barium Sodium Niobate (Banana) 142, 158, 179, 183
 - Barium vapor 225
 - Basov 3
 - BaTiO_3 237, 242, 244
 - BBO 142, 157–161, 163–166, 168, 172, 177, 181, 184
 - Be 210
 - Beam
 - Bessel
 - diffraction-free 79
 - real 80
 - vectorial 80
 - characterization 53
 - classification 61
 - conversion 65
 - diameter
 - generalized 57
 - diffraction-free 79
 - elliptical Gaussian 57
 - extraordinary 145
 - fanning 243
 - fluctuation matrix 67
 - Gauss
 - Hermite 81
 - Laguerre 83
 - Schell model 53
 - Gaussian 53, 81
 - elliptical 57
 - general astigmatic 64, 121, 123
 - Hermite–Gaussian 53
 - higher-order 123
 - Laguerre–Gaussian 53
 - ordinary 145
 - partially coherent 54
 - positional stability 67
 - principal axis of 57
 - propagation 120
 - Gaussian 111
 - ratio, effective 60
 - pseudo-symmetric 64
 - simple astigmatic 63, 120, 121
 - stigmatic 62, 120, 121
 - waist 82
 - width 57
 - long-term 69
 - Benzaldehyde 224, 229
 - Benzene 224, 226, 229–231
 - Benzene- d_6 224
 - Benzonitrile 224
 - Benzonitrol 231
 - Benzoylchloride 231
 - Benzylidenaniline 231
 - Bessel beam
 - diffraction-free 79
 - real 80
 - vectorial 80
 - Beta-Barium Borate 142
 - $\text{Bi}_{12}\text{GeO}_{20}$ 242
 - $\text{Bi}_{12}\text{SiO}_{20}$ 242
 - $\text{Bi}_{12}\text{TiO}_{20}$ 242
 - Biaxial crystal 105, 145
 - Birefringence 106
 - angle 145
 - Bisectrix 147
 - Black-body radiator 47
 - Bloch vector 33
 - Bolometer 48
 - Brewster angle 101
 - tilted plate 76
 - Brillouin
 - doublet 218
 - gain coefficient 238
 - lines 217
 - scattering
 - stimulated 217, 227, 229, 236
 - stimulated, thermal 220, 227
 - Broadening
 - collision 28

-
- Doppler 28
homogeneous 29, 223
inhomogeneous 30, 223
line 26, 28
pressure 28
saturation 29
types of 29
Bromobenzene 224, 226, 229, 231
Bromopropane 224
Butane 225
Butyl-benzene (tert.) 224

 $C_{10}H_{11}N_3O_6$ 142
 $C_{10}H_{13}N_3O_3$ 142
 $C_{11}H_{14}N_2O_3$ 142
 C_2F_6 238
 $C_6H_6N_2O_3$ 142
 $C_8H_8O_3$ 142
Ca 210
 Ca^+ 210
Cadmium Germanium Arsenide 142
Cadmium Selenide 142
Calcite 225, 227
Calculus
Jones 75
Mueller 77
Calorimeter 50
Calorimetry
photoacoustic 50
Carbondioxide 225
Carbondisulfide 224, 226, 229–231
Carbonmonoxide 225
Carbontetrachloride 224, 229
Cardinal
plane 110
point 110
CARS (coherent anti-Stokes Raman scattering) 222
Cat conjugator 243
CBO 142, 159, 160
 CCl_4 238
Cd 210
CDA 142, 156, 180
 $CdGeAs_2$ 142, 166, 167, 174
 $CdSe$ 142, 171, 174, 186
 $CdTe$ 242
Centered moment 55
Cesium Borate 142
Cesium Dideuterium Arsenate 142
Cesium Dihydrogen Arsenate 142
Cesium Lithium Borate 142
Cesium vapor 226
 CH_4 238
Characterization
beam 53
Chlorine 226
Chlorobenzene 224, 226, 231
Chloroform 224, 229
Chloromethylbutane 224
Chloronaphthalene 231
Circular aperture 90
Classification 104
beam 61
CLBO 142, 157, 160, 161
CO 211
laser 166
CO₂ laser radiation
harmonic generation of 166
up-conversion of 171
Coefficient
gain 18, 229
Miller 147
nonlinear
effective 150
scattering 226
Seebeck 48
Coherence length 238
Coherent
anti-Stokes Raman scattering (CARS) 222
interaction 31
partially 54
pulses, resonant 34
Collins integral 126
Collision broadening 28
Coma 119
Complex
notation 6
 q -parameter 120
refractive index 8, 103
susceptibility 10
Concave
grating
Rowland 114
mirror
spherical 114
Condition
phase-matching 208
resonance 5
steady-state 5
symmetry
Kleinman 150
threshold 4
Conductivity
electric 6
Conjugation fidelity 238
Conjugator
cat 243
Conservation
of momenta 208
Constant
time 31
Construction
Listing's 110

-
- Continuous wave
 - optical parametric oscillation 176
 - Continuum generation
 - picosecond 186
 - in crystals 186
 - Contribution
 - electrostrictive 227
 - Conversion
 - beam 65
 - efficiency
 - quantum 153
 - factor for SI and CGS-esu systems 150
 - frequency
 - efficiency 151
 - in gases 209
 - Correction
 - achromatic 97
 - Coupling
 - laser fiber 129
 - Stokes–anti-Stokes 222
 - waveguide 127, 128
 - Cross section
 - differential 217
 - Raman scattering 223
 - scattering 217
 - differential 227
 - Raman 223
 - Cross-spectral density 53
 - Cryogenic radiometer 47, 50
 - Crystal
 - biaxial 105, 145
 - data of 108
 - isotropic 105
 - laser 237
 - liquid 237
 - negative uniaxial 105
 - optical 105
 - optics 104
 - photonic, data of 108
 - photorefractive 237
 - picosecond continuum generation in 186
 - positive uniaxial 105
 - uniaxial 145
 - negative 146
 - positive 146
 - Cs 210
 - Cs₂ 238
 - CsB₃O₅ 142
 - CsD₂AsO₄ 142
 - CsH₂AsO₄ 142
 - CsLiB₆O₁₀ 142
 - CuAlS₂ 227
 - Cubic 105
 - Current density 5
 - Curvature
 - phase, generalized 59
 - Cyclohexane 224, 229
 - Cyclohexanone 224
 - Cylindrical
 - vector wave 78
 - wave 79
 - D₂, Q(2) 227
 - DAN 142, 157
 - Data
 - of crystals 108
 - of gases 108
 - of infrared materials 108
 - of liquids 108
 - of metals 108
 - of negative-refractive-index materials 108
 - of optical glass 108
 - of photonic crystals 108
 - of polymeric materials 108
 - of semiconductors 108
 - of solid state laser materials 108
 - DCDA 142, 156, 161
 - Decay
 - time T_1 15
 - time T_2 16
 - Degenerate four-wave mixing 235, 236
 - Degree
 - of polarization 77
 - Delta formulation, Miller 147
 - Density
 - cross-spectral 53
 - current 5
 - distribution
 - power 55
 - power, far-field 55
 - inversion 12, 13, 17
 - matrix 206
 - of electric charges 5
 - Dephasing 227
 - Depth
 - penetration 102
 - Detector
 - pyroelectric 49
 - quantum 49
 - thermal 48
 - Determination
 - of the ten second-order moments 66
 - Deuterium 226
 - DFWM (Degenerate Four-Wave Mixing) 236
 - Diameter
 - beam, generalized 57
 - Diamond 225
 - Dichloromethane 224
 - Dielectric medium 96
 - Dielectrics
 - homogeneous 6
 - isotropic 6
 - linear 6

-
- Difference frequency generation 144, 153, 172
 - generation of IR radiation by 172
 - in the far IR region 175
 - Differential
 - cross section 217
 - scattering
 - cross section 227
 - Diffraction 84
 - efficiency 92
 - figure
 - Fresnel's 93
 - free
 - beam 79
 - Bessel beam 79
 - length 151
 - pattern
 - Fraunhofer 89
 - scalar theory of 85
 - theory
 - Rayleigh–Sommerfeld–Debye 89
 - time-dependent 89
 - vector theory of 85
 - Diffractional optics 94
 - Diffuse emitter 47
 - Dimethylhexadiene 224
 - Dimethylsulfoxide (DMSO) 224
 - Dipole
 - approximation 12
 - Hertz's 8
 - moment 11, 15
 - oscillating 8
 - Disc
 - Airy's 92
 - Dispersion
 - formula 97
 - spreading length 151
 - Displacement
 - electric 5
 - Distance
 - Rayleigh 82
 - Distribution
 - power density 55
 - far-field 55
 - Wigner 53
 - Divergence angle 82
 - DKB5 143, 165
 - DKDA 143, 165
 - DKDP 143, 156, 159, 160, 162
 - DMSO (dimethylsulfoxide) 224
 - Doped media
 - propagation in 10
 - Doppler broadening 28
 - Doublet
 - Brillouin 218
 - Dye laser radiation
 - second harmonic generation of 164
 - Effective
 - beam propagation ratio 60
 - length 151
 - nonlinear coefficient 150
 - nonlinearity 147
 - Efficiency
 - conversion
 - quantum 153
 - diffraction 92
 - frequency-conversion 151
 - Einstein coefficient
 - of induced emission 21
 - of spontaneous emission 21
 - Electric
 - charges, density of 5
 - conductivity 6
 - displacement 5
 - field 5
 - polarization 6
 - susceptibility 6
 - Electromagnetic field 5
 - Electrostrictive contribution 227
 - Ellipse
 - variance 57
 - Ellipsoid
 - index 105
 - Ellipsometry 104
 - Elliptical Gaussian beam 57
 - Emission
 - anti-Stokes, higher-order 222
 - induced
 - Einstein coefficient 21
 - spontaneous 4, 15, 28
 - Einstein coefficient 21
 - Stokes, higher-order 222
 - Emitter
 - diffuse 47
 - Energy
 - flux 7
 - radiant 45, 46
 - relaxation 15
 - Entropy relaxation 16
 - Equation
 - adiabatic 20
 - fundamental
 - of nonlinear optics 207
 - Helmholtz 74, 79
 - Maxwell's 5
 - Maxwell–Bloch 15, 16
 - rate 20
 - slowly varying envelope (SVE) 74, 80
 - SVE (slowly varying envelope) 74, 80
 - wave 73, 78
 - Ethanol 224, 226, 229, 230
 - Ethyl-Benzene 224
 - Ethylene 225

-
- Eu 210
 - Excitation
 - radiant 46
 - Excited-state absorption 237
 - External reflection 101
 - Extraordinary beam 145
 - Factor
 - conversion
 - for SI and CGS-esu systems 150
 - gain 220, 226, 227
 - slit 92
 - Far field 58
 - approximation
 - Fraunhofer 87
 - fidelity 239
 - Fraunhofer approximation 87
 - power density distribution 55
 - Far IR region
 - difference frequency generation in 175
 - Faraday rotator 76
 - Feed-back amplifier 3
 - Femtosecond optical parametric oscillation 184
 - Ferroelectric oxide 242
 - Feynman representation 32
 - Fiber
 - laser coupling 129
 - phase conjugator 240
 - Fidelity 240
 - conjugation 238
 - far-field 239
 - Field
 - electric 5
 - electromagnetic 5
 - far 58
 - magnetic 5
 - near 56
 - Fifth harmonic generation 153, 156
 - of Nd:YAG laser radiation 161
 - Fluctuation matrix
 - beam 67
 - Fluorinert
 - FC 72 229
 - FC 75 229
 - Fluorobenzene 224
 - Fluoromethane 224
 - Formula
 - dispersion 97
 - Fresnel's 98, 99
 - Sellmeier's 97
 - Four-level system 24
 - Four-wave
 - interaction 221
 - mixing, degenerate 235, 236
 - Fourier
 - optics 94
 - transform 88
 - Fourth harmonic generation 153, 156
 - of Nd:YAG laser radiation 160
 - of Ti:sapphire laser radiation 164
 - Fraunhofer
 - approximation 88
 - far-field 87
 - diffraction pattern 89
 - far-field approximation 87
 - Free-space propagation 61
 - Freon 238
 - Frequency
 - conversion
 - efficiency 151
 - gases 205
 - in gases 209
 - liquids 205
 - mixing 208
 - Rabi 33
 - spatial 88
 - Fresnel
 - approximation 85, 86
 - diffraction figure 93
 - formulae 98, 99
 - Kirchhoff approximation 86
 - number 88
 - Fundamental equations
 - of nonlinear optics 207
 - GaAs 175, 186, 242
 - Gain
 - coefficient 18, 229
 - Brillouin 238
 - factor 220, 226, 227
 - small-signal 11
 - Gallium Selenide 142
 - GaP 175, 227
 - Gas 205
 - absorbing 237
 - data of 108
 - eous media, mixture of 209, 211
 - frequency conversion in 205, 209
 - laser radiation
 - second harmonic generation of 166
 - mixture, metal-vapor inert 209, 210
 - Raman
 - parameters 227
 - scattering 225
 - scattering
 - Raman 225
 - GaSe 142, 167, 174, 186
 - Gauss
 - Hermite beam 81
 - Laguerre beam 83
 - Schell model 53
 - beam 53
 - Gaussian
 - apodization 114

-
- beam 53, 81
 - elliptical 57
 - propagation 111
 - imaging 108
 - line shape 27
 - matrix 111
 - $\text{Gd}_2(\text{MoO}_4)_3$ 225
 - GeCl_4 238
 - General
 - astigmatic
 - beam 64, 121, 123
 - system 116
 - parabolic
 - system 112
 - ray-transfer matrix 117
 - Generalized
 - beam diameter 57
 - phase curvature 59
 - Generation
 - continuum
 - picosecond 186
 - picosecond, in crystals 186
 - difference-frequency 144, 153, 172
 - generation of IR radiation by 172
 - in the far IR region 175
 - fifth harmonic 153, 156
 - of Nd:YAG laser radiation 161
 - fourth harmonic 153, 156
 - of Nd:YAG laser radiation 160
 - of Ti:sapphire laser radiation 164
 - harmonic 156
 - of CO_2 laser radiation 166
 - of harmonics
 - of high-power Nd:glass laser radiation 162
 - of iodine laser radiation 162
 - of Nd:YAG laser radiation 161
 - second harmonic 144, 152, 156
 - in “nonlinear regime” 154
 - of dye laser radiation 164
 - of gas laser radiation 166
 - of Nd:YAG laser radiation 156, 157, 159
 - of Nd:YAG laser radiation, intracavity 158
 - of ruby laser radiation 163
 - of semiconductor laser radiation 164
 - of Ti:sapphire laser radiation 163
 - sixth harmonic 156
 - of Nd:YAG laser radiation 161
 - sum-frequency 144, 153, 167
 - of UV radiation 167–169
 - third harmonic 152, 156, 208
 - of Nd:YAG laser radiation 159
 - of Ti:sapphire laser radiation 163
 - Geometric optical radiance 54
 - Geometrical optics 108
 - Glass
 - BSC-2 229
 - DF-3 229
 - optical 97
 - data of 108
 - Glycerol 229
 - Goos–Hänchen shift 103
 - Gradient-index lens 113
 - Grating 92
 - concave
 - Rowland 114
 - thermal 237
 - Group
 - point 150
 - H_2 , Q(1) 227
 - Half-wave plate 76
 - Harmonic generation 156
 - of CO_2 laser radiation 166
 - of high-power Nd:glass laser radiation 162
 - of iodine laser radiation 162
 - of Nd:YAG laser radiation 161
 - Harmonics
 - of high-power Nd:glass laser radiation 162
 - of iodine laser radiation 162
 - of Nd:YAG laser radiation 161
 - He 211
 - He-Ne laser 166
 - Heat pipe 209
 - Helmholtz equation 74, 79
 - Hermite–Gaussian beam 53
 - higher-order 123
 - Hertz’s dipole 8
 - Hexagonal 105
 - Hg 210, 211
 - HgGa_2S_4 143, 171
 - Higher order
 - anti-Stokes emission 222
 - Hermite–Gaussian beam 123
 - Stokes emission 222
 - Hole-burning
 - spatial 237
 - Holography 237
 - Homogeneous 6
 - broadening 29, 223
 - dielectrics 6
 - system 16
 - Huygens’ principle 8, 85
 - Hydrogen 226
 - Hydrogenbromide 226
 - Hydrogenchloride 226
 - Hyperbolic
 - propagation law 60
 - Imaging
 - Gaussian 108
 - Index
 - ellipsoid 105
 - surface 105, 146

- Indicatrix
 - optical 145
- Induced emission
 - Einstein coefficient 21
- Induction
 - magnetic 5
- Infrared material, data of 108
- Inhomogeneous
 - broadening 30, 223
 - system 16
- Inner astigmatism 64
- InP 242
- Input
 - noise 220
- InSb 229
- Integral
 - Collins 126
- Intensity 8
 - radiant 46
 - saturation 18
- Interaction 14
 - coherent 31
 - four-wave 221
 - Hamiltonian 14
 - length
 - nonlinear 152
 - quasistatic 151
 - nonlinear
 - length 152
 - quasistatic
 - length 151
 - three-wave 144
- Internal reflection 101
- Intracavity second harmonic generation of Nd:YAG
 - laser radiation 158
- Intrinsic astigmatism 60, 65
- Inversion density 12, 13, 17
- Iodine laser radiation
 - harmonics of 162
- IR
 - far
 - region, difference frequency generation in 175
 - material, data of 108
 - mid
 - region, optical parametric oscillation in 186
 - near
 - region, cw optical parametric oscillation in 176
 - region, femtosecond optical parametric oscillation in 184
 - region, nanosecond optical parametric oscillation in 176
 - region, picosecond optical parametric oscillation in 180
 - radiation
 - generation by difference frequency generation 172
- Irradiance 46
- Isopropanol 224, 226
- Isotropic 7
 - crystal 105
 - dielectrics 6
- Jones
 - calculus 75
 - matrix 75
 - vector 75
- K 210
- KB₅O₈ 4D₂O 143
- KB₅O₈ 4H₂O 143
- KB5 143, 161, 162, 165, 166, 169
- KD₂AsO₄ 143
- KD₂PO₄ 143
- KDP 143, 156, 159–164, 166, 167, 176, 180, 186
- KH₂PO₄ 143
- Kleinman symmetry conditions 150
- KNbO₃ 143, 157, 158, 163–165, 179, 185, 242
- Kr 211
- Kramers–Kronig relation 97
- KTA 143, 173, 179, 183, 185
- KTiOAsO₄ 143
- KTiOPO₄ 143
- KTP 143, 156–159, 170, 173, 178, 179, 182–185
- Laguerre
 - Gaussian beam 53
 - polynomial 83
- Lamb dip 26
- Lambert's cosine law 47
- Lambertian radiator 47
- Laser
 - argon 166
 - CO 166
 - crystal 237
 - energy meter 50
 - fiber coupling 129
 - He–Ne 166
 - NH₃ 166
 - oscillator 3
 - theory, semiclassical 4
- Law
 - Planck's 21
 - propagation, hyperbolic 60
- LBO 143, 157–159, 161, 163, 169, 177, 178, 181, 182, 184
- Length
 - aperture 151
 - coherence 238
 - diffraction 151
 - dispersion-spreading 151
 - effective 151

-
- interaction
 - nonlinear 152
 - quasistatic 151
 - nonlinear interaction 152
 - quasistatic interaction 151
 - Rayleigh 61
 - Lens
 - aberration 117
 - gradient-index 113
 - shape factor of 117
 - thermal 113
 - thick 110
 - in air 113
 - thin 113
 - LFM 143, 156, 165
 - $\text{Li}_2\text{B}_4\text{O}_7$ 160, 161
 - LiB_3O_5 143
 - $\text{LiCOOH} \cdot \text{H}_2\text{O}$ 143
 - Lifetime
 - upper-level, T_1 18
 - Light
 - induced refractive-index change 242
 - partially polarized 77
 - pressure 50
 - LiHCOO 225
 - LiIO_3 143, 156, 158, 159, 161, 163, 165, 166, 170, 172, 175, 176, 180, 186
 - LiNbO_3 143, 156, 158, 159, 161, 166, 170, 172, 175, 176, 180, 186, 237, 242
 - $\text{LiNbO}_3\text{:MgO}$ 143, 159, 176, 180
 - Line
 - anti-Stokes 218
 - broadening 26, 28
 - Raman
 - vibration-rotation 218
 - vibrational 218, 223
 - scattering
 - Rayleigh, stimulated 228
 - shape 26
 - Gaussian 27
 - Lorentzian 27
 - normalization of 27
 - normalized 27
 - spectral 17
 - Stokes 218
 - width 26
 - Linear 7
 - dielectrics 6
 - optics 73
 - susceptibility 205
 - Linewidth 226, 227
 - Liquid 205
 - absorbing 237
 - crystal 237
 - data of 108
 - frequency conversion in 205
 - Raman
 - parameters 226
 - scattering 224
 - scattering
 - Raman 224
 - Listing's construction 110
 - Lithium Fomate 143
 - Lithium Iodate 143
 - Lithium Niobate 143
 - Lithium Triborate 143
 - Long-term beam width 69
 - Lorentzian line shape 27
 - m-Dinitrobenzene 231
 - m-Nitrotoluene 229, 231
 - m-Xylene 225
 - Magnetic
 - field 5
 - induction 5
 - polarization 6
 - susceptibility 6
 - Maiman 3
 - MAP 142, 157
 - Master oscillator power amplifier 240
 - Matching
 - mode 128
 - phase 144
 - condition 208
 - noncollinear 146
 - Material
 - infrared, data of 108
 - negative-refractive-index, data of 108
 - optical 95
 - photorefractive 242
 - polymeric, data of 108
 - solid-state-laser, data of 108
 - Matrix
 - ABCD 111
 - density 206
 - fluctuation
 - beam 67
 - Gaussian 111
 - Jones 75
 - ray-transfer 111
 - general 117
 - system 55
 - variance 56
 - Maxwell
 - Bloch equations 15, 16
 - equations 5
 - Medium
 - dielectric 96
 - Meissner 3
 - Mercury Thiogallate 143
 - meta-Nitroaniline 143
 - Metal
 - data of 108

-
- optics of 98
 - vapor
 - inert gas mixture 209, 210
 - mixture of different 209, 210
 - Methane 226
 - Methane, Q 227
 - Methanol 224, 226, 229, 230, 238
 - Methanol-d₄ 224
 - Methyl N-(2,4-Dinitrophenyl)-L-Alaninate 142
 - Methyliodide 229
 - Mg 210
 - Mg⁺ 210
 - Mg:O-doped Lithium Niobate 143
 - MHBA 142, 157
 - Mid IR region
 - optical parametric oscillation in 186
 - Miller
 - coefficient 147
 - delta formulation 147
 - Mirror
 - concave
 - spherical 114
 - phase-conjugate 235
 - self-adapted 238
 - spherical 113
 - concave 114
 - Misalignment 116
 - Mixed moment 56
 - Mixing
 - frequency 208
 - two-wave 242
 - Mixture
 - metal-vapor inert gas 209, 210
 - of different metal vapors 209, 210
 - of gaseous media 209, 211
 - mNA 143, 157
 - Mode
 - competition 26
 - hopping 26
 - matching 128
 - Model
 - Gauss-Schell 53
 - Moment
 - angular 56
 - centered 55
 - dipole 11, 15
 - mixed 56
 - second-order 55
 - determination of 66
 - radiation field, propagation of 111
 - spatial 56
 - Momentum
 - conservation of 208
 - Monoclinic 105
 - MOPA (Master Oscillator Power Amplifier) 240
 - Mueller calculus 77
 - Multimode oscillation 26
 - Mutual power spectrum 53
 - $n\pi$ -pulse 35
 - N₂ 211, 238
 - N₂O 226
 - N-(4-Nitrophenyl)-(L)-Propinol 142
 - N-[2-(Dimethylamino)-5-Nitrophenyl]-Acetamide 142
 - n-Hexane 229
 - n-Nitrotoluene 229
 - Na 210
 - NaClO₃ 225
 - Nanosecond optical parametric oscillation 176
 - Naphthalene 225, 231
 - Nd:glass high-power laser radiation
 - generation of harmonics 162
 - harmonics 162
 - Nd:YAG laser radiation
 - fifth harmonic generation of 161
 - fourth harmonic generation of 160
 - harmonics of 161
 - intracavity second harmonic generation of 158
 - second harmonic generation of 156, 157, 159
 - second harmonic generation, intracavity, of 158
 - sixth harmonic generation of 161
 - third harmonic generation of 159
 - Ne 211
 - Near field 56
 - Near IR
 - radiation
 - up-conversion of 170
 - region
 - cw optical parametric oscillation in 176
 - femtosecond optical parametric oscillation in 184
 - nanosecond optical parametric oscillation in 176
 - picosecond optical parametric oscillation in 180
 - Negative
 - refractive index material, data of 108
 - uniaxial crystal 105, 146
 - (NH₂)₂CO 143
 - NH₃ laser 166
 - NH₄H₂AsO₄ 143
 - NH₄H₂PO₄ 143
 - Nitroacetophenone 231
 - Nitrobenzaldehyde 231
 - Nitrobenzene 225, 226, 229, 231
 - Nitrogen 225, 226
 - NO 226
 - NO₂C₆H₄NH₂ 143
 - Nodal point 110
 - Noise input 220
 - Non-symmetrical optical system 112
 - Noncollinear phase matching 146

-
- Nonlinear
 - coefficient
 - effective 150
 - interaction length 152
 - optics
 - fundamental equations of 207
 - regime
 - second harmonic generation in 154
 - susceptibility 205
 - third-order 206, 221
 - Nonlinearity
 - effective 147
 - Normalization
 - of line shapes 27
 - Normalized
 - line shape 27
 - shape function 27
 - Notation
 - complex 6
 - NPP 142, 179, 185
 - Number
 - Abbe's 97
 - Fresnel 88
 - o-Nitroaniline 231
 - o-Nitrophenol 231
 - o-Nitrotoluene 231
 - o-Xylene 225
 - Octanol 229
 - Optical
 - crystal 105
 - glass 97
 - data of 108
 - indicatrix 145
 - material 95
 - parametric oscillation 144, 153, 176
 - continuous wave 176
 - femtosecond 184
 - in the mid IR region 186
 - nanosecond 176
 - picosecond 180
 - radiometry 45
 - self-focusing 220
 - system
 - non-symmetrical 112
 - symplectic 116
 - Optics
 - crystal 104
 - diffractive 94
 - Fourier 94
 - geometrical 108
 - linear 73
 - nonlinear, fundamental equations of 207
 - of metals 98
 - of semiconductors 98
 - Ordinary beam 145
 - Orthorhombic 105
 - Oscillating dipole 8
 - Oscillation
 - multimode 26
 - optical parametric 144, 153, 176
 - continuous wave 176
 - femtosecond 184
 - in the mid IR region 186
 - nanosecond 176
 - picosecond 180
 - Oscillator
 - self-sustained 3
 - Oxide
 - ferroelectric 242
 - Oxygen 226
 - p-Dichlorobenzene 229
 - p-Nitroanisole 231
 - p-Nitrotoluene 231
 - p-Xylene 225, 229
 - Parabolic system, general 112
 - Paraboloid
 - phase 59
 - Paraxial range 108
 - Partially
 - coherent beam 54
 - polarized light 77
 - PCM (Phase-Conjugate Mirror) 235
 - Penetration depth 102
 - Permeability 6
 - Permittivity 6
 - Perturbation approach 206
 - Phase
 - conjugate mirror 235
 - conjugation 235
 - self-pumped 237
 - conjugator 235
 - fiber 240
 - photorefractive 242
 - self-pumped 235, 243
 - vector 236
 - curvature, generalized 59
 - matching 144
 - condition 208
 - noncollinear 146
 - paraboloid 59
 - Phonons
 - acoustic 217
 - Photoacoustic calorimetry 50
 - Photoconductor 49
 - Photodiode 49
 - Photometric quantities 45
 - Photonic crystals, data of 108
 - Photorefraction 242
 - Photorefractive
 - crystal 237
 - material 242
 - phase conjugator 242

-
- Picosecond
 - continuum generation 186
 - in crystals 186
 - optical parametric oscillation 180
 - Pipe
 - heat 209
 - Piperidine 225
 - Planar plate 113
 - Planck's law 21
 - Planckian radiation 47
 - Plane 113
 - cardinal 110
 - wave 7, 79
 - approximation 152
 - representation 87
 - Plate
 - Brewster-angle-tilted 76
 - half-wave 76
 - planar 113
 - quarter-wave 76
 - Point
 - cardinal 110
 - group 150
 - nodal 110
 - Polarization 12, 17, 75
 - degree of 77
 - electric 6
 - magnetic 6
 - Polarized
 - partially
 - light 77
 - Polydiacetylene 225
 - Polymeric materials, data of 108
 - Polynomial
 - Laguerre 83
 - POM 142, 157
 - Position
 - waist 60
 - Positional stability
 - beam 67
 - Positive uniaxial crystal 105, 146
 - Potassium Dideuterium Arsenate 143
 - Potassium Dideuterium Phosphate 143
 - Potassium Dihydrogen Phosphate 143
 - Potassium Niobate 143
 - Potassium Pentaborate Tetradeuterate 143
 - Potassium Pentaborate Tetrahydrate 143
 - Potassium Titanyl Arsenate 143
 - Potassium Titanyl Phosphate 143
 - Power
 - density distribution 55
 - radiant 46
 - spectrum 53
 - mutual 53
 - Poynting vector 7
 - Pressure
 - broadening 28
 - light 50
 - Primary standards 47
 - Principal
 - axis 58
 - of the beam 57
 - value 145
 - Principle
 - Huygens' 8, 85
 - Process
 - pumping 16
 - Prokhorov 3
 - Propagation 60
 - beam 120
 - Gaussian 111
 - free-space 61
 - in doped media 10
 - law
 - hyperbolic 60
 - of the second-order moments of the radiation
 - field 111
 - short-pulse 97
 - three-dimensional 127
 - two-dimensional 126
 - Proustite 142
 - Pseudo-symmetric beam 64
 - Pulse
 - 2π - 35
 - amplification, adiabatic 25
 - $n\pi$ - 35
 - π - 36
 - resonant coherent 34
 - short, propagation of 97
 - Pumping
 - process 16
 - schemes 22
 - Pyrargyrite 142
 - Pyridine 225, 229
 - Pyroelectric detector 49
 - q -parameter, complex 120
 - Quantities
 - photometric 45
 - radiometric 45
 - Quantum
 - conversion efficiency 153
 - detector 49
 - Quarter-wave plate 76
 - Quartz 175, 227, 229, 238
 - Quasistatic interaction length 151
 - Rabi frequency 33
 - Radiance 46
 - geometric-optical 54
 - spectral 45

-
- Radiant
 - energy 45, 46
 - excitance 46
 - intensity 46
 - power 46
 - Radiation
 - field
 - propagation of the second-order moments 111
 - Planckian 47
 - synchrotron 47
 - Radiator
 - black-body 47
 - lambertian 47
 - Radiometer
 - cryogenic 47, 50
 - Radiometric
 - quantities 45
 - standards 47
 - Radiometry 45
 - optical 45
 - Raman
 - line
 - vibration-rotation 218
 - vibrational 218, 223
 - parameters
 - gases 227
 - liquids 226
 - solids 227
 - scattering
 - cross section 223
 - gases 225
 - liquids 224
 - solids 225
 - stimulated 217, 223, 226
 - Range
 - paraxial 108
 - Seidel's 109
 - Rate equations 20
 - Ray
 - surface 105
 - tracing 55
 - transfer matrix 111
 - general 117
 - Rayleigh
 - distance 82
 - length 61
 - line scattering 217
 - stimulated 228
 - scattering
 - line 217
 - line, stimulated 228
 - stimulated 217, 228, 230
 - stimulated, thermal 220, 228
 - wing 217
 - wing, stimulated 228, 230, 231
 - Sommerfeld
 - approximation 86
 - Debye diffraction theory 89
 - wing scattering 217
 - wing scattering, stimulated 228, 230, 231
 - Rb 210
 - RbH₂AsO₄ 143
 - RbH₂PO₄ 143
 - RbTiOAsO₄ 143
 - RDA 143, 156, 159, 163
 - RDP 143, 156, 159, 163, 164
 - Real Bessel beam 80
 - Rectangular aperture 89
 - Reflection
 - external 101
 - internal 101
 - total 101
 - Refraction 101
 - at a sphere 114
 - Refractive index
 - change, light-induced 242
 - complex 8, 103
 - Region
 - X-ray 47
 - Relation
 - Kramers–Kronig 97
 - Relaxation
 - energy 15
 - entropy 16
 - Replica
 - time-reversed 236
 - Representation
 - angular-spectrum 87
 - plane-wave 87
 - Resonance condition 5
 - Resonant coherent pulses 34
 - Responsivity 48
 - Rotating wave approximation 14
 - Rotator
 - Faraday 76
 - Rowland concave grating 114
 - RTA 143, 179, 185
 - Rubidium Dihydrogen Arsenate 143
 - Rubidium Dihydrogen Phosphate 143
 - Rubidium Titanyl Arsenate 143
 - Ruby laser radiation
 - second harmonic generation of 163
 - Saturable absorber 237
 - Saturation
 - broadening 29
 - intensity 18
 - of the two-level transition 17
 - SBS (stimulated Brillouin scattering) 227, 236
 - threshold 238, 239
 - Scalar diffraction theory 85

-
- Scattering
 - anti-Stokes 222
 - anti-Stokes Raman, coherent 222
 - Brillouin
 - stimulated 217, 227, 229, 236
 - stimulated, thermal 220, 227
 - coefficient 226
 - coherent
 - anti-Stokes Raman 222
 - cross section 217
 - differential 227
 - Raman 223
 - Raman
 - cross section 223
 - gases 225
 - liquids 224
 - solids 225
 - stimulated 217, 223, 226
 - Rayleigh
 - line 217
 - line, stimulated 228
 - stimulated 217, 228, 230
 - stimulated, thermal 220, 228
 - wing 217
 - wing, stimulated 228, 230, 231
 - spontaneous
 - Stokes 219
 - stimulated 205, 217
 - Brillouin 217, 227, 229
 - Brillouin, thermal 220, 227
 - Raman 217, 223, 226
 - Rayleigh 217, 228, 230
 - Rayleigh, line 228
 - Rayleigh, thermal 220, 228
 - Rayleigh, wing 228, 230, 231
 - Stokes 219
 - transient 222
 - Stokes
 - spontaneous 219
 - stimulated 219
 - Schawlow 3
 - Schrödinger equation 13
 - of optics 9
 - Second harmonic generation 144, 152, 156
 - in "nonlinear regime" 154
 - of dye laser radiation 164
 - of gas laser radiation 166
 - of Nd:YAG laser radiation 156, 157, 159
 - of Nd:YAG laser radiation, intracavity 158
 - of ruby laser radiation 163
 - of semiconductor laser radiation 164
 - of Ti:sapphire laser radiation 163
 - Second-order moment 55
 - determination of 66
 - radiation field
 - propagation of 111
 - Secondary standards 48
 - Seebeck coefficient 48
 - Seidel's range 109
 - Self-adapted mirror 238
 - Self-focusing
 - optical 220
 - Self-pumped
 - phase conjugation 237
 - phase conjugator 235, 243
 - Self-sustained oscillator 3
 - Sellmeier's formula 97
 - Semiclassical laser theory 4
 - Semiconductor
 - data of 108
 - laser radiation
 - second harmonic generation of 164
 - optics of 98
 - SF₆ 226, 238
 - Shape
 - factor of a lens 117
 - function, normalized 27
 - line 26
 - Shift
 - Goos-Hänchen 103
 - Stokes 224-227
 - Short-pulse propagation 97
 - Siliciumtetrachloride 225
 - Sillenites 242
 - Silver Gallium Selenide 142
 - Silver Thiogallate 142
 - Simple astigmatic beam 63, 120, 121
 - Sixth harmonic generation 156
 - of Nd:YAG laser radiation 161
 - Slit factor 92
 - Slowly varying envelope (SVE) 9
 - approximation 9
 - for diffraction 9
 - equation 74, 80
 - Small signal
 - gain factor 11
 - solutions 19
 - Solid
 - Raman
 - parameters 227
 - scattering 225
 - scattering
 - Raman 225
 - state laser material, data of 108
 - Solutions
 - small-signal 19
 - steady-state 17
 - strong-signal 19
 - Spatial
 - frequency 88
 - hole-burning 237
 - moment 56

-
- Spectral
 - line shape 17
 - radiance 45
 - Spectrum
 - angular, representation 87
 - Sphere
 - refraction at 114
 - Spherical
 - aberration 117
 - third-order 119
 - concave mirror 114
 - mirror 113
 - surface 113
 - vector wave 78
 - wave 8, 79
 - Spontaneous
 - emission 4, 15, 28
 - Einstein coefficient 21
 - scattering
 - Stokes 219
 - Stokes scattering 219
 - Sr 210
 - SRLS (stimulated Rayleigh line scattering) 228
 - SRS (stimulated Raman scattering) 223
 - SRWS (stimulated Rayleigh wing scattering) 228, 230, 231
 - Stability
 - positional
 - beam 67
 - Standards
 - primary 47
 - radiometric 47
 - secondary 48
 - STBS (stimulated thermal Brillouin scattering) 227
 - Steady state
 - condition 5
 - solutions 17
 - Steradian 47
 - Stigmatic beam 62, 120, 121
 - Stimulated
 - amplification 221
 - Brillouin scattering 217, 227, 229, 236
 - thermal 220, 227
 - Raman scattering 217, 223, 226
 - Rayleigh scattering 217, 228, 230
 - line 228
 - thermal 220, 228
 - wing 228, 230, 231
 - scattering 205, 217
 - Brillouin 217, 227, 229
 - Brillouin, thermal 220, 227
 - Raman 217, 223, 226
 - Rayleigh 217, 228, 230
 - Rayleigh, line 228
 - Rayleigh, thermal 220, 228
 - Rayleigh, wing 228, 230, 231
 - Stokes 219
 - transient 222
 - Stokes scattering 219
 - thermal
 - Brillouin scattering 220, 227
 - Rayleigh scattering 220, 228
 - Stokes
 - anti-Stokes coupling 222
 - emission
 - higher-order 222
 - line 218
 - scattering
 - spontaneous 219
 - stimulated 219
 - shift 224–227
 - spontaneous scattering 219
 - stimulated scattering 219
 - vector 77
 - Stop 127
 - Strong-signal solutions 19
 - STRS (stimulated thermal Rayleigh scattering) 228
 - Styrene 225, 231
 - Sulfur 225
 - Sulfurhexafluoride 229
 - Sum frequency generation 144, 153, 167
 - of UV radiation 167–169
 - Superradiance 37
 - Surface
 - index 105, 146
 - ray 105
 - spherical 113
 - Susceptibility 19
 - complex 10
 - electric 6
 - linear 205
 - magnetic 6
 - nonlinear 205
 - third-order 206, 221
 - third-order
 - nonlinear 221
 - SVE (Slowly varying envelope) 9
 - approximation 9
 - for diffraction 9
 - SVE (slowly varying envelope)
 - equation 74, 80
 - Symmetry conditions
 - Kleinman 150
 - Symplectic optical system 116
 - Synchrotron radiation 47
 - System
 - four-level 24
 - general
 - astigmatic 116
 - parabolic 112

-
- homogeneous 16
 - inhomogeneous 16
 - matrix 55
 - optical
 - non-symmetrical 112
 - symplectic optical 116
 - three-level 23
 - two-level 11
 - Te 143, 166
 - Tellurium 143
 - Tetrabromomethane 229
 - Tetrachloroethane 225
 - Tetrachloroethylene 225, 226
 - Tetrachloromethane 230
 - Tetragonal 105
 - Tetrahydrofuran 225
 - Thallium Arsenic Selenide 143
 - Theory
 - scalar
 - of diffraction 85
 - vector
 - of diffraction 85
 - Thermal
 - detector 48
 - grating 237
 - lens 113
 - scattering
 - Brillouin, stimulated 220, 227
 - Rayleigh, stimulated 220, 228
 - Thermodynamic considerations 21
 - Thermopile 48
 - Thick lens 110
 - in air 113
 - Thin lens 113
 - Third harmonic generation 152, 156, 208
 - of Nd:YAG laser radiation 159
 - of Ti:sapphire laser radiation 163
 - Third-order
 - nonlinear susceptibility 206, 221
 - spherical aberration 119
 - Three-dimensional propagation 127
 - Three-level system 23
 - Three-wave interaction 144
 - Threshold
 - condition 4
 - SBS- 238, 239
 - Ti:sapphire laser radiation
 - fourth harmonic generation of 164
 - second harmonic generation of 163
 - third harmonic generation of 163
 - Time
 - constants 31
 - decay, T_1 15
 - decay, T_2 16
 - dependent diffraction theory 89
 - reversed replica 236
 - Tintetrabromide 225
 - Tintetrachloride 225
 - Tl 210
 - Tl₃AsSe₃ 143, 167
 - Toluene 225, 226, 229, 231
 - Total reflection 101
 - Townes 3
 - Tracing
 - ray 55
 - Transform
 - Fourier 88
 - Transformation
 - ABCD 120
 - waist 124
 - Transient stimulated scattering 222
 - Triclinic 105
 - Trigonal 105
 - Twist 59
 - Two-dimensional propagation 126
 - Two-level
 - system 11
 - transition
 - saturation intensity 17
 - Two-wave mixing 242
 - Uniaxial
 - crystal 145
 - negative 146
 - positive 146
 - negative
 - crystal 105
 - positive
 - crystal 105
 - Up-conversion
 - of CO₂ laser radiation 171
 - of near IR radiation 170
 - Upper-level lifetime T_1 18
 - Urea 143, 161, 165, 179
 - UV
 - radiation
 - sum frequency generation of 167–169
 - region
 - cw optical parametric oscillation in 176
 - femtosecond optical parametric oscillation in 184
 - nanosecond optical parametric oscillation in 176
 - picosecond optical parametric oscillation in 180
 - Value
 - principal 145
 - Vanillin (4-Hydroxy-3-Methoxy-Benzaldehyde) 142
 - Vapor
 - barium 225
 - cesium 226

-
- Variance
 ellipse 57
 matrix 56
- Vector
 Bloch 33
 -ial Bessel beam 80
 Jones 75
 phase conjugator 236
 Stokes 77
 theory of diffraction 85
 wave
 cylindrical 78
 spherical 78
- Vibration
 -al Raman line 218, 223
 -rotation Raman line 218
- Visible region
 cw optical parametric oscillation in 176
 femtosecond optical parametric oscillation in 184
 nanosecond optical parametric oscillation in 176
 picosecond optical parametric oscillation in 180
- Waist
 beam 82
 position 60
 transformation 124
- Walk-off angle 145
- Water 225, 226, 229, 230
- Wave
 cylindrical 79
 equation 73, 78
 plane 7, 79
 approximation 152
 representation 87
 spherical 8, 79
 vector
 cylindrical 78
 spherical 78
- Waveguide coupling 127, 128
- Width
 beam 57
 long-term 69
- Wigner distribution 53
- Wing scattering
 Rayleigh, stimulated 228, 230, 231
- X-ray region 47
- Xe 211, 238
- Yb 210
- Zinc Germanium Phosphide 143
- Zn 210
- ZnGeP₂ 143, 166, 167, 171, 175, 186
- ZnSe 175
- ZnTe 175