












Warnings

-  Font Courier is used (2x on page 1)
-  Black text does not overprint (2x on page 1)
-  Image resolution is 2688 x 2690 ppi - 1-bit image is more than 2250 ppi (1x on page 1)
-  Pattern or shading is used --> could cause a color separation (1x on page 1)
-  Font Courier is used (2x on page 1)



Fixes

-  Changed trapped flag to "False"
-  Changed PDF/X version key to PDF/X-3:2002
-  Changed PDF/X-3:2002 Output Intent to Custom
-  Compressed objects using ZIP compression



Processing

Certified PDF status	Preflighted successfully
Preflight Profile	SpringerNature_Print_cover_V13_2016_10_06
Created by	Mark Rübsam / Klaus Rüschoff Springer Nature
Pages processed	1
Application used to preflight	Enfocus PitStop Server 13 update 2 powered by Enfocus PitStop Library 13 update 2
Application used to create the report	Enfocus PitStop Library 13 update 2
Preflighted on	UTC: April 22, 2017 - 13:37:07 [April 22, 2017 - 19:07:07]

Document properties

Document Name	978-1-4899-7897-4_Cover_PrintPDF.pdf
Number of pages	1
PDF Version	1.3
Creation Date	UTC: April 22, 2017 - 13:34:15 [April 22, 2017 - 19:04:15]
Modification Date	UTC: April 22, 2017 - 13:34:40 [April 22, 2017 - 19:04:40]
Producer	Acrobat Distiller 11.0 (Windows)
Creator	Adobe InDesign CC 2017 (Windows)
Author	PG3939
Title	978-1-4899-7897-4_Cover_PrintPDF.indd
Subject	-
Keywords	-
Trapped	no
Trapping Information Present	no
Repaired on Open	no
Optimized for Fast Web View	no
Thumbnails Present	no
Binding	left
Job Ticket Present	no

Security

Encryption Type	not encrypted
Content Copying or Extraction	allowed
Content Access for Disabled Users	allowed
Adding or Modifying Annotations	allowed
Creating or Modifying Form Fields	allowed
Form Field Fill-in or Signing	allowed
Document Assembly	allowed
Other Document Modifications	allowed
Printing	high resolution

Compression

Data format	binary
Document structure compressed	yes
Filters used	CCITT, ZIP



Status Incoming Document


Not Certified

Action:

Started Certified PDF workflow

Status Outgoing Document

Preflight Profile Name:	SpringerNature_Print_cover_V13_2016_10_06
Author:	Mark Rübsam / Klaus Rüschoff
Company:	Springer Nature
Document Status	Preflighted successfully
Preflight Profile Status	Match



Page box	Defined size	Effective size
Media box (M)	1108.35 x 765.35 pt	1108.35 x 765.35 pt
Crop box (C)	1108.35 x 765.35 pt	1108.35 x 765.35 pt
Trim box (T)	1062.99 x 720 pt	1062.99 x 720 pt
Bleed box (B)	1080 x 737.01 pt	1080 x 737.01 pt
Art box (A)	not defined	1108.35 x 765.35 pt

Defined for page 1

Media box starts at : (0, 0) pt

Page rotation : 0 degrees

Page scaling factor : 1



Font Information

	PostScript font name	Type	Embedded as	Subset	Encoding
🔍	ArialNarrow	Type 1	Type 1	yes	Custom
🔍	ArialNarrow-BoldItalic	Type 1	Type 1	yes	Custom
🔍	ArialNarrow-Italic	Type 1	Type 1	yes	Custom
🔍	Courier	Type 1	Type 1	yes	Custom
🔍	Helvetica	Type 1	Type 1	yes	Custom
🔍	Helvetica-Bold	Type 1	Type 1	yes	Custom
🔍	HelveticaLTStd-Roman	Type 1	Type 1	yes	Custom
🔍	MyriadPro-Cond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldCond	Type 1	Type 1	yes	Custom



Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Color	CMYK	3376x2670	600.3x599.6	8	1	0	-	-	-	-	-	-
Grayscale	Separation: Black (Process color)	461x248	319.4x318.9	8	1	0	-	-	-	-	-	-
Mask	CMYK	2555x727	1688.4x1688.4	1	1	0	-	-	-	-	-	-
Mask	CMYK	690x860	2688.2x2690.3	1	1	0	-	-	-	-	-	-



enfocus
PITSTOPSERVER



OPI Information

No OPI



Color Information

Item	Value
Color Space	CMYK
Page	1
Color Space	DeviceN (Multiple process colors)
Page	1
Separations	2
Separation Names	Magenta Yellow
Alternate Space	CMYK
None Channels	2
Color Space	Separation (Process color)
Page	1
Name	Black
Alternate Space	CMYK
CMYK values	[0, 0, 0, 1]



🔍 Document
🔍 Page 1

Ink

Cyan
Magenta
Yellow
Black
Total

Percentage

3.84%
81.56%
81.4%
0.87%
167.67%

Surface

32622 sq pt
692258 sq pt
690834 sq pt
7347 sq pt
1423061 sq pt



GTS_PDFX

Output condition	ISO Coated v2 300% (ECI)
Output condition identifier	Custom
Additional information	ISO Coated v2 300% (ECI)
Destination output profile	ISO Coated v2 300% (ECI)