

Index

- ABCD
 law 154, 157
 for the q -parameter 159
 matrix, beam shaping 129
 transformation, beam shaping 127
 Absolute heterodyne interferometry 243
 with rotational matched grating 243
 Absorbing mask, beam shaping 127
 Absorption, thin film 117
 Acousto-optic
 Bragg
 cell 108
 modulator 104
 cell, Bragg 108
 deflector 106
 intensity modulator 106
 light modulator 85
 material 105
 modulator 98, 106
 Bragg 104
 intensity 106
 light 85
 Acousto-optic material
 BGO 105
 fused silica 105
 GaAs 105
 GaP 105, 106, 108
 Ge 105
 GeAsSe glass 105
 Hg₂Cl₂ 105
 LiNbO₃ 98, 102, 105, 108
 PbMoO₄ 98, 105, 106
 silica, fused 105
 SiO₂ 98
 TeO₂ 98, 105, 106, 108
 TiO₂ 105
 Tl₃AsS₄ 105
 Tl₃AsSe₃ 105
 Active mode locking 85
 Adaptive optics 246
 interferometry with 244
 AD*P ((NH₄)D₂PO₄)
 electro-optics 92
 ADP ((NH₄)H₂PO₄)
 electro-optics 88, 92, 95, 96
 Advanced laser component 122
 Amplification, irreversible 19
 Amplified spontaneous emission (ASE) 67
 Amplitude
 modulation 90, 94
 modulator 94
 stabilization 59
 Analysis
 beam transfer, beam shaping 132
 deformation 273
 fringe
 by phase shifting 232
 of vibrating objects 257
 phase
 by phase stepping 256
 by spatial phase shifting 256
 in speckle interferometry 256
 vibration 273
 Fizeau arrangement 263
 Analytic signal 50
 Angle
 half, of divergence, lens resonator 193
 of divergence
 half, lens resonator 193
 higher-order modes, circular symmetry 159
 higher-order modes, rectangular symmetry 159
 of the Gaussian beam 158
 of misalignment 168
 Angular momentum operator 68
 Anisotropic
 crystal 86
 interaction 102
 Annihilation
 of a photon 15
 operator 10
 Annular ring 178
 Antibunching 24, 28
 photon 4, 59
 Antistokes Raman scattering, coherent (CARS) 56
 Aperture
 -limited stable resonator 164
 resonator with one 164
 resonator with two 166
 Approximation
 dipole 14

-
- Fresnel 268
 - rotating-wave 15, 71
 - slowly varying envelope (SVEA) 71
 - Arago 221
 - and Fresnel 226
 - Archimedic spiral curve, beam shaping 140
 - Area
 - cross-sectional, of the Gaussian beam 154
 - of coherence 54
 - small, pulse 76
 - ArF excimer, optical coating system 122
 - Arrangement
 - Fizeau, for vibration analysis 263
 - Mirau 237
 - Array, lenslet, beam shaping 134
 - ASE (amplified spontaneous emission) 67
 - Aspheric surface 246
 - Asymmetric confocal unstable ring resonator 199
 - Atom
 - field interaction 14
 - laser 35
 - optics 14, 32, 35
 - nonlinear 36
 - reservoir interaction 22
 - Rydberg 70
 - trapping 78
 - two-level 15
 - Autocorrelation function 25
 - Available power 187
 - Average
 - ensemble 51
 - time-, technique 265
 - Ba ions, pair of
 - superradiation 74
 - Band
 - pass filter 123
 - transmission, spectral 114
 - width of modulation 103
 - Basic principles of interference 222
 - BaTiO₃
 - electro-optics 88, 97
 - Beam
 - coherent
 - beam shaping 130
 - partially, beam shaping 132
 - deflector, electro-optic 94
 - Gaussian 154
 - angle of divergence 158
 - cross-sectional area 154
 - divergence 158
 - radius 153
 - integration, beam shaping 133
 - integrator
 - beam shaping 128, 134, 136
 - multifaceted, beam shaping 135
 - parameter product 160, 162, 179, 182, 195
 - maximum 195
 - partially coherent, beam shaping 132
 - propagation 157
 - factor 160, 161
 - of higher-order modes 160
 - resonator, unstable 172
 - quality 161
 - resonator, unstable 178
 - radius
 - at mirror, lens resonator 193
 - at the principal planes, lens resonator 193
 - Gaussian 153
 - higher-order modes, circular symmetry 159
 - higher-order modes, rectangular symmetry 159
 - scanning 127
 - shaping 127, 138
 - ABCD-matrix 129
 - ABCD-transformation 127
 - absorbing mask 127
 - Archimedic spiral curve 140
 - beam, partially coherent 132
 - beam integration 133
 - beam integrator 128, 134, 136
 - beam integrator, multifaceted 135
 - beam splitting 139
 - beam-transfer analysis 132
 - beam transformation 130
 - beamlet 128
 - coherence 138
 - coherence length 138
 - coherence length, transverse 128
 - coherent beam 130
 - Collins integral 130
 - diamond turning 141
 - element, manufacturing of 140
 - element, phase-diffusing 138
 - Fourier transformation 135
 - Gerchberg–Saxton iteration 130, 134
 - gray-scale lithography 141
 - GRIN technique 140
 - imaging integrator 134
 - integrator, flies-eye 135
 - intensity, mutual 132
 - lenslet array 134
 - lithographic technique 140, 141
 - lithography, gray-scale 141
 - mirror 141
 - multifaceted mirror 128
 - phase element, diffractive 140
 - phase element, non-quadratic 127
 - phase mask 127
 - power density distribution 127
 - projection technique 127
 - Schell model 138
 - smoothing parameter ρ 139

- structure function d 127
- technique 129
- technique, lithographic 140, 141
- tophat distribution 133
- tophat profile 128
- transformation efficiency 131
- Wigner distribution function 132
- splitting, beam shaping 139
- transfer analysis, beam shaping 132
- transformation, beam shaping 130
- two-, interference 223
- waist, location of, lens resonator 193
- Beamlet 128
 - beam shaping 128
 - shaping 127, 137, 140
- Bell
 - inequality 5, 31, 60
 - John S. 31
- Benzene (C_6H_6)
 - electro-optics 97
- β -ZnS
 - electro-optics 95
- BGO
 - acousto-optics 105
- Biological tissue, in-vivo 276
- Biphoton 60
- Birefringence 86
- Bloch sphere 72
- Bogoliubov, Nikolai N. 34
- Bohr, Niels 19, 26
- Boltzmann photon statistics 12
- Born, Max 3
- Bose
 - Einstein
 - condensate 35, 77
 - condensate Na, superradiation 74
 - condensation 4, 33, 34
 - distribution 62
 - Satyendra Nath 34
- Boson 34
- Boundary stability 150
- Bragg
 - acousto-optic
 - cell 108
 - modulator 104
 - cell 107
 - acousto-optic 108
 - condition 101, 102
 - diffraction 101
 - efficiency 102
 - modulator, acousto-optic 104
 - regime 101
- Branch
 - negative
 - resonator 175
 - resonator, unstable 172
 - ring resonator, unstable 200
 - positive
 - resonator 174
 - resonator, unstable 172
- Broadening, line-
 - homogeneous 187, 188
 - inhomogeneous 187, 190
- Brown
 - and Twiss 49, 58
 - Robert Hanbury 4
- Bunching
 - anti- 24, 28
 - photon 59
- Burnham-Chiao ringing 75
- Burning, spatial hole 184, 196
- Burshtein, Anatoly I. 26
- $C_{12}H_{10}$
 - in diphenyl, superradiation 74
- $C_5H_7NO_2$ (nitrotoluene)
 - electro-optics 97
- $C_6H_5NO_2$ (nitrobenzene)
 - electro-optics 97
- C_6H_6 (benzene)
 - electro-optics 97
- Calorimetric measurement 118
- Cam, phase-, set-up 234
- Carbon disulfide (CS_2)
 - electro-optics 97
- CARS (coherent Antistokes Raman scattering)
 - 56
- CCD (charge coupled device) 231
- CdTe
 - electro-optics 93, 95
- Cell
 - Bragg 107
 - acousto-optic 108
 - Kerr 85
- CGH (computer-generated hologram) 236, 244
- CH_3CN
 - superradiation 74
- CH_3F
 - superradiation 74
- Chaotic
 - light 55, 62
 - source 55
- Characterization of unstable resonators 172
- Charge coupled device (CCD) 231
- Charging time, electrode 91
- $CHCl_3$ (chloroform)
 - electro-optics 97
- Chloroform ($CHCl_3$)
 - electro-optics 97
- Choice, delayed, experiment 28
- Circular
 - symmetry
 - eigenmodes 152

- higher-order modes 159
 - higher-order modes, angle of divergence 159
 - higher-order modes, beam radius 159
 - higher-order modes, waist radius 159
 - resonance frequencies 163
 - waveguide
 - hollow 205
 - symmetric 209
 - Cittert, van 222
 - Zernike theorem 222
 - Class, crystal
 - 3m 92
 - 42m 92
 - 43m 93
 - Classical
 - light 49
 - stochastic quantity 71
 - Classification, resonator, optical 149
 - CMOS (complementary metal oxide semiconductor) 231
 - CO₂ laser
 - optical coating system 122
 - waveguide 201
 - Coating
 - fluoride 124
 - optical 114
 - production of 114
 - system
 - high-power broad-band 124
 - optical 122
 - optical, ArF-excimer 122
 - optical, CO₂-laser 122
 - optical, F₂-excimer 122
 - optical, HeNe-laser 122
 - optical, KrF-excimer 122
 - optical, Nd:YAG-laser 122
 - Coblentz sphere 119
 - Coefficient
 - elasto-optic 99
 - gain g_0 186
 - gain, small-signal g_0 184
 - thermal-lensing 191
 - Coherence 49, 52, 222
 - area of 54
 - beam shaping 138
 - complex degree of 223
 - degree of 52
 - complex 223
 - factor 224
 - first-order 52
 - full 52
 - higher-order 57
 - historical remarks 49
 - length 55, 222
 - beam shaping 138
 - longitudinal 53, 55
 - transverse 53, 55
 - transverse, beam shaping 128
 - matrix 240
 - partial 52
 - pure
 - spatial 222
 - temporal 222
 - spatial 53, 223
 - pure 222
 - temporal 52
 - pure 222
 - theory 51
 - higher-order 222
 - time 56, 222
 - volume 54
- Coherency matrix 228
- Coherent
 - Antistokes Raman scattering (CARS) 56
 - beam, beam shaping 130
 - interaction 56
 - matter waves 35
 - partially – beam, beam shaping 132
 - state 10, 56
 - Stokes Raman scattering (CSRS) 56
- Coincidence, delayed 59
- Collins integral, beam shaping 130
- Communication, quantum 4
- Commutation relation 8
- Complementary metal oxide semiconductor (CMOS) 231
- Complex
 - correlation factor 228
 - degree of coherence 223
- Component, laser, advanced 122
- Computer-generated hologram (CGH) 236, 244
- Computing, quantum 4
- Condensate, Bose–Einstein 35, 77
- Condensation, Bose–Einstein 4, 33, 34
- Condition
 - Bragg 101, 102
 - confocal 151
 - resonance, of the optical resonator 152
 - steady-state 185
- Configuration
 - dynamic retarder 90
 - waveguide resonator 206
- Confined output coupler 199
- Confocal
 - condition 151
 - resonator 175
 - asymmetric unstable ring 199
 - off-axis unstable 212
- Constant, Kerr 97
- Contrast, speckle 251
- Converging wave 173
- Conversion, down-, parametric 60

-
- Cooperative
 - Rayleigh scattering 77
 - spontaneous emission 67
 - system 77
 - Corrector, null 245
 - interferometry with 244
 - Correlation
 - factor, complex 228
 - fringe 255
 - function
 - field 51
 - first-order 51
 - second-order 51, 58
 - intensity
 - spatial 58
 - temporal 59
 - Coulomb gauge 5
 - condition 5
 - Coupler, output, confined 199
 - Coupling, output, optimum 187
 - Cr: ruby
 - superradiation 74
 - Creation of a photon 15
 - Critical parameter of laser components 117
 - Cross-sectional area of the Gaussian beam 154
 - Cryptography, quantum 37, 38
 - Crystal
 - anisotropic 86
 - class
 - 3m 92
 - $\bar{4}2m$ 92
 - $\bar{4}3m$ 93
 - liquid-, phase shifter 239
 - Cs vapor
 - superradiation 74
 - CS₂ (carbon disulfide)
 - electro-optics 97
 - CSRS (coherent Stokes Raman scattering) 56
 - CuCl
 - electro-optics 93
 - Curvature, radius of 158
 - Curve
 - Archimedic spiral, beam shaping 140
 - of constant magnification 175
 - of constant misalignment sensitivity 170
 - Damage
 - laser-induced 120
 - threshold (LIDT) 117, 120
 - threshold 94
 - Damped radiation field 18
 - Damping 19
 - term, phenomenological 71
 - Dark spot in a speckle pattern 253
 - Data recording
 - intensity, five-frame 233
 - intensity, four-frame 233
 - de Broglie wavelength 57
 - Decay, Weisskopf–Wigner 23
 - Decoherence 5, 19, 20, 51
 - Decomposition, mode 7
 - Deflector
 - acousto-optic 106
 - beam-, electro-optic 94
 - Deformable membrane mirror 247
 - Deformation
 - analysis 273
 - dynamic 272
 - digital holographic interferometry for 272
 - measurement 253, 260
 - Degeneracy parameter 54
 - Degenerate quantum gas, fermionic 4
 - Degree of coherence 52
 - complex 223
 - Dehmelt, Hans G. 27
 - Delayed
 - choice experiment 28
 - coincidence 59
 - Density distribution, power, beam shaping 127
 - Detector
 - charge-coupled (CCD) 231
 - “which-path” 28
 - Device, modulator 87
 - DHI (double heterodyne interferometry) 243
 - Diagram, stability 151
 - Diamond turning, beam shaping 141
 - Dicke 67
 - Diffraction
 - Bragg 101
 - efficiency 102
 - loss 167
 - Raman–Nath 100
 - Rayleigh–Sommerfeld 267
 - integral 267
 - Diffraction phase element, beam shaping 140
 - Digital
 - hologram 267
 - holographic interferometry 260, 272
 - for dynamic deformations 272
 - pulsed 276
 - holography 266
 - principle of 266
 - Diode
 - optical 196
 - pumped
 - monolithic nonplanar ring oscillator 200
 - Nd:YAG 191
 - Nd:YAG, monolithic nonplanar ring oscillator 200
 - Nd:YLF 191
 - Nd:YVO₄ 191
 - Dipole
 - approximation 14

- interaction operator 68
- moment
 - electric 14
 - operator, total 68
- operator 68
 - interaction- 68
- Dirac 67
 - Paul Adrian Maurice 3
- Displacement measurement 253
- Distance measurement, heterodyne interferometry for 241
- Distribution
 - Bose–Einstein 62
 - field, steady-state 152
 - function
 - photon 62
 - Wigner, beam shaping 132
 - Glauber–Sudarshan 13
 - phase space 19
 - photon 10
 - Poisson 10, 62, 63
 - power density, beam shaping 127
 - tophat, beam shaping 133
- Divergence
 - angle
 - half, lens resonator 193
 - higher-order modes, circular symmetry 159
 - higher-order modes, rectangular symmetry 159
 - of the Gaussian beam 158
 - half angle
 - lens resonator 193
 - of the Gaussian beam 158
- Diverging wave 173
- Donut mode 156
- Double
 - exposed hologram 265
 - exposure holography 265
 - heterodyne interferometry 243
 - slit
 - experiment 28, 29
 - Young’s 50
- Down-conversion, parametric 60
- Drei-Männer-Arbeit 3
- Duality, wave–particle 28
- Dynamic
 - deformation 272
 - digital holographic interferometry for 272
 - retardation 89
 - retarder configuration 90
- Effect
 - electro-optic
 - Kerr 86, 96
 - Kerr, in isotropic media 96
 - linear 86, 87
 - Pockels 86, 87
 - quadratic 86, 96
 - quadratic, in isotropic media 96
 - photoelastic 86, 98
 - vector – of interference 226
- Effective Fresnel number 164
- Efficiency
 - Bragg diffraction 102
 - extraction 183, 189
 - maximum 188, 198
 - slope 187
 - transformation –, beam shaping 131
- Ehrenreich and Woodruff relation 104
- Eigenmode
 - circular symmetry 152
 - of the optical resonator 151
 - of the resonator 153
 - rectangular symmetry 153
- Eigensolution 151
- Einstein
 - Albert 3, 30, 34
 - Podolsky, Rosen (EPR) 30
 - paradox 60
- Elasto-optic coefficient 99
- Electric
 - dipole moment 14
 - field
 - dipole interaction 14
 - strength 50
- Electro-magnetic, transverse (TEM) 153
- Electro-optic
 - beam deflector 94
 - effect
 - Kerr 86, 96
 - Kerr, in isotropic media 96
 - linear 86, 87
 - Pockels 86, 87
 - quadratic 86, 96
 - quadratic, in isotropic media 96
 - light modulator 85
 - material 95
 - modulator 96
 - light 85
- Electro-optics
 - AD*P ((NH₄)D₂PO₄) 92
 - ADP ((NH₄)H₂PO₄) 88, 92, 95, 96
 - BaTiO₃ 88, 97
 - benzene (C₆H₆) 97
 - β -ZnS 95
 - C₅H₇NO₂ (nitrotoluene) 97
 - C₆H₅NO₂ (nitrobenzene) 97
 - C₆H₆ (benzene) 97
 - disulfide (CS₂) 97
 - CdTe 93, 95
 - CHCl₃ (chloroform) 97
 - chloroform (CHCl₃) 97
 - CS₂ (carbon disulfide) 97

- CuCl 93
- GaAs 93, 95
- GaP 95
- GaSe 88
- H₂O (water) 97
- InAs 93
- KD₂PO₄ (KD*P) 92, 94–96
- KD*P (KD₂PO₄) 92, 94–96
- KDP (KH₂PO₄) 88, 91, 92, 94, 95
- KH₂PO₄ (KDP) 88, 91, 92, 94, 95
- KTa_{0.65}Nb_{0.35}O₃ 97
- LiNbO₃ 88, 92–96
- :MgO 96
- LiTaO₃ 88, 92, 95, 96
- MgO:LiNbO₃ 96
- (NH₄)D₂PO₄ (AD*P) 92
- (NH₄)H₂PO₄ (ADP) 88, 92, 95, 96
- nitrobenzene (C₆H₅NO₂) 97
- nitrotoluene (C₅H₇NO₂) 97
- Pb_{0.93}La_{0.07}(Zr_{0.65}Ti_{0.35})O₃ 97
- water (H₂O) 97
- ZnS 93
- β– 95
- ZnSe 95
- ZnTe 95
- Electrode charging time 91
- Electron–hole plasma 78
- Electronic
 - phase evaluation technique 231
 - speckle pattern interferometry 254
- Element
 - beam-shaping, manufacturing of 140
 - phase
 - diffractive, beam shaping 140
 - diffusing, beam shaping 138
 - non-quadratic, beam shaping 127
- Emission, spontaneous 5, 24
- amplified (ASE) 67
- cooperative 67
- Endoscope, fiber 276
- Endoscopic investigation 276
- Energy
 - of the radiation field 7
 - output per pulse 189
- Ensemble average 51
- Entangled
 - photon pair 60
 - state 4
- Entanglement 30
- EPR (Einstein, Podolsky, Rosen) 30
- paradox 60
- source 37
- Equal
 - inclination fringe 225
 - thickness fringe 225
- Equation
 - Gross–Pitaevskii 34
 - Helmholtz 6
 - Kirchhoff integral 151
 - master 18, 21, 22, 69
 - Maxwell–Bloch (MB) 71
 - quantum (QMB) 71
 - Schrödinger 15
- Equivalent *G*-parameter 149, 164, 174
- Eu vapor
 - superradiation 74
- Evaluation technique, phase, electronic 231
- Evaporation, thermal 121
- Excimer laser
 - ArF-, optical coating system 122
 - F₂-, optical coating system 122
 - KrF-, optical coating system 122
- Excitation 54
- Expansion, mode 5
- Experiment
 - delayed choice 28
 - double-slit 28, 29
 - Franson 61
- Exponential method 118
- Exposed, double, hologram 265
- Exposure, double, holography 265
- Extended multiatomic system 70
- External modulation 85
- Extraction efficiency 183, 189
- maximum 188, 198
- F₂ excimer, optical coating system 122
- Fabry–Perot interferometer 231
- Factor
 - coherence 224
 - correlation, complex 228
 - fill 187
 - loss 151, 152, 165, 166
 - per round trip 176
 - propagation
 - beam 160, 161
- Far off-resonant case 17
- Faraday rotator 197
- Fast Fourier transform (FFT) 268
- FEL (free electron laser) 78
- Fermionic quantum gas, degenerate 4
- Feshbach resonance 36
- FFT (fast Fourier transform) 268
- Fiber endoscope 276
- Field
 - correlation function 51
 - distribution, steady-state 152
 - mode 50
 - quantization 5, 7
 - radiation –, damped 18
 - single-mode 50

-
- state 8
 - strength, electric 50
 - Fill factor 187
 - Film, thin
 - absorption 117
 - matrices M_m 112
 - polarizer 123
 - reflectance 113
 - system 111
 - technology 111
 - future trends in 123
 - Filter
 - band-pass 123
 - rugate 124
 - First-order
 - coherence 52
 - correlation function 51
 - Five-frame intensity data recording 233
 - Fizeau
 - arrangement for vibration analysis 263
 - fringe 225
 - interferometer 230
 - Flashlamp-pumped
 - Nd:glass 191
 - Nd:YAG 191
 - Nd:YAP 191
 - Nd:YLF 191
 - Flies-eye integrator, beam shaping 135
 - Fluctuation, vacuum 5
 - Fluorescence, resonance 24
 - Fluoride coating 124
 - Fock state 9, 16, 17, 29
 - Focus, intracavity 199
 - Formulation, path integral 3
 - Four-frame intensity data recording 233
 - Four-wave mixing 36
 - Fourier
 - hologram 264
 - lensless 269
 - quasi-, hologram 270
 - transform
 - fast (FFT) 268
 - technique 232
 - temporal speckle pattern shearing interferometry (TSPSI) 258
 - transformation, beam shaping 135
 - Franson experiment 61
 - Free electron laser (FEL) 78
 - Frequency
 - Rabi 15, 16
 - resonance 163
 - circular symmetry 163
 - rectangular symmetry 163
 - Fresnel 221
 - and Arago 226
 - approximation 268
 - hologram 264, 270
 - number 166
 - effective 164
 - Fringe
 - analysis, by phase shifting 232
 - correlation 255
 - Fizeau 225
 - Haidinger 225
 - of equal inclination 225
 - of equal thickness 225
 - Full coherence 52
 - Function
 - autocorrelation 25
 - correlation
 - field 51
 - first-order 51
 - second-order 51, 58
 - distribution
 - photon 62
 - Wigner, beam shaping 132
 - structure, beam shaping 127
 - transfer 117
 - Fundamental mode 154, 157
 - operation 169
 - waveguide 205
 - Fused silica
 - acousto-optics 105
 - Future trends in thin-film technology 123
 - g -parameter 149
 - G -parameter, equivalent 149, 164, 174
 - Ga vapor
 - superradiation 74
 - GaAs
 - acousto-optics 105
 - electro-optics 93, 95
 - Gabor 263
 - Gain coefficient
 - g_0 186
 - small-signal g_0 184
 - GaP
 - acousto-optics 105, 106, 108
 - electro-optics 95
 - Gas, quantum, degenerate fermionic 4
 - GaSe
 - electro-optics 88
 - Gauge
 - condition, Coulomb 5
 - Coulomb 5
 - condition 5
 - Gauss
 - Hermite mode 152, 153
 - Laguerre mode 152
 - Gaussian
 - beam 154
 - angle of divergence 158
 - cross-sectional area 154

- divergence 158
- radius 153
- speckle 252
- Ge
 - acousto-optics 105
- GeAsSe glass
 - acousto-optics 105
- General interference law 224
- Gerchberg–Saxton iteration, beam shaping 130, 134
- Glass
 - GeAsSe, acousto-optics 105
- Glauber 49
 - Roy J. 4
 - state 56
 - Sudarshan distribution 13
- Gouy phase shift 158
- Grating
 - interferometer 236
 - matched, rotational 243
 - phase 99
 - moving 98
 - rotating 242
 - volume-index 99
- Gray-scale lithography, beam shaping 141
- Green–Twyman interferometer 229
- GRIN technique, beam shaping 140
- Gross–Pitaevskii equation 34
- H₂O (water)
 - electro-optics 97
- Hahn and McCall, theorem of 72
- Haidinger fringe 225
- Haken, Hermann 4
- Half
 - angle of divergence, lens resonator 193
 - wave voltage 89, 90
- Hamiltonian 8, 15
 - interaction 15
 - Jaynes–Cummings–Paul (JCP) 18, 21
 - JCP (Jaynes–Cummings–Paul) 18, 21
- Hartmann 246
 - sensor 246
 - Shack 246
 - sensor 246
- ⁴He, liquid, superfluidity of 34
- Heisenberg
 - inequality 8
 - Werner 26
- Helmholtz equation 6
- HeNe laser, optical coating system 122
- Hermite
 - Gauss mode 152, 153
 - polynomials 153
- Heterodyne interferometry
 - absolute 243
 - with rotational matched grating 243
- double 243
 - for distance measurement 241
 - for velocity measurement 241
- HF
 - superradiation 74
- Hg₂Cl₂
 - acousto-optics 105
- High-precision metrology 221
- High-reflecting mirror 120
- Higher-order coherence 57
 - theory 222
- Higher-order modes 159
 - beam propagation of 160
 - circular symmetry 159
 - angle of divergence 159
 - beam radius 159
 - waist radius 159
 - rectangular symmetry 159
 - angle of divergence 159
 - beam radius 159
 - waist radius 159
- Historical remarks
 - coherence 49
- Hole burning, spatial 184, 196
- Hollow waveguide
 - circular 205
 - rectangular 202
- Hologram
 - computer-generated (CGH) 236, 244
 - digital 267
 - double-exposed 265
 - Fourier 264
 - lensless 269
 - quasi- 270
 - Fresnel 264, 270
 - image-plane 264, 271
 - lensless Fourier 269
 - quasi-Fourier 270
 - spectrum of 269
- Holographic interferometry 221, 263
 - digital 260, 272
 - for dynamic deformations 272
 - principle of 265
 - pulsed digital 276
- Holography
 - digital 266
 - principle of 266
 - double-exposure 265
 - principle of 263
 - real-time 265
- Homogeneous line broadening 187, 188
- Homogeneously broadened laser 187
- Hong–Ou–Mandel interferometer 60
- Hopkins 222
- Huygens 221
- Hybrid mode 156

-
- Image-plane hologram 264, 271
 - Imaging integrator, beam shaping 134
 - In-vivo biological tissue 276
 - InAs
 - electro-optics 93
 - Incidence, oblique
 - interferometer
 - grating 236
 - prismatic 234
 - interferometry 234
 - Inclination, equal, fringes of 225
 - Incoherence 52
 - Independent sources 56
 - Induced superradiation 73
 - Inequality
 - Bell 5, 31, 60
 - Heisenberg 8
 - Information, quantum 4, 36
 - Inhomogeneous line broadening 187, 190
 - Inhomogeneously broadened laser 187
 - Insulator, Mott 36
 - Integral
 - Collins, beam shaping 130
 - diffraction, Rayleigh–Sommerfeld 267
 - equation, Kirchhoff 151
 - Integration, beam-, beam shaping 133
 - Integrator
 - beam
 - beam shaping 128, 134, 136
 - multifaceted, beam shaping 135
 - flies-eye, beam shaping 135
 - imaging, beam shaping 134
 - Intensity
 - correlation
 - spatial 58
 - temporal 59
 - data recording
 - five-frame 233
 - four-frame 233
 - interference 58
 - interferometer 4
 - interferometry, stellar 58
 - modulator, acousto-optic 106
 - mutual, beam shaping 132
 - saturation 185
 - Interaction
 - anisotropic 102
 - atom–field 14
 - atom–reservoir 22
 - coherent 56
 - electric field–dipole 14
 - Hamiltonian 15
 - isotropic 101
 - operator, dipole 68
 - Interference 50
 - basic principles of 222
 - in a plane-parallel plate 224
 - intensity 58
 - law, general 224
 - optical 50
 - particle 57
 - photon-pair 61
 - two-beam 223
 - vector effect of 226
 - Interferometer
 - Fabry–Perot 231
 - Fizeau 230
 - grating 236
 - Hong–Ou–Mandel 60
 - intensity 4
 - Mach–Zehnder 28, 230
 - Michelson 228
 - prismatic 234
 - Twyman–Green 229
 - white-light 238
 - Interferometry 221
 - digital holographic 260, 272
 - for dynamic deformations 272
 - pulsed 276
 - for surface metrology 234
 - heterodyne
 - absolute 243
 - absolute, with rotational matched grating 243
 - double 243
 - for distance measurement 241
 - for velocity measurement 241
 - holographic 221, 263
 - digital 260, 272
 - digital, for dynamic deformations 272
 - digital, pulsed 276
 - principle of 265
 - intensity, stellar 58
 - multiwavelength 236
 - oblique incidence 234
 - phase-locked 234
 - polarization 239
 - pulsed digital holographic 276
 - shearing 231
 - speckle
 - pattern 221, 250, 253
 - pattern shearing, temporal Fourier-transform (TSPSI) 258
 - pattern, electronic 254
 - pattern, temporal (TSPI) 257
 - phase analysis in 256
 - white-light 237
 - with a null corrector 244
 - with adaptive optics 244
- Internal modulation 85
- Intracavity focus 199

-
- Investigation, endoscopic 276
 - Ion
 - beam sputtering 116
 - trap 16
 - trapping 78
 - Irreversible amplification 19
 - Isotropic
 - interaction 101
 - media
 - Kerr effect in 96
 - quadratic electro-optic effect in 96
 - Iteration, Gerchberg–Saxton, beam shaping 130, 134
 - Jaynes–Cummings–Paul (JCP)
 - Hamiltonian 18, 21
 - model 14, 15
 - JCP (Jaynes–Cummings–Paul)
 - Hamiltonian 18, 21
 - model 14, 15
 - Jordan, Pascual 3, 27
 - Jump, quantum 26, 27
 - KD_2PO_4 (KD^*P)
 - electro-optics 92, 94–96
 - KD^*P (KD_2PO_4)
 - electro-optics 92, 94–96
 - KDP (KH_2PO_4)
 - electro-optics 88, 91, 92, 94, 95
 - Kerr
 - cell 85
 - constant 97
 - electro-optic effect 86, 96
 - in isotropic media 96
 - John 96
 - KH_2PO_4 (KDP)
 - electro-optics 88, 91, 92, 94, 95
 - Kirchhoff integral equation 151
 - KrF excimer, optical coating system 122
 - $\text{KTa}_{0.65}\text{Nb}_{0.35}\text{O}_3$
 - electro-optics 97
 - Laguerre
 - Gauss mode 152
 - polynomials 152
 - Lamb
 - shift 5, 23
 - Willis E. 4, 23
 - $\lambda/4$ plate, rotating 242
 - Laser
 - ArF-excimer, optical coating system 122
 - atom 35
 - broadened
 - homogeneously 187
 - inhomogeneously 187
 - calorimetric measurement 118
 - CO_2
 - optical coating system 122
 - waveguide 201
 - component
 - advanced 122
 - critical parameters of 117
 - quality parameters of 116, 117
 - excimer
 - ArF-, optical coating system 122
 - F_2 -, optical coating system 122
 - KrF-, optical coating system 122
 - F_2 -excimer, optical coating system 122
 - free-electron (FEL) 78
 - HeNe, optical coating system 122
 - homogeneously broadened 187
 - induced damage 120
 - threshold (LIDT) 117, 120
 - inhomogeneously broadened 187
 - KrF-excimer, optical coating system 122
 - light 55
 - Nd:YAG, optical coating system 122
 - power 186
 - slab waveguide 201, 210
 - waveguide
 - CO_2 201
 - slab 201, 210
 - Laue 222
 - M. von 54
 - Law
 - ABCD 154, 157
 - for the q -parameter 159
 - interference, general 224
 - radiation, Planck's 54
 - Lax, Melvin 4
 - Leith and Upatnieks 263
 - Length, coherence 55, 222
 - beam shaping 138
 - longitudinal 53, 55
 - transverse 53, 55
 - beam shaping 128
 - Lens resonator 191, 192
 - beam radius
 - at mirror 193
 - at the principal planes 193
 - half angle of divergence 193
 - location of beam waist 193
 - waist radii 193
 - Lensing, thermal 190
 - coefficient 191
 - Lensless Fourier hologram 269
 - Lenslet array, beam shaping 134
 - Lewis, Gilbert N. 4
 - LIDT (laser-induced damage threshold) 117, 120
 - Light
 - chaotic 55, 62

- classical 49
- laser 55
- modulator
 - acousto-optic 85
 - electro-optic 85
- non-classical 50, 59
- propagation 86
- white
 - interferometer 238
 - interferometry 237
- LiNbO₃
 - acousto-optics 98, 102, 105, 108
 - electro-optics 88, 92–96
- :MgO
 - electro-optics 96
- Line broadening
 - homogeneous 187, 188
 - inhomogeneous 187, 190
- Linear
 - electro-optic effect 86, 87
 - resonator
 - stable 147
 - unstable 147
- Liouville operator 18, 20
- Liquid
 - ⁴He, superfluidity of 34
 - crystal phase shifter 239
- LiTaO₃
 - electro-optics 88, 92, 95, 96
- Lithographic technique, beam shaping 140, 141
- Lithography, gray-scale, beam shaping 141
- Local realistic theory (LRT) 31
- Location of beam waist, lens resonator 193
- London, Fritz 34
- Longitudinal coherence length 53, 55
- Loss
 - calculation, waveguide resonator 208
 - diffraction 167
 - factor 151, 152, 165, 166
 - per round trip 176
 - per round trip, unstable resonator 174
 - optical 117
 - resonator 209
 - unstable 176
 - round-trip, waveguide resonator 207
- Louisell, William H. 4
- Lowering operator 68
- LRT (local realistic theory) 31
- Mach–Zehnder interferometer 28, 230
- Magnetic trap 34
- Magneto-optical trap 34
- Magnetron sputtering technique 122
- Magnification 173, 174
 - curves of constant 175
- Mandel 222
 - Q*-parameter 13
- Manufacturing
 - of beam-shaping elements 140
 - rapid 122
- Maser, one-atom 4, 20
- Mask
 - absorbing, beam shaping 127
 - phase, beam shaping 127
- Master
 - equation 18, 21, 22, 69
 - system 4
- Material
 - acousto-optic 105
 - electro-optic 95
- Matrix
 - ABCD, beam shaping 129
 - coherence 240
 - coherency 228
 - ray-transfer 149
 - thin-film 112
- Matter waves, coherent 35
- Maximum
 - beam parameter product 195
 - extraction efficiency 188, 198
 - output power 187
- Maxwell
 - Bloch
 - equations (MB) 71
 - equations, quantum (QMB) 71
 - system, undamped 72
 - James Clerk 3
- MB (Maxwell–Bloch) equations 71
- McCall and Hahn, theorem of 72
- Measurement
 - calorimetric 118
 - deformation 253, 260
 - displacement 253
 - distance, heterodyne interferometry for 241
 - stress 253
 - velocity, heterodyne interferometry for 241
 - vibration 253, 262
- Media, isotropic
 - Kerr effect in 96
 - quadratic electro-optic effect in 96
- Membrane mirror 248
 - deformable 247
- Meter, prototype of 221
- Metrology
 - high-precision 221
 - surface, interferometry for 234
- MgO:LiNbO₃
 - electro-optics 96
- Michelson 221
 - interferometer 228
- Mirau arrangement 237
- Mirror
 - beam radius at, lens resonator 193

- beam shaping 141
- high-reflecting 120
- membrane 248
 - deformable 247
- moving 85
- multifaceted, beam shaping 128
- output-coupling 174
- variable-reflectivity (VRM) 180, 181
- Misalignment
 - angle of 168
 - resonator 169
 - sensitivity 167, 170
 - curves of constant 170
- Mixed state 9
- Mixing
 - four-wave 36
 - two-photon 60
- Mode
 - decomposition 7
 - donut 156
 - expansion 5
 - field 50
 - fundamental 154, 157
 - operation 169
 - waveguide 205
 - Gauss–Hermite 152, 153
 - Gauss–Laguerre 152
 - higher-order 159
 - beam propagation 160
 - circular symmetry 159
 - circular symmetry, angle of divergence 159
 - circular symmetry, beam radius 159
 - circular symmetry, waist radius 159
 - rectangular symmetry 159
 - rectangular symmetry, angle of divergence 159
 - rectangular symmetry, beam radius 159
 - rectangular symmetry, waist radius 159
 - hybrid 156
 - locking, active 85
 - multi-, operation 170
 - transverse 194
 - normal 6
 - property, waveguide resonator 208
 - structure
 - resonator, unstable 176
 - transverse 152
 - transverse 155
 - TEM_{mn} 154
 - waveguide 203
 - fundamental 205
- Model
 - Jaynes–Cummings–Paul (JCP) 14, 15
 - JCP (Jaynes–Cummings–Paul) 14, 15
 - Schell, beam shaping 138
- Modulation
 - amplitude 90, 94
 - bandwidth 103
 - external 85
 - internal 85
 - phase 88, 94
 - polarization 89
 - sinusoidal 91
- Modulator 85
 - acousto-optic 98, 106
 - Bragg 104
 - intensity 106
 - amplitude 94
 - Bragg, acousto-optic 104
 - device 87
 - electro-optic 96
 - intensity, acousto-optic 106
 - light
 - acousto-optic 85
 - electro-optic 85
 - phase 94
 - traveling-wave 91
- Mollow
 - Benjamin R. 26
 - spectrum 25
 - triplet 4
- Moment, dipole, operator, total 68
- Momentum
 - angular, operator 68
 - operator 8
- Monolithic nonplanar ring oscillator, diode-laser-pumped 200
- Motion, quantum 16
- Mott insulator 36
- Moving
 - mirror 85
 - phase grating 98
- Multiatomic extended system 70
- Multifaceted
 - beam integrator, beam shaping 135
 - mirror, beam shaping 128
- Multimode operation 170
 - transverse 194
- Multiwavelength interferometry 236
- Mutual intensity, beam shaping 132
- Na
 - BE-condensate, superradiation 74
 - vapor, superradiation 74
- Nd:glass
 - flashlamp-pumped 191
- Nd:YAG
 - diode-pumped 191
 - monolithic nonplanar ring oscillator 200
 - flashlamp-pumped 191
 - laser, optical coating system 122

-
- superradiation 74
 - Nd:YAP
 - flashlamp-pumped 191
 - Nd:YLF
 - diode-pumped 191
 - flashlamp-pumped 191
 - Nd:YVO₄
 - diode-pumped 191
 - Negative-branch resonator 175
 - ring, unstable 200
 - unstable 172
 - Newton ring 221
 - NH₃
 - superradiation 74
 - (NH₄)D₂PO₄ (AD*P)
 - electro-optics 92
 - (NH₄)H₂PO₄ (ADP)
 - electro-optics 88, 92, 95, 96
 - Nitrobenzene (C₆H₅NO₂)
 - electro-optics 97
 - Nitrotoluene (C₅H₇NO₂)
 - electro-optics 97
 - Non-classical light 50, 59
 - Non-classicality 13
 - Non-destructive testing 221
 - Nonlinear atom optics 36
 - Nonplanar ring
 - monolithic, diode-laser-pumped 200
 - resonator 200
 - Normal mode 6
 - Null corrector 245
 - interferometry with 244
 - Number
 - Fresnel 166
 - effective 164
 - occupation 54
 - photon 63
 - O₂
 - centers in KCl, superradiation 74
 - in KCl, superradiation 74
 - Object, vibrating, analysis of 257
 - Oblique incidence
 - interferometer
 - grating 236
 - prismatic 234
 - interferometry 234
 - Occupation number 54
 - Off-axis confocal unstable resonator 212
 - One-atom maser 4, 20
 - Operation
 - fundamental-mode 169
 - multimode 170
 - transverse 194
 - unidirectional 199
 - Operator
 - angular momentum 68
 - annihilation 10
 - dipole 68
 - interaction 68
 - moment, total 68
 - interaction, dipole 68
 - Liouville 18, 20
 - lowering 68
 - momentum 8
 - angular 68
 - Pauli 15
 - position 8
 - raising 68
 - total dipole moment 68
 - Optical
 - coating 114
 - production of 114
 - system 122
 - system, ArF-excimer 122
 - system, CO₂-laser 122
 - system, F₂-excimer 122
 - system, HeNe-laser 122
 - system, KrF-excimer 122
 - system, Nd:YAG-laser 122
 - diode 196
 - interference 50
 - laser component, quality parameters of 116, 117
 - loss 117
 - resonator 147
 - classification 149
 - eigenmodes 151
 - resonance condition 152
 - testing 221, 228
 - Optics
 - adaptive 246
 - interferometry with 244
 - atom 14, 32, 35
 - nonlinear 36
 - quantum 3
 - Optimum
 - output coupling 187
 - reflectance 188
 - Oscillator, ring, monolithic nonplanar, diode-laser-pumped 200
 - Output
 - coupler, confined 199
 - coupling
 - mirror 174
 - optimum 187
 - energy per pulse 189
 - power
 - maximum 187
 - resonator, stable 184
 - Paradox
 - Einstein, Podolsky, Rosen (EPR) 60
 - EPR (Einstein, Podolsky, Rosen) 60

-
- Parametric down-conversion 60
 - Partial coherence 52
 - Partially coherent beam, beam shaping 132
 - Particle interference 57
 - Path integral formulation 3
 - Pattern, speckle
 - dark spot 253
 - interferometry 221, 250, 253
 - electronic 254
 - shearing, temporal, Fourier-transform (TSPSI) 258
 - temporal (TSPI) 257
 - Paul trap 16
 - Pauli
 - operator 15
 - Wolfgang 27
 - $\text{Pb}_{0.93}\text{La}_{0.07}(\text{Zr}_{0.65}\text{Ti}_{0.35})\text{O}_3$
 - electro-optics 97
 - PbMoO_4
 - acousto-optics 98, 105, 106
 - Perot
 - Fabry interferometer 231
 - Phase
 - analysis
 - by phase stepping 256
 - by spatial phase shifting 256
 - in speckle interferometry 256
 - cam, set-up 234
 - diffusing element, beam shaping 138
 - element
 - diffractive, beam shaping 140
 - non-quadratic, beam shaping 127
 - evaluation technique, electronic 231
 - grating 99
 - moving 98
 - locked interferometry 234
 - mask, beam shaping 127
 - modulation 88, 94
 - modulator 94
 - shift, Gouy 158
 - shifter, liquid-crystal 239
 - shifting
 - fringe analysis by 232
 - spatial, phase analysis by 256
 - space distribution 19
 - state 9
 - stepping, phase analysis by 256
 - unwrapping, temporal 278
 - Phenomenological damping term 71
 - Photoelastic effect 86, 98
 - Photon 4, 57
 - annihilation of 15
 - antibunching 4, 59
 - bunching 59
 - counting statistics 62
 - creation of 15
 - distribution 10
 - function 62
 - number 63
 - state 9, 17
 - state preparation 16
 - pair
 - entangled 60
 - interference 61
 - statistics
 - Boltzmann 12
 - steady-state 21
 - Planar ring resonator 197
 - Planck
 - Max 3
 - radiation law 54
 - Plane
 - image-, hologram 264, 271
 - principal, beam radius at, lens resonator 193
 - Plane-parallel plate, interference in 224
 - Plasma, electron-hole 78
 - Plate
 - $\lambda/4$, rotating 242
 - plane-parallel, interference in 224
 - Pockels
 - electro-optic effect 86, 87
 - Friedrich Carl Alwin 87
 - Podolsky, Boris 30
 - Poisson distribution 10, 62, 63
 - Polarization
 - interferometry 239
 - modulation 89
 - TE- 227
 - TM- 227
 - Polarizer
 - sample compensator analyzer (PSCA) 239
 - thin-film 123
 - Polynomial
 - Hermite 153
 - Laguerre 152
 - Position
 - of waist 157
 - operator 8
 - Positive-branch resonator 174
 - unstable 172
 - Potential, vector 5
 - Power
 - available 187
 - density distribution, beam shaping 127
 - laser 186
 - output
 - maximum 187
 - resonator, stable 184
 - Preparation, state
 - photon number 16
 - Schrödinger cat 17

-
- Principal plane, beam radius at, lens resonator 193
 - Principle
 - of digital holography 266
 - of holographic interferometry 265
 - of holography 263
 - polarizer-sample-compensator-analyzer (PSCA) 239
 - PSCA (polarizer sample compensator analyzer) 239
 - Prismatic interferometer 234
 - Probability, transition 69
 - Product, beam parameter 160, 162, 179, 182, 195
 - maximum 195
 - Production of optical coatings 114
 - Profile
 - reflectivity, super-Gaussian 181
 - tophat, beam shaping 128
 - Projection technique, beam shaping 127
 - Propagation
 - beam 157
 - factor 160, 161
 - of higher-order modes 160
 - resonator, unstable 172
 - of light 86
 - Property
 - mode, waveguide resonator 208
 - of speckles 251
 - resonator 148
 - Prototype of the meter 221
 - PSCA (polarizer sample compensator analyzer) 239
 - Pulse
 - 2π secanthyperbolic 72
 - small-area 76
 - superradiant 69
 - tipping 76
 - Pulsed digital holographic interferometry 276
 - Pure
 - coherence
 - spatial 222
 - temporal 222
 - state 9
 - q -parameter 160
 - ABCD law for 159
 - Q -switching 85
 - QED (quantum electrodynamics) 3
 - QMB (quantum Maxwell–Bloch) equations 71
 - Quadratic electro-optic effect 86, 96
 - in isotropic media 96
 - Quality
 - beam 161
 - resonator, unstable 178
 - parameter of optical laser components 116, 117
 - surface 117
 - Quantity, classical stochastic 71
 - Quantization, field 5, 7
 - Quantum
 - communication 4
 - computing 4
 - cryptography 37, 38
 - electrodynamics (QED) 3
 - gas, degenerate fermionic 4
 - information 4, 36
 - jump 26, 27
 - method 19
 - Maxwell–Bloch (QMB) equations 71
 - motion 16
 - optics 3
 - state engineering 16
 - teleportation 36
 - Quarter-wave optical thickness (QWOT) 112
 - Quasi-Fourier hologram 270
 - QWOT (quarter-wave optical thickness) 112
 - Rabi frequency 15, 16
 - Radiation
 - field
 - damped 18
 - energy of 7
 - law, Planck’s 54
 - Radius
 - beam
 - at mirror, lens resonator 193
 - at the principal planes, lens resonator 193
 - Gaussian 153
 - higher-order modes, circular symmetry 159
 - higher-order modes, rectangular symmetry 159
 - Gaussian beam 153
 - of curvature 158
 - waist 157
 - higher-order modes, circular symmetry 159
 - higher-order modes, rectangular symmetry 159
 - lens resonator 193
 - Raising operator 68
 - Raman–Nath
 - diffraction 100
 - regime 100
 - Ramsey set-up 17
 - Range, Rayleigh 157, 159
 - Rapid manufacturing 122
 - Ray transfer matrix 149
 - Rayleigh
 - range 157, 159
 - scattering 77
 - cooperative 77
 - Sommerfeld diffraction 267
 - integral 267
 - Rb
 - atomic beam, superradiation 74
 - superradiation 74

-
- Real-time holography 265
 - Recording, intensity data
 - five-frame 233
 - four-frame 233
 - Rectangular
 - symmetry
 - eigenmodes 153
 - higher-order modes 159
 - higher-order modes, angle of divergence 159
 - higher-order modes, beam radius 159
 - higher-order modes, waist radius 159
 - resonance frequencies 163
 - resonator, unstable 179
 - waveguide, hollow 202
 - Reflectance
 - optimum 188
 - spectrum 113
 - thin-film 113
 - Reflectivity
 - profile, super-Gaussian 181
 - variable – mirror (VRM) 180, 181
 - Regime
 - Bragg 101
 - Raman–Nath 100
 - Relation
 - commutation 8
 - Woodruff and Ehrenreich 104
 - Reservoir theory 4, 18
 - Resonance
 - condition of the optical resonator 152
 - Feshbach 36
 - fluorescence 24
 - frequency 163
 - circular symmetry 163
 - rectangular symmetry 163
 - Resonator
 - basic properties 148
 - configuration, waveguide 206
 - confocal 175
 - eigenmode 153
 - lens 191, 192
 - beam radius at mirror 193
 - beam radius at the principal planes 193
 - half angle of divergence 193
 - location of beam waist 193
 - waist radii 193
 - linear
 - stable 147
 - unstable 147
 - loss 209
 - misalignment 169
 - negative-branch 175
 - nonplanar, ring 200
 - optical 147
 - classification 149
 - eigenmodes 151
 - resonance condition 152
 - planar, ring 197
 - positive-branch 174
 - ring 148, 196
 - nonplanar 200
 - planar 197
 - unstable 198
 - unstable, asymmetric confocal 199
 - unstable, negative-branch 200
 - stable 150
 - aperture-limited 164
 - linear 147
 - output power 184
 - unconfined 151
 - unconfined, stable 151
 - unstable 150, 172
 - applications of 183
 - beam propagation 172
 - beam quality 178
 - characterization of 172
 - linear 147
 - loss 176
 - loss factor per round trip 174
 - mode structure 176
 - negative-branch 172
 - off-axis confocal 212
 - positive-branch 172
 - rectangular symmetry 179
 - ring 198
 - ring, asymmetric confocal 199
 - ring, negative-branch 200
 - waveguide 148, 201, 205
 - configuration 206
 - loss calculations 208
 - mode properties 208
 - round-trip loss 207
 - with one aperture 164
 - with two apertures 166
 - Response time 88
 - Retardation, dynamic 89
 - Retarder, dynamic, configuration 90
 - Retherford, Robert C. 23
 - Ring
 - annular 178
 - monolithic, nonplanar, diode-laser-pumped 200
 - Newton 221
 - nonplanar
 - monolithic, diode-laser-pumped 200
 - resonator 200
 - resonator 148, 196
 - nonplanar 200
 - planar 197
 - unstable 198
 - unstable, asymmetric confocal 199
 - unstable, negative-branch 200
 - Ringling, Burnham–Chiao 75

-
- Rosen, Nathan 30
 - Rotating
 - grating 242
 - $\lambda/4$ plate 242
 - wave approximation (RWA) 15, 71
 - Rotational matched grating 243
 - Rotator, Faraday 197
 - Round-trip loss
 - factor 176
 - waveguide resonator 207
 - Rugate filter 124
 - Running wave 6
 - RWA (rotating wave approximation) 71
 - Rydberg atom 70

 - Saturation intensity 185
 - Scanning, beam 127
 - Scattering
 - Antistokes Raman, coherent (CARS) 56
 - coherent
 - Antistokes Raman (CARS) 56
 - Stokes Raman (CSRS) 56
 - Rayleigh 77
 - Stokes Raman, coherent (CSRS) 56
 - total 119
 - Schell model, beam shaping 138
 - Schrödinger
 - cat state preparation 17
 - equation 15
 - Erwin 26
 - picture 7
 - Scraper 199
 - Scully, Marlan O. 4
 - Secanthyperbolic 2π pulse 72
 - Second-order
 - correlation function 51, 58
 - strain tensor 86
 - Self-induced transparency (SIT) 72
 - Sensitivity, misalignment 167, 170
 - curves of constant 170
 - Sensor
 - Hartmann 246
 - Shack–Hartmann 246
 - Set-up
 - phase cam 234
 - Ramsey 17
 - Shack–Hartmann 246
 - sensor 246
 - Shaping
 - beam 127, 138
 - ABCD-matrix 129
 - ABCD-transformation 127
 - absorbing mask 127
 - Archimedic spiral curve 140
 - beam integration 133
 - beam integrator 128, 134, 136
 - beam integrator, multifaceted 135
 - beam splitting 139
 - beam transformation 130
 - beam, partially coherent 132
 - beam-transfer analysis 132
 - beamlet 128
 - coherence 138
 - coherence length 138
 - coherence length, transverse 128
 - coherent beam 130
 - Collins integral 130
 - diamond turning 141
 - element, manufacturing of 140
 - element, phase-diffusing 138
 - Fourier transformation 135
 - Gerchberg–Saxton iteration 130, 134
 - gray-scale lithography 141
 - GRIN technique 140
 - imaging integrator 134
 - integrator, flies-eye 135
 - integrator, imaging 134
 - intensity, mutual 132
 - lenslet array 134
 - lithographic technique 140, 141
 - lithography, gray-scale 141
 - mirror 141
 - multifaceted mirror 128
 - phase element, diffractive 140
 - phase element, non-quadratic 127
 - phase mask 127
 - power density distribution 127
 - projection technique 127
 - Schell model 138
 - smoothing parameter ρ 139
 - structure function d 127
 - technique 129
 - technique, lithographic 140, 141
 - tophat distribution 133
 - tophat profile 128
 - transformation efficiency 131
 - Wigner distribution function 132
 - beamlet 127, 137, 140
 - Shearing interferometry 231
 - Shift
 - Lamb 5, 23
 - phase, Gouy 158
 - Shifter, phase, liquid-crystal 239
 - Shifting, phase
 - fringe analysis by 232
 - spatial, phase analysis by 256
 - Shutter 85
 - Signal, analytic 50
 - Silica, fused
 - acousto-optics 105
 - Single-mode field 50

-
- Sinusoidal modulation 91
 - SiO₂
 - acousto-optics 98
 - /Ta₂O₅ 113
 - SIT (self-induced transparency) 72
 - Skribanowitz 67
 - Slab waveguide laser 201, 210
 - Slit, double, Young's 50
 - Slope efficiency 187
 - Slowly varying envelope approximation (SVEA) 71
 - Small area pulse 76
 - Small-signal gain coefficient g_0 184
 - Smoothing parameter ρ , beam shaping 139
 - Sommerfeld
 - Rayleigh diffraction 267
 - integral 267
 - Source
 - chaotic 55
 - EPR (Einstein, Podolsky, Rosen) 37
 - independent 56
 - Spatial
 - coherence 53, 223
 - pure 222
 - hole burning 184, 196
 - intensity correlation 58
 - phase shifting, phase analysis by 256
 - Speckle
 - application 253
 - contrast 251
 - Gaussian 252
 - interferometry, phase analysis in 256
 - pattern
 - dark spot 253
 - interferometry 221, 250, 253
 - interferometry, electronic 254
 - interferometry, temporal (TSPI) 257
 - shearing interferometry, temporal Fourier-transform (TSPSI) 258
 - properties of 251
 - Spectral transmission band 114
 - Spectrum
 - Mollow 25
 - of a hologram 269
 - reflectance 113
 - Sphere
 - Bloch 72
 - Coblentz 119
 - Ulbricht 119
 - Spiral curve, Archimedic, beam shaping 140
 - Splitting
 - beam, beam shaping 139
 - Zeeman 242
 - Spontaneous emission 5, 24
 - amplified (ASE) 67
 - cooperative 67
 - Spot, dark, in a speckle pattern 253
 - Sputtering
 - ion-beam 116
 - technique, magnetron 122
 - Squeezed
 - state 4, 11, 12
 - vacuum 23
 - Squeezing 5
 - Stability 117
 - boundary 150
 - diagram 151
 - Stabilization, amplitude 59
 - Stable resonator 150
 - aperture-limited 164
 - linear 147
 - output power 184
 - unconfined 151
 - Standing wave 6
 - State
 - coherent 10, 56
 - entangled 4
 - field 8
 - Fock 9, 16, 17, 29
 - Glauber 56
 - mixed 9
 - phase 9
 - photon number 9, 17
 - preparation 16
 - pure 9
 - squeezed 4, 11, 12
 - steady, condition 185
 - thermal 12
 - trapping 22
 - vector 9
 - Statistics
 - photon
 - counting 62
 - steady-state 21
 - sub-Poissonian 21, 63
 - super-Poissonian 21, 63
 - Steady-state
 - condition 185
 - field distribution 152
 - photon statistics 21
 - Stellar intensity interferometry 58
 - Stepping, phase, phase analysis by 256
 - Stitching technique 249
 - Stochastic quantity, classical 71
 - Stokes 226
 - Raman scattering, coherent (CSRS) 56
 - Strain tensor, second-order 86
 - Stress measurement 253
 - Structure
 - function d , beam shaping 127
 - mode
 - resonator, unstable 176

- transverse 152
- Sub-Poissonian
 - behavior 12
 - statistics 21, 63
- Subradiance 69
- Super-Gaussian reflectivity profile 181
- Super-Poissonian statistics 21, 63
- Superfluid 36
- Superfluidity of liquid ^4He 34
- Superfluorescence 67
- Superluminescence 67
- Superradiance 67
- Superradiant pulse 69
- Superradiation
 - atomic beam, Rb 74
 - Ba ions, pair of 74
 - $\text{C}_{12}\text{H}_{10}$ in diphenyl 74
 - CH_3CN 74
 - CH_3F 74
 - Cr: ruby 74
 - Cs vapor 74
 - Eu vapor 74
 - Ga vapor 74
 - HF 74
 - induced 73
 - Na
 - BE-condensate 74
 - vapor 74
 - Nd:YAG 74
 - NH_3 74
 - O_2
 - centers in KCl 74
 - in KCl 74
 - Rb 74
 - atomic beam 74
 - time 70
 - Tl vapor 74
 - triggered 73
 - vapor
 - Cs 74
 - Eu 74
 - Ga 74
 - Na 74
 - Tl 74
- Surface
 - aspheric 246
 - metrology, interferometry for 234
 - quality 117
- SVEA (slowly varying envelope approximation) 71
- Switching, Q - 85
- Symmetric, circular waveguide 209
- Symmetry
 - circular
 - eigenmodes 152
 - higher-order modes 159
 - higher-order modes, angle of divergence 159
 - higher-order modes, beam radius 159
 - higher-order modes, waist radius 159
 - resonance frequencies 163
- rectangular
 - eigenmodes 153
 - higher-order modes 159
 - higher-order modes, angle of divergence 159
 - higher-order modes, beam radius 159
 - higher-order modes, waist radius 159
 - resonance frequencies 163
 - resonator, unstable 179
- System
 - cooperative 77
 - extended multiatomic 70
 - master 4
 - Maxwell-Bloch, undamped 72
 - optical coating 122
 - ArF-excimer 122
 - CO_2 -laser 122
 - F_2 -excimer 122
 - HeNe-laser 122
 - KrF-excimer 122
 - Nd:YAG-laser 122
 - thin-film 111
- $\text{Ta}_2\text{O}_5/\text{SiO}_2$ 113
- TE-polarization 227
- Technique
 - beam shaping 129
 - Fourier-transform 232
 - GRIN, beam shaping 140
 - lithographic, beam shaping 140, 141
 - magnetron sputtering 122
 - phase evaluation, electronic 231
 - projection, beam shaping 127
 - sputtering, magnetron 122
 - stitching 249
 - time-average 265
- Technology, thin-film 111
 - future trends in 123
- Teleportation 5
 - quantum 36
- TEM (transverse electro-magnetic) 153
- TEM_{mn} transverse mode 154
- Temporal
 - coherence 52
 - pure 222
 - Fourier-transform speckle pattern shearing
 - interferometry (TSPSI) 258
 - intensity correlation 59
 - interferometry
 - Fourier-transform speckle pattern shearing (TSPSI) 258
 - speckle pattern (TSPI) 257
 - phase unwrapping 278
 - speckle pattern interferometry (TSPI) 257

-
- Tensor, strain, second-order 86
 - TeO₂
 - acousto-optics 98, 105, 106, 108
 - Term, damping, phenomenological 71
 - Testing
 - non-destructive 221
 - optical 221, 228
 - Theorem
 - of McCall and Hahn 72
 - van Cittert–Zernike 53, 222
 - Wiener–Khinchine 24, 52
 - Theory
 - coherence 51
 - higher-order 222
 - local realistic (LRT) 31
 - reservoir 18
 - Thermal
 - evaporation 121
 - lensing 190
 - coefficient 191
 - state 12
 - Thickness, equal, fringes of 225
 - Thin film
 - absorption 117
 - matrices M_m 112
 - polarizer 123
 - reflectance 113
 - system 111
 - technology 111
 - future trends in 123
 - Threshold damage 94
 - laser-induced (LIDT) 117, 120
 - Time
 - average technique 265
 - charging, electrode 91
 - coherence 56, 222
 - real-, holography 265
 - response 88
 - superradiation 70
 - TiO₂
 - acousto-optics 105
 - Tipping pulse 76
 - Tissue, biological, in-vivo 276
 - Tl vapor
 - superradiation 74
 - Tl₃AsS₄
 - acousto-optics 105
 - Tl₃AsSe₃
 - acousto-optics 105
 - TM-polarization 227
 - Tophat
 - distribution, beam shaping 133
 - profile, beam shaping 128
 - Total
 - dipole moment operator 68
 - scattering 119
 - Transducer 103
 - Transfer
 - beam-, analysis, beam shaping 132
 - function 117
 - Transform, Fourier
 - fast (FFT) 268
 - technique 232
 - Transformation
 - ABCD, beam shaping 127
 - beam, beam shaping 130
 - efficiency, beam shaping 131
 - Fourier, beam shaping 135
 - Transition probability 69
 - Transmission band, spectral 114
 - Transparency, self-induced (SIT) 72
 - Transverse
 - coherence length 53, 55
 - beam shaping 128
 - electro-magnetic (TEM) 153
 - mode 155
 - structure 152
 - TEM_{*mn*} 154
 - multimode operation 194
 - Trap
 - ion 16
 - magnetic 34
 - magneto-optical 34
 - Paul 16
 - Trapping
 - atoms 78
 - ions 78
 - states 22
 - Traveling-wave modulator 91
 - Triggered superradiation 73
 - Trip, round, loss factor 176
 - Triplet, Mollow 4
 - TSPI (temporal speckle pattern interferometry) 257
 - TSPSI (temporal Fourier-transform speckle pattern shearing interferometry) 258
 - Turning, diamond, beam shaping 141
 - Twiss
 - and Brown 49, 58
 - Richard 4
 - Two-beam interference 223
 - Two-level atom 15
 - Two-photon
 - mixing 60
 - wave packet 60
 - Twyman 221
 - Green interferometer 229
 - Ulbricht sphere 119
 - Unconfined stable resonator 151
 - Undamped Maxwell–Bloch system 72

-
- Unidirectional operation 199
 - Unstable
 - resonator 150, 172
 - applications of 183
 - beam propagation 172
 - beam quality 178
 - characterization of 172
 - linear 147
 - loss 176
 - loss factor per round trip 174
 - mode structure 176
 - negative-branch 172
 - off-axis confocal 212
 - positive-branch 172
 - rectangular symmetry 179
 - ring 198
 - ring, asymmetric confocal 199
 - ring, negative-branch 200
 - ring resonator 198
 - asymmetric confocal 199
 - negative-branch 200
 - Unwrapping, phase, temporal 278
 - Upatnieks and Leith 263
 - Vacuum
 - fluctuation 5
 - squeezed 23
 - van Cittert 222
 - Zernike theorem 53, 222
 - Variable reflectivity mirror (VRM) 180, 181
 - Vector
 - effect of interference 226
 - potential 5
 - state 9
 - Velocity measurement, heterodyne interferometry for 241
 - Vibrating object, analysis of 257
 - Vibration
 - analysis 273
 - Fizeau arrangement 263
 - measurement 253, 262
 - Visibility 52
 - Voltage, half-wave 89, 90
 - Volume
 - coherence – 54
 - index grating 99
 - VRM (variable-reflectivity mirror) 180, 181
 - Waist
 - beam, location of, lens resonator 193
 - position 157
 - radius 157
 - higher-order modes, circular symmetry 159
 - higher-order modes, rectangular symmetry 159
 - lens resonator 193
 - Walk-off 92
 - Water (H₂O)
 - electro-optics 97
 - Wave
 - converging 173
 - diverging 173
 - matter, coherent 35
 - packet, two-photon 60
 - particle duality 28
 - rotating, approximation (RWA) 71
 - running 6
 - standing 6
 - traveling-, modulator 91
 - Waveguide
 - circular
 - hollow 205
 - symmetric 209
 - CO₂ laser 201
 - fundamental mode 205
 - hollow
 - circular 205
 - rectangular 202
 - laser
 - CO₂ 201
 - slab 201, 210
 - mode 203
 - fundamental 205
 - rectangular
 - hollow 202
 - resonator 148, 201, 205
 - configuration 206
 - loss calculations 208
 - mode properties 208
 - round-trip loss 207
 - slab, laser 201, 210
 - symmetric, circular 209
 - Wavelength
 - de Broglie 57
 - multi-, interferometry 236
 - Weisskopf
 - and Wigner 67
 - Wigner decay 23
 - “Which-path” detector 28
 - White light
 - interferometer 238
 - interferometry 237
 - Wiener–Khinchine theorem 24, 52
 - Wigner
 - and Weisskopf 67
 - distribution function, beam shaping 132
 - Wolf 222
 - Woodruff and Ehrenreich relation 104
 - Young
 - double slit 50
 - experiment 221
 - Thomas 28, 221

-
- | | | | |
|----------------------|-----|----------------|----|
| Zeeman splitting | 242 | | |
| Zehnder | | | |
| –Mach interferometer | 230 | | |
| Zernike | 222 | | |
| –van Cittert theorem | 222 | | |
| ZnS | | | |
| β – | | | |
| | | electro-optics | 95 |
| | | electro-optics | 93 |
| | | ZnSe | |
| | | electro-optics | 95 |
| | | ZnTe | |
| | | electro-optics | 95 |