
Index

A

- Allan diagram 195, 225, 235, 301
- analytical geometry 373
 - , angle between two lines 91, 378
 - , attitude of a plane 376
 - , azimuth and plunge of line 42
 - , from direction cosines 374
 - , from end points 42, 376
 - , from map 375
 - , cross product 379
 - , direction cosines 373
 - , dot product 378
 - , line of intersection between two planes 379
 - , line perpendicular to two lines 378
 - , plane bisecting two planes 380
 - , pole to plane 376
 - , unit vector 377
- angle between two lines, graphical 90
- Appalachians, Pennsylvania 67
- apparent dip 51, 53
 - , calculation 53
 - , graphical methods 46, 48
- Appleton oil field 57
- area-depth relationship 307, 319
- attitude of a plane 41
 - , calculation
 - , from 3 points 52, 376
 - , from structure contours 55
 - , from isocore map 103
 - , graphical
 - , dip vector 45, 48
 - , from 3 points 50
 - , on stereogram 44
 - , on tangent diagram 47
 - , hade 41, 49
 - , map symbols 15
 - , pole 41
 - , strike and dip 41
 - , variability 46

B

- balanced cross section 306
 - , locally balanced 308, 319
 - , loose line 335
 - , pin line 308
 - , regionally balanced 309, 322
- Bald Hill 282

C

- circular-arc fault 331
- computer mapping techniques 68
 - , inverse distance 72
 - , kriging 73, 102, 288, 291
 - , linear interpolation 72
 - , triangulation 36, 69, 76, 102, 286, 291
- conical fold 13, 48, 77, 109, 111, 116, 165, 169, 280
- constant BLT 334, 340
- contact types 4
 - , conformable 5
 - , depositional 5
 - , fault 18, 181
 - , intrusive 7
 - , lithologic 5
 - , unconformable 6, 186, 191, 348
 - , angular 6
 - , buttress 6
 - , disconformity 6
 - , nonconformity 6
 - , onlap 6
 - , maximum flooding surface 7
 - , parasequence 7
 - , sequence 6
 - , welded 7
- contouring artifacts 66, 77, 82, 285
- contouring techniques 68
- coordinate systems 33
 - , cadastral 34

- , Cartesian 33
- , Township and Range 34
- , USP 33
- , UTM 33
- Corsair fault 181
- cross section 3, 133
 - , balanced 305
 - , changing orientation 159
 - , choosing orientation 133, 136
 - , exaggeration 137, 172
 - , illustrative 142, 144
 - , mapping from 76, 169
 - , predictive 145
 - , dip domain 146
 - , circular arc 153
 - , projection on 79
 - , projection to 160, 173
 - , restoration 305
 - , slice 144
 - , validation 294, 305
- cylindrical fold 13, 48, 76, 109, 116, 136, 148, 161, 175, 280

D

- data errors 27, 39, 46, 64, 95, 101, 189
- Deerlick Creek coalbed methane field 1, 145, 209, 216, 223, 295, 326
- Deer Park anticline 368
- depth to detachment 317, 331, 359, 363, 371
- detachment fold 130, 327, 341
- deviated well 38, 39
 - , deviation survey 39
 - , incorrectly interpreted 286
 - , locations in 39
 - , thickness in 89, 101
- dip domain 9, 117
 - , cross section construction 146
 - , map from cross sections 169, 291
 - , map from dips 291
 - , map style 67
- dipmeter 27, 193, 265, 278
- dip sequence analysis, see SCAT analysis
- distance between well and contact 51
- domino blocks 329, 354

E

- edge effects, map 287
- Ensley map area 182
- expansion index
 - , fault 205, 211
 - , fold 129
 - , used for validation 297

F

- fault 18, 181, 220
 - , correlation criteria 206
 - , growth history 211
 - , miscorrelation 297
 - , shape 208
 - , stratigraphic separation 209
 - , trend and sense of throw 207
 - , cross-cutting faults 162, 243
 - , cutoff lines 19, 219, 225, 229, 243, 301
 - , displacement, see also fault magnitude 18, 193
 - , growth 204
 - , on isopach map 236
 - , on a structure contour map 219
 - , separation 20, 196
 - , slip 19, 194
 - , displacement distribution 200
 - , Allan diagram 229, 233, 301
 - , bow and arrow rule 202
 - , displacement-distance diagram 201
 - , stratigraphic separation diagram 210, 302
 - , displacement transfer 201, 230, 237
 - , effect on isopach map 187, 235
 - , geometric elements
 - , branch line 237, 240
 - , cutoff 19, 136, 219, 229, 301
 - , dip, calculated from heave and throw 221
 - , drag fold 191, 276
 - , duplex 243
 - , flat 24
 - , footwall 19, 24, 204, 210
 - , gap 2, 64, 219, 235
 - , hangingwall 19, 24, 204, 210
 - , heave 20, 193, 219
 - , horse 242
 - , missing section 20, 178, 189, 198
 - , overlap 64, 219, 235
 - , ramp 24
 - , repeated section 20, 178, 189, 198
 - , throw 20, 193, 219
 - , tip line 200
 - , map symbols 22
 - , intersecting faults 237, 240, 241, 243
 - , mechanical origins 22
 - , conjugate 22
 - , Oertel faults 23
 - , stress state 23
 - , recognition criteria 181
 - , discontinuity in map pattern 181, 186
 - , drag fold (SCAT analysis) 182, 191, 265

- , missing or repeated section 188
 - , rock type 190
 - , seismic reflection profile 182
 - , thickness anomaly 187
- , separation 20, 196
- , shapes
 - , antilistric 25
 - , blind 24
 - , circular 331
 - , emergent 24
 - , ramp-flat 24, 342
 - , lateral ramp 25
 - , listric 25
 - , oblique ramp 25
 - , planar 225
- , shape prediction
 - , fault-parallel simple shear 360
 - , flexural slip 340
 - , implied structure contours 298
 - , oblique simple shear 352
 - , vertical simple shear 350
- , slip 19, 194
- , types
 - , contraction 21
 - , extension 21
 - , normal 20
 - , oblique 25, 194
 - , reverse 20
 - , strike slip 19
- , validation criteria
 - , cutoff-line geometry 301
 - , dipmeter 276
 - , fold-fault relationship 340, 350, 360
 - , growth history 396
 - , implied fault surface 298
 - , separation anomaly 299
 - , shape 298
- fault-bend fold
 - , area-depth relationship 322
 - , kinematic models 341
 - , layer-parallel strain 324
- fault blocks
 - , bounded by crossing faults 243
 - , domino 329
 - , duplex 243
 - , enveloping surface 22
 - , horse 242
 - , median surface 22
 - , restoration 328
- fault cut 20, 188
- fault discontinuity 18, 181
 - , in stratigraphic sequence 188
 - , on dip-sequence diagram 276
 - , on geological map 181
 - , on seismic profile 182
 - , on structure contour map 186
 - , thickness anomaly 187
- fault, displacement transfer 237
 - , branching 240
 - , duplex 243
 - , relay overlap 239
 - , splay 241
- fault magnitude
 - , calculation
 - , from Allan diagram 233, 301
 - , from amount of fault cut 198
 - , from isopach map 236
 - , from stratigraphic separation 198
 - , from structure contour map 221
 - , separation 20, 196
 - , fault cut 20, 188
 - , heave 20
 - , horizontal 20
 - , missing or repeated section 21, 182
 - , throw 20
 - , stratigraphic 20
 - , vertical 20
 - , slip 19, 194, 233
 - , dip 194
 - , net 195
 - , oblique 194
 - , slickenlines 194
 - , strike 194
- fault-parallel simple shear 360
 - , fault-shape prediction 360
 - , restoration 360
- fault-propagation fold 341
- fault shape prediction
 - , flexural slip 340
 - , implied fault contours 278
 - , simple shear
 - , best shear angle 355
 - , fault parallel 360
 - , oblique 352
 - , vertical 350
- fault-tip fold 24, 334
- fault rocks 190
- faulted marker horizon 1, 219
- faults, crossing 243
 - , combined stratigraphic separation 245
 - , contemporaneous 251
 - , cross sections 244, 249, 251
 - , net slip from 243
 - , normal 244, 246
 - , reverse 248
- field examples
 - , extension
 - , Corsair fault 184

- , Deerlick Creek coalbed methane field 1, 145, 209, 216, 223, 295, 326
 - , Ensley 182
 - , Gettysburg half graben 68
 - , Gilberttown graben 183
 - , Goodsprings No. 1 coal mine 231
 - , Lake Malawi 357
 - , Rhine graben 321, 364, 366
 - , Schell Creek fault 372
 - , Talco field 217
 - , Utah profile 330
 - , Westphalian coal measures, UK 201
- , contraction
 - , Appalachians, Pennsylvania 67
 - , Bald Hill 282
 - , Deer Park anticline 368
 - , Ensley 182
 - , Greasy Cove anticline 130, 282
 - , Ruhr coal district 184, 214
 - , Sántis anticline 310
 - , Sequatchie anticline 36, 83, 115, 148, 159, 274, 287, 292, 368
 - , Tip Top anticline 137, 327
 - , Wills Valley anticline 30, 333
 - , Wyoming basement uplift 141
 - , Wyoming thrust belt 185
- , inversion
 - , South Hewett fault zone 371
- , vertical
 - , Hawkins salt dome 237, 257
- , wrench (strike slip) related
 - , Railroad Gap oil field 265
 - , Wichita uplift oil fields 339, 369
- flexural slip
 - , balanced models 341
 - , fault-bend fold 341
 - , fault-propagation fold 341
 - , fault-shape prediction 307, 340
 - , fold related 10, 120, 126
 - , restoration 334
- fluid migration pathways 84, 232
- fold
 - , definitions of geometric elements
 - , α line 124
 - , β axis 117
 - , π axis 109
 - , axis 13, 109, 126, 196
 - , axial surface trace 15, 119
 - , axial surface 10, 14, 119
 - , crest 12, 116
 - , crest surface 121
 - , dip domain 10, 120
 - , enveloping surface 12
 - , hinge 10
 - , hinge line 10
 - , inflection point 12
 - , limbs 12
 - , median surface 12
 - , nose 116
 - , overturned 4, 12, 15
 - , plunge 13, 109
 - , plunge line 112, 162
 - , sense of shear in 119
 - , trend 15
 - , trough 12, 116
 - , vergence 13
 - , vertex 13, 112
 - , virtual axial surface 121
 - , virtual hinge 121
 - , cleavage 17
 - , buckle fold 17
 - , forced fold 18
 - , dip-sequence (see SCAT analysis)
 - , finding the geometric elements
 - , α line 124
 - , β axis 117
 - , π axis 109
 - , axis of conical fold 111
 - , axis of cylindrical fold 109
 - , axial surface trace 119, 125, 135, 151, 171
 - , axial surface 100, 119, 122, 147, 170, 270, 301, 336, 342, 357, 380
 - , crest and trough lines 48, 116, 270, 276
 - , hinge line 117
 - , plunge line 112, 162
 - , thickness change across axial surface 122
 - , virtual axial surface 121
 - , growth folds 8, 129
 - , map symbols 15
 - , mechanical types
 - , buckle fold 16
 - , detachment fold 130, 341
 - , drag folds 126
 - , flexural (layer-parallel) slip 10, 306
 - , forced fold 17
 - , forcing member 17
 - , layer-parallel shear in 119, 127
 - , longitudinal contraction 15
 - , longitudinal extension 15
 - , neutral surface 16
 - , oblique simple shear 348
 - , passive fold 15
 - , pure bend 15
 - , ramp anticline 24
 - , rollover anticline 24

- , strain distribution in 16, 18
 - , transverse contraction 15
 - , vertical simple shear 344
- , minor folds 126
 - , drag folds 126
 - , geometric problem from 128
 - , used to interpret larger structure 127
- , order, size ranking 126
- , styles
 - , asymmetrical 12, 126
 - , concentric 9
 - , conical 13, 78, 109, 111
 - , cylindrical 13, 109
 - , dip domain 9, 67, 117, 169, 341
 - , disharmonic 11, 15, 292
 - , horizontal upright 14
 - , multilayer 11, 15, 117
 - , overturned 4, 12, 15, 64, 189, 278
 - , reclined 14
 - , recumbent 14, 128
 - , single layer 15
 - , symmetrical 12
 - , upright 12
 - , vergence 12
 - , vertical 14
- , types
 - , anticline 9
 - , antiform 9
 - , drag 126
 - , parasitic 127
 - , syncline 9
 - , synform 9

flatten to a datum 345

flattening pitfalls 346

fluid migration pathways 84, 232

G

ghost horizon 79

Gettysburg half graben 68

Gilbertown graben 183

Goodsprings No. 1 coal mine 231

Greasy Cove anticline 130, 282

growth structures 8

- , area balance 321
- , expansion index, folds 129
- , expansion index, faults 205, 297
- , faults 184, 204, 211, 236, 312, 339
- , restoration of 312, 338, 344

H

Hawkins salt dome 237, 257

horizontal exaggeration 137

I

interpolation and extrapolation techniques

- , cross section 145
- , map 65, 68, 72, 168, 169
- , trend 109, 125, 160

intersecting surfaces 55

isocore map 101, 102

isopach map 80, 101, 187, 235

K

kinematic model 306

- , domino blocks 329, 355
- , flexural slip 306, 341
- , pure shear 306
- , rigid-body displacement 306
- , rigid-block rotation 328, 331
- , simple shear 306
 - , choice of shear angle 355
- , fault parallel 360
- , hangingwall strain 353
- , oblique 306, 348, 352
- , vertical 344, 350

L

Lake Malawi 357

loose line 335

M

maps

- , composite surface 79
- , computer generated 68
- , coordinate systems 33
- , dip domain 117, 123, 169, 291
- , fault surface 200, 208, 298
- , fault cutoff 229, 301
- , from profiles
 - , construction 76, 169
 - , pitfalls 77
- , geologic 26, 37, 182
- , implied fault surface 298
- , isocore 100, 102
- , isopach 100
 - , faulted 235
 - , unfaulted 101
- , paleostructure 101
- , paleotopographic 101
- , scale 35
- , structure contour 63, 116
- , subcrop 192
- , topographic, DEM 36

- , validation 285
- mechanical stratigraphy 10
- , relative stiffness 10
- , structural-lithic unit 11

O

- orientation of line 41
 - , apparent dip 43, 53
 - , calculated from two points 42, 376
 - , dip vector 41
 - , direction cosines 374
 - , graphical
 - , on stereogram 44
 - , on tangent diagram 47
 - , intersection between two planes
 - , analytical 118, 379
 - , on tangent diagram 110
 - , on stereogram 117
 - , pitch 43
 - , rake 43, 194
 - , trend and plunge 15, 42

P

- pin line 308
- pole to plane 41
 - , calculation 376
 - , on stereogram 44
- projection of data
 - , along plunge 109, 162
 - , analytical 173
 - , effect of incorrect method 160
 - , graphical 167
 - , plunge lines 162
 - , using structure contours 168
 - , vertical 79
 - , within dip domains 169
- pure shear 306
 - , kinematic model 362
 - , strain 314

Q

- quality control 285

R

- Railroad Gap oil field 265
- regional datum 308
- restoration 308
 - , geometric 309
 - , local pin lie 337
 - , loose line 306, 335

- , of unconformity 348
- , palinspastic 309
- , pin line 306, 335
- , regional datum 308
- , sequential 311
- , stratigraphic template 338
- , techniques
 - , area 316
 - , block rotation 333
 - , flexural slip, constant thickness 335
 - , flexural slip, variable thickness 338
 - , rigid body displacement 328
 - , pure shear 362
 - , fault-parallel simple shear 360
 - , oblique simple shear 348
 - , vertical simple shear 344
 - , working pin line 308

rigid-block rotation 311

rotating the section plane 159

Rhine graben 312, 364, 366

Ruhr coal district 184, 214

S

Säntis anticline 310

SCAT (dip sequence) analysis 265

- , curvature models 267
- , dip components 268
- , folds 270
- , faults 276
- , Railroad Gap oil field 265
- , Sequatchie anticline 273
- , uniform dip 270

Schell Creek fault 372

seismic reflection profile 30

- , artifacts on 31, 184
- , exaggeration 141
- , faults on 183
- , oblique to dip 31
- , steep dip on 31

Sequatchie anticline

- , composite-surface map 83, 287
- , cross section 148
- , fold axis 115
- , geologic map 37
- , SCAT analysis 274
- , restoration 368

simple shear 306, 344

- , choice of shear angle 355
- , fault-shape prediction 350, 352
- , oblique 348, 352
- , pitfalls 346
- , restoration 344, 348
- , strain 353

- , vertical 344, 350
- slope calculation 51, 101
- South Hewett fault zone 371
- stereogram 44
 - , angle between two lines 90
 - , angle between two planes 117, 122
 - , apparent dip 46
 - , attitude of plane 44
 - , dip vector 45
 - , fold axis
 - , β axis 117
 - , π axis 109
 - , cone axis 111
 - , intersection line between two planes 117
 - , pole 45
- strain
 - , calculation 314
 - , domino block 329
 - , from area-depth relationship 317, 324
 - , from oblique shear 315
 - , in growth stratigraphy 322
 - , normal 314
 - , partitioning 315
 - , stretch 314
 - , sub-resolution 316
- stratigraphic separation 20, 196
- stratigraphic template 338
- structure contours 2, 54, 63
 - , calculated from attitude 55
 - , calculated from point elevations 54
 - , constructing 63
 - , faulted 220
 - , spacing ruler 78
- structure contour maps 2, 63
 - , artifacts on 288
 - , as projection technique 168
 - , composite-surface map 79
 - , contouring across faults 222
 - , locating fault trace 223
 - , projecting to fault 226
 - , restored vertical separation 228
 - , computer techniques
 - , gridding 69, 72
 - , Delauney triangles 70
 - , greedy triangulation 71
 - , kriging 74
 - , linear interpolation 72
 - , modifying result 75
 - , triangulation (TIN) 3, 70
 - , crossing contours 64
 - , data errors 285
 - , datum shift effect 289
 - , dip from 55
 - , edge effects 287

- , excessive detail 288
- , faulted 219
- , faults 200, 219, 239
- , ghost horizon 79
- , information for
 - , bedding attitude 78
 - , cross sections 76
 - , fault cuts 188
 - , fluid-flow barriers 84
 - , fold trend 125, 289
 - , formation tops 27, 54, 69
 - , projected data 79
- , intersecting surfaces 55
- , projected-surface map 79
- , rules of contouring 64
- , stratigraphic separation from 221
- , styles
 - , equal spacing 55
 - , interpretive 65
 - , parallel 65
 - , smooth vs. angular 67
- , thickness determination from 92
- , validating outcrop maps 55, 294
- , validation 285, 292

sub-resolution strain 315

T

Talco field 217

tangent diagram 47

- , apparent dip 49
- , crest and trough lines, conical fold 113
- , dip vector 48
- , fold axis, cylindrical 111
- , of plane 48
- , on spreadsheet 114
- , projection directions from 111, 114

thickness 8

- , anomalies 27, 95, 140, 187, 235, 286, 292
- , calculation
 - , between structure contours 92
 - , from map angles and distance 94
 - , in circular-arc fold 98
 - , in deviated well 90
 - , in dip-domain fold 100
 - , universal thickness equation 90
- , effect of measurement errors 95
- , exaggerated 137, 172
- , fault-related anomaly 187, 204, 235
- , map
 - , isocore 102
 - , isopach 101, 235
- , slant thickness 89
- , true stratigraphic thickness (TST) 89

- , true vertical thickness (TVT) 89
- , true vertical depth thickness (TVD) 39, 89
- , variations
 - , related to deformation 10, 15, 122
 - , related to dip 103, 189
 - , related to growing structure 8, 129, 204, 235
 - , related to paleotopography 8, 101
- time line 5
- Tip Top field 137, 327
- trend and plunge of line 42
- triangulated irregular network (TIN) 3, 69

U

- unconformity 6, 181, 191
 - , cumulative dip diagram 193
 - , paleotopography 192
 - , restoration pitfall 348
 - , types 6

V

- validation
 - , area-depth relationship
 - , excess area 319, 327
 - , lost area 319, 326, 362
 - , balanced cross section 306
 - , compatibility
 - , of contour elevations 292

- , of thickness 295
 - , of trend 289
 - , composite structure contour map 294
 - , fault cutoff geometry 301
 - , growth history 296
 - , implied fault-surface map 298
 - , restoration of cross section 309, 312, 328, 333, 335, 344, 348, 360
- vertical exaggeration 137

W

- wells 27, 37
 - , datum 38
 - , deviated 39
 - , dipmeter 29, 265
 - , Kelly bushing 38
 - , location in
 - , corrected to datum 38
 - , deviation survey 39
 - , orientation of 42
 - , location in deviated well 39
 - , true vertical depth (TVD) 39, 89
 - , resistivity log 28, 215
 - , spontaneous potential log 28, 215
 - , thickness in 90
- Wichita uplift oil fields 339, 369
- Wills Valley anticline 30, 333
- Wyoming basement uplift 141
- Wyoming thrust belt 185