

Landolt-Börnstein

Numerical Data and Functional Relationships in Science and Technology

New Series / Editor in Chief: W. Martienssen

Group I: Elementary Particles, Nuclei and Atoms

Volume 19

Nuclear States from Charged Particle Reactions

Subvolume B

Tables of Excitations from Reactions
with Charged Particles

Part 2

$Z = 37 - 62$

S.I. Sukhoruchkin

Z.N. Soroko

Edited by H. Schopper



Springer

ISSN 1615-1844 (Elementary Particles, Nuclei and Atoms)

ISBN 978-3-540-44711-5 Springer Berlin Heidelberg New York

Library of Congress Cataloging in Publication Data

Zahlenwerte und Funktionen aus Naturwissenschaften und Technik, Neue Serie

Editor in Chief: W. Martienssen

Vol. I/19B2: Editor: H. Schopper

At head of title: Landolt-Börnstein. Added t.p.: Numerical data and functional relationships in science and technology.

Tables chiefly in English.

Intended to supersede the Physikalisch-chemische Tabellen by H. Landolt and R. Börnstein of which the 6th ed. began publication in 1950 under title:

Zahlenwerte und Funktionen aus Physik, Chemie, Astronomie, Geophysik und Technik.

Vols. published after v. 1 of group I have imprint: Berlin, New York, Springer-Verlag

Includes bibliographies.

1. Physics--Tables. 2. Chemistry--Tables. 3. Engineering--Tables.

I. Börnstein, R. (Richard), 1852-1913. II. Landolt, H. (Hans), 1831-1910.

III. Physikalisch-chemische Tabellen. IV. Title: Numerical data and functional relationships in science and technology.

QC61.23 .502'.12 62-53136

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilm or in other ways, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer-Verlag. Violations are liable for prosecution act under German Copyright Law.

Springer is a part of Springer Science+Business Media

springeronline.com

© Springer-Verlag Berlin Heidelberg 2007

Printed in Germany

The use of general descriptive names, registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Product Liability: The data and other information in this handbook have been carefully extracted and evaluated by experts from the original literature. Furthermore, they have been checked for correctness by authors and the editorial staff before printing. Nevertheless, the publisher can give no guarantee for the correctness of the data and information provided. In any individual case of application, the respective user must check the correctness by consulting other relevant sources of information.

Cover layout: Erich Kirchner, Heidelberg

Typesetting: Authors and Redaktion Landolt-Börnstein, Darmstadt

Printing and Binding: AZ Druck, Kempten

SPIN: 1137 2646 63/3020 - 5 4 3 2 1 0 – Printed on acid-free paper

Editor

H. Schopper

CERN, CH-1211 Geneva 23, Switzerland
e-mail: herwig.schopper@cern.ch

Contributors

S.I. Sukhoruchkin

Z.N. Soroko

Petersburg Nuclear Physics Institute
188300 Gatchina, Leningrad District, Russia
e-mail: sergeis@mail.pnpi.spb.ru

Landolt-Börnstein

Editorial Office

Gagernstr. 8, D-64283 Darmstadt, Germany
fax: +49 (6151) 171760
e-mail: redaktion.landolt-boernstein@springer.com

Internet

<http://www.landolt-boernstein.com>

Preface

Nuclear level schemes and resonance parameters are of great interest for nuclear spectroscopy, for astrophysical models, thermonuclear calculations and for other applications. Parameters for nuclear levels of stable nuclei have been published in the Volumes I/16B, I/18A, B, C, and in I/19A1, A2. In the Volumes I/19A, B further data obtained from transfer reactions are presented. Volume I/19C contains the data of unstable nuclei far from the stability region which have been deduced from reactions other than transfer reactions (e.g. beta decay, spallation reactions, or inverse reactions). The data in these volumes should be considered as the most complete data collection for nuclear levels.

The contents of the various volumes can be characterized in the following way:

Data for unbound states (resonances)

- | | |
|----------|---|
| I/16B, C | Low lying levels, neutron-induced resonances
(I/16A contains general information on neutron physics) |
| I/19A | Highly excited levels above the low lying states, unbound states from charged-particle reactions ($Z = 2$ to 18 in I/19A1, $Z = 19$ to 83 in I/19A2) |

Data for bound states (stable nuclei)

- | | |
|-------------|---|
| I/18A, B, C | Low lying levels ($Z = 2$ to 36 in I/18A, $Z = 37$ to 62 in I/18B, $Z = 63$ to 100 in I/18C)
In I/18A the theoretical methods of treating nuclei are summarized, in particular those for deformed nuclei. |
| I/19B | Excited levels from charged-particle reactions ($Z = 3$ to 36 in I/19B1, $Z = 37$ to 62 in I/19B2, $Z = 63$ to 99 in I/19B3) |

For the two Volumes I/18 and I/19B the distributions of the Z values to the respective subvolumes are the same. However, Volume I/19B contains data for many more isotopes than Volume I/18. In addition for some of the isotopes listed in Volume I/18 new data became available since its publishing and these have also been included in Volume I/19B, however, duplication of data was avoided.

Table 1 in Volume I/19B provides the number of levels registered for each isotope of the various volumes. This should make it easy for the user to find the data of the isotope he or she is looking for.

Data for unstable nuclei far from the stability line

- | | |
|-------|--|
| I/19C | Excited levels for proton-rich and neutron-rich nuclei derived from reactions other than transfer reactions, e.g. beta-decay, spallation reactions or inverse reactions. |
|-------|--|

In agreement with the Publisher's general effort to make the data available to users by modern methods each subvolume is delivered with a CD ROM which contains all the data of the printed volume but in view of the large amount of data some of the information is given on the CD ROM only.

The compilation was as usual prepared by eminent experts in the fields. One of the characteristics of Landolt-Börnstein is that data are evaluated before they are accepted for the compilation. The idea is to present 'best values' which can be used with confidence by non-experts. Preparing such best values also implied making corrections necessary because of different energy calibrations in various publications.

I would like to thank the authors for their careful work and their flexibility to comply with the wishes of the editor and publisher. Thanks are also due to the members of the Landolt-Börnstein editorial staff who have made major contributions to the successful production of this volume.

Geneva, November 2006

The Editor

Contents

1	Introduction	1
1.1	General remarks	1
1.2	List of notations	19
1.3	Data presentation	22
1.4	Interpretation of data of nuclear excitations	23
1.5	Conclusions	25
1.6	Acknowledgments	25
2	Tables	26
37-Rubidium		
Rb-79	26	
Rb-80	26	
Rb-81	27	
Rb-82	28	
Rb-83	28	
Rb-84	30	
Rb-85	31	
Rb-86	32	
Rb-87	34	
Rb-88	35	
Rb-89	36	
Rb-90	36	
Rb-91	36	
38-Strontium		
Sr-80	37	
Sr-81	37	
Sr-82	37	
Sr-83	38	
Sr-84	38	
Sr-85	39	
Sr-86	40	
Sr-87	41	
Sr-88	45	
Sr-89	49	
Sr-90	51	
Sr-91	53	
Sr-92	54	
Sr-93	54	
Sr-94	54	
39-Yttrium		
Y-85	55	
Y-86	56	
Y-87	56	
Y-88	58	
Y-89	60	
Y-90	62	
Y-91	65	
Y-92	66	
Y-93	67	
Y-94	67	
Y-95	68	
Y-96	68	
40-Zirconium		
Zr-84	69	
Zr-85	69	
Zr-86	69	
Zr-87	70	
Zr-88	70	
Zr-89	71	
Zr-90	74	
Zr-91	76	
Zr-92	79	
Zr-93	82	
Zr-94	84	
Zr-95	85	
Zr-96	87	
Zr-97	88	
Zr-98	89	
41-Niobium		
Nb-87	90	
Nb-88	90	
Nb-89	90	
Nb-90	91	
Nb-91	92	
Nb-92	94	
Nb-93	96	
Nb-94	98	
Nb-95	99	
Nb-96	102	
Nb-97	103	
Nb-98	104	
Nb-99	104	
Nb-100	105	
42-Molybdenum		
Mo-89	106	
Mo-90	106	
Mo-91	107	
Mo-92	109	
Mo-93	110	
Mo-94	111	
Mo-95	113	
Mo-96	116	
Mo-97	118	
Mo-98	120	
Mo-99	121	
Mo-100	123	
Mo-101	124	
Mo-102	126	

43-Technetium

Tc-93	127
Tc-94	128
Tc-95	129
Tc-96	131
Tc-97	131
Tc-98	133
Tc-99	134
Tc-100	135
Tc-101	136
Tc-102	137
Tc-103	137

44-Ruthenium

Ru-94	138
Ru-95	138
Ru-96	138
Ru-97	139
Ru-98	139
Ru-99	141
Ru-100	141
Ru-101	143
Ru-102	145
Ru-103	146
Ru-104	148
Ru-105	148
Ru-106	149

45-Rhodium

Rh-98	150
Rh-99	150
Rh-100	150
Rh-101	151
Rh-102	151
Rh-103	152
Rh-104	156
Rh-105	159
Rh-106	161
Rh-107	161
Rh-108	163
Rh-109	163

46-Palladium

Pd-99	164
Pd-100	164
Pd-101	164
Pd-102	165
Pd-103	165
Pd-104	167
Pd-105	169
Pd-106	170
Pd-107	171
Pd-108	173
Pd-109	175
Pd-110	177
Pd-111	178
Pd-112	179

47-Silver

Ag-105	180
Ag-106	182
Ag-107	184
Ag-108	186
Ag-109	187
Ag-110	189
Ag-111	190

48-Cadmium

Cd-105	193
Cd-106	193
Cd-107	194
Cd-108	194
Cd-109	198
Cd-110	198
Cd-111	201
Cd-112	204
Cd-113	209
Cd-114	214
Cd-115	218
Cd-116	219
Cd-117	220
Cd-118	221
Cd-119	221
Cd-120	221

49-Indium

In-107	222
In-108	222
In-109	222
In-110	223
In-111	223
In-112	224
In-113	225
In-114	226
In-115	227
In-116	228
In-117	229
In-118	230
In-119	231
In-120	232
In-121	232
In-122	232
In-123	233
In-124	233

50-Tin

Sn-110	234
Sn-111	235
Sn-112	237
Sn-113	238
Sn-114	239
Sn-115	241
Sn-116	243
Sn-117	247
Sn-118	250
Sn-119	253
Sn-120	256
Sn-121	259
Sn-122	263
Sn-123	265
Sn-124	267
Sn-125	270
Sn-126	271
Sn-127	273
Sn-128	273

51-Antimony

Sb-113	274
Sb-114	274
Sb-115	274
Sb-116	275
Sb-117	276
Sb-118	278
Sb-119	278
Sb-120	279
Sb-121	280
Sb-122	283
Sb-123	285
Sb-124	288
Sb-125	290
Sb-126	291
Sb-127	291
Sb-128	292
Sb-129	292

52-Tellurium

Te-110	293
Te-111	293
Te-112	293
Te-113	293
Te-114	294
Te-115	294
Te-116	294
Te-117	295
Te-118	295
Te-119	295
Te-120	298
Te-121	299
Te-122	303
Te-123	306
Te-124	310
Te-125	313
Te-126	318
Te-127	321
Te-128	324
Te-129	325
Te-130	330
Te-131	331
Te-132	337
Te-133	339
Te-134	339
Te-135	340
Te-136	340

53-Iodine

I-121	341
I-122	341
I-123	342
I-124	344
I-125	344
I-126	347
I-127	348
I-128	349
I-129	354
I-130	355
I-131	356
I-132	356
I-133	357
I-134	357
I-135	357
I-136	357

54-Xenon

Xe-123	358
Xe-124	358
Xe-125	358
Xe-126	359
Xe-127	359
Xe-128	359
Xe-129	360
Xe-130	360
Xe-131	360
Xe-132	361
Xe-133	362
Xe-134	362
Xe-135	363
Xe-136	363
Xe-137	364
Xe-138	364

55-Caesium

Cs-131	365
Cs-132	365
Cs-133	366
Cs-134	366
Cs-135	368
Cs-136	368
Cs-137	368

56-Barium

Ba-128	369
Ba-129	370
Ba-130	372
Ba-131	372
Ba-132	374
Ba-133	376
Ba-134	378
Ba-135	380
Ba-136	383
Ba-137	384
Ba-138	386
Ba-139	388
Ba-140	390

57-Lanthanum

La-133	391
La-134	391
La-135	391
La-136	392
La-137	392
La-138	393
La-139	394
La-140	396

58-Cerium

Ce-134	399
Ce-135	399
Ce-136	399
Ce-137	401
Ce-138	401
Ce-139	403
Ce-140	404
Ce-141	408
Ce-142	410
Ce-143	412
Ce-144	413
Ce-145	413

59-Praseodymium

Pr-139	414
Pr-140	414
Pr-141	415
Pr-142	416
Pr-143	418
Pr-144	418
Pr-145	418

60-Neodymium

Nd-140	419
Nd-141	420
Nd-142	422
Nd-143	426
Nd-144	430
Nd-145	435
Nd-146	438
Nd-147	442
Nd-148	445
Nd-149	446
Nd-150	448
Nd-151	450
Nd-152	450

61-Promethium

Pm-142	451
Pm-143	451
Pm-144	452
Pm-145	453
Pm-146	454
Pm-147	454
Pm-148	456
Pm-149	457
Pm-151	458
Pm-152	459
Pm-153	460

62-Samarium	Sm-147	469	Sm-153	482
Sm-142	Sm-148	470	Sm-154	487
Sm-143	Sm-149	473	Sm-155	488
Sm-144	Sm-150	476	Sm-156	489
Sm-145	Sm-151	479		
Sm-146	Sm-152	480		
3 References		490		
Supplement (complete sets of data)		CD-ROM		