

Literatur zu Abschnitt 13.3

- Carr DH, Oades P, Trotman-Dickenson B, Mohiaddin R, Wells AU, Bush A. Magnetic resonance scanning in cystic fibrosis: comparison with computed tomography. *Clin Radiol* 1995; 50: 84–89
- Debus A, Hagelstein C, Kilian AK et al. Fetal Lung Volume in Congenital Diaphragmatic Hernia: Association of Prenatal MR Imaging Findings with Postnatal Chronic Lung Disease. *Radiology* 2012
- Eichinger M, Puderbach M, Heussel CP, Kauczor HU. [MRI in mucoviscidosis (cystic fibrosis)]. *Radiologe* 2006; 46: 275–276, 278–281
- Fiel SB, Friedman AC, Caroline DF, Radecki PD, Faerber E, Grumbach K. Magnetic resonance imaging in young adults with cystic fibrosis. *Chest* 1987; 91: 181–184
- Hebestreit A, Schultz G, Trusen A, Hebestreit H. Follow-up of acute pulmonary complications in cystic fibrosis by magnetic resonance imaging: a pilot study. *Acta Paediatr* 2004; 93: 414–416
- Henzler T, Konstandin S, Schmid-Bindert G et al. Imaging of tumor viability in lung cancer: initial results using ²³Na-MRI. *Rofo* 2012; 184: 340–344
- Herrmann KA, Zech C, Strauss T, Hatz R, Schoenberg S, Reiser M. [Cine MRI of the thorax in patients with pectus excavatum]. *Radiologe* 2006; 46: 309–316
- Hirsch W, Sorge I, Krohmer S, Weber D, Meier K, Till H. MRI of the lungs in children. *Eur J Radiol* 2008; 68: 278–288
- Jakob PM, Wang T, Schultz G, Hebestreit H, Hebestreit A, Hahn D. Assessment of human pulmonary function using oxygen-enhanced T(1) imaging in patients with cystic fibrosis. *Magn Reson Med* 2004; 51: 1009–1016
- Ley S, Ley-Zaporozhan J, Gunther P, Deubzer HE, Witt O, Schenk JP. Neuroblastoma imaging. *Rofo* 2011; 183: 217–225
- Ley S, Loukanov T, Ley-Zaporozhan J et al. Long-term outcome after external tracheal stabilization due to congenital tracheal instability. *Ann Thorac Surg* 2010; 89: 918–925
- Ley S, Zaporozhan J, Arnold R et al. Preoperative assessment and follow-up of congenital abnormalities of the pulmonary arteries using CT and MRI. *Eur Radiol* 2007; 17: 151–162
- Ley-Zaporozhan J, Ley S, Kauczor HU. Proton MRI in COPD. *COPD* 2007; 4: 55–65
- Ley-Zaporozhan J, Ley S, Sommerburg O, Komm N, Muller FM, Schenk JP. Clinical application of MRI in children for the assessment of pulmonary diseases. *Rofo* 2009; 181: 419–432
- Malek MH, Fonkalsrud EW, Cooper CB. Ventilatory and cardiovascular responses to exercise in patients with pectus excavatum. *Chest* 2003; 124: 870–882
- Montella S, Santamaria F, Salvatore M et al. Assessment of chest high-field magnetic resonance imaging in children and young adults with noncystic fibrosis chronic lung disease: comparison to high-resolution computed tomography and correlation with pulmonary function. *Invest Radiol* 2009; 44: 532–538
- Oechsner M, Pracht ED, Staeb D et al. Lung imaging under free-breathing conditions. *Magn Reson Med* 2009; 61: 723–727
- Ordidge KL, Duffy BA, Wells JA, Kalber TL, Janes SM, Lythgoe MF. Imaging the paediatric lung: what does nanotechnology have to offer? *Paediatr Respir Rev* 2012; 13: 84–88
- Puderbach M, Eichinger M. The role of advanced imaging techniques in cystic fibrosis follow-up: is there a place for MRI? *Pediatr Radiol* 2010; 40: 844–849
- Puderbach M, Eichinger M, Haeselbarth J et al. Assessment of morphological MRI for pulmonary changes in cystic fibrosis (CF) patients: comparison to thin-section CT and chest x-ray. *Invest Radiol* 2007; 42: 715–725
- Puderbach M, Hintze C, Ley S, Eichinger M, Kauczor HU, Biederer J. MR imaging of the chest: A practical approach at 1.5T. *Eur J Radiol* 2007; 64: 345–355
- Risse F, Eichinger M, Kauczor HU, Semmler W, Puderbach M. Improved visualization of delayed perfusion in lung MRI. *Eur J Radiol* 2011; 77: 105–110
- Yikilmaz A, Koc A, Coskun A, Ozturk MK, Mulkern RV, Lee EY. Evaluation of pneumonia in children: comparison of MRI with fast imaging sequences at 1.5T with chest radiographs. *Acta Radiol* 2011; 2: 914–919

Literatur zu Abschnitt 15.1

- Guichard C, Harricane MC, Lafitte JJ, et al. Axonemal dynein intermediate-chain gene (*DNAI1*) mutations result in situs inversus and primary ciliary dyskinesia (Kartagener syndrome). *Am J Hum Genet.* 2001; 68: 1030–5
- Mateos-Corral D, Coombs R, Grasemann H, Ratjen F, Dell SD. Diagnostic value of nasal nitric oxide measured with non-velum closure techniques for children with primary ciliary dyskinesia. *J. Pediatr* 2011; 159: 420–424
- O'Callaghan C, Rutman A, Williams GM, Hirst RA. Inner dynein arm defects causing primary ciliary dyskinesia: repeat testing required. *Eur Respir J.* 2011; 38(3): 603–7
- Olbrich H, Haffner K, Kispert A, et al. Mutations in *DNAH5* cause primary ciliary dyskinesia and randomization of left-right asymmetry. *Nat Genet.* 2002; 30: 143–4
- Omran H, Kobayashi D, Olbrich H, et al. Ktu/PF13 is required for cytoplasmic pre-assembly of axonemal dyneins. *Nature* 2008; 456(7222): 611–6
- Becker-Heck A, Zohn IE, Okabe N, et al. The coiled-coil domain containing protein CCDC40 is essential for motile cilia function and left-right axis formation. *Nat Genet* 2011; 43(1): 79–84
- Bukowy-Bierlylo Z, Ziętkiewicz E, Loges NT, et al. RPGR mutations might cause reduced orientation of respiratory cilia. *Pediatr Pulmonol* 2012; doi: 10.1002/ppul.22632
- Castleman VH, Romio L, Chodhari R, et al. Mutations in radial spoke head protein genes *RSPH9* and *RSPH4A* cause primary ciliary dyskinesia with central-microtubular-pair abnormalities. *Am J Hum Genet* 2009; 84(2): 197–209
- Duriez B, Duquesnoy P, Escudier E, et al. A common variant in combination with a nonsense mutation in a member of the thioredoxin family causes primary ciliary dyskinesia. *Proc Natl Acad Sci USA* 2007; 104: 3336–41
- Fliegau M, Olbrich H, Horvath J, et al. Mislocalization of DNAH5 and DNAH9 in respiratory cells from patients with primary ciliary dyskinesia. *Am J Respir Crit Care Med* 2005; 171(12): 1343–9
- Fliegau M, Benzing T, Omran H. When cilia go bad: cilia defects and ciliopathies. *Nat Rev Mol Cell Biol* 2007; 8(11): 880–93
- Ibanez-Tallon I, Pagenstecher A, Fliegau M, et al. Dysfunction of axonemal dynein heavy chain *Mdnah5* inhibits ependymal flow and reveals a novel mechanism for hydrocephalus formation. *Hum Mol Genet* 2004; 13: 2133–41
- Kennedy MP, Omran H, Leigh MW, et al. Congenital heart disease and other heterotaxic effects of progesterone on ciliary beat frequency in the mouse fallopian tube defects in a large cohort of patients with primary ciliary dyskinesia. *Circulation* 2007b; 115: 2814–21
- Loges NT, Olbrich H, Fenske L, et al. *DNAI2* mutations cause primary ciliary dyskinesia with defects in the outer dynein arm. *Am J Hum Genet* 2008; 83(5): 547–58
- Loges NT, Olbrich H, Becker-Heck A, et al. Deletions and point mutations of *LRRC50* cause primary ciliary dyskinesia due to dynein arm defects. *Am J Hum Genet* 2009; 85(6): 883–9
- Merveille AC, Davis EE, Becker-Heck A, et al. CCDC39 is required for assembly of inner dynein arms and the dynein regulatory complex and for normal ciliary motility in humans and dogs. *Nat Genet* 2011; 43(1): 72–8
- Mitchison HM, Schmidts M, Loges NT, et al. Mutations in axonemal dynein assembly factor *DNAAF3* cause primary ciliary dyskinesia. *Nat Genet* 2012; 44(4): 381–9
- Moore A, Escudier E, Roger G, et al. RPGR is mutated in patients with a complex X linked phenotype combining primary ciliary dyskinesia and retinitis pigmentosa. *J Med Genet* 2006; 43(4): 326–33
- Mazor M, Alkrinawi S, Chalifa-Caspi V, et al. Primary ciliary dyskinesia caused by homozygous mutation in *DNAL1*, encoding dynein light chain 1. *Am J Hum Genet* 2011; 88(5): 599–607
- Nüßlein F, Brinkmann P, Ahrens M. Diagnostik der primären ziliären Dyskinesie. *Monatsschrift Kinderheilkunde* 2013; 5: 406–416
- Omran H, Olbrich O. Zilienkrankheiten unter besonderer Berücksichtigung der primären ziliären Dyskinesie. *medgen* 2010; 22: 315–321
- Panizzi JR, Becker-Heck A, Castleman VH, et al. *CCDC103* mutations cause primary ciliary dyskinesia by disrupting assembly of ciliary dynein arms. *Nat Genet* 2012; 44: 714–9
- Schwabe GC, Hoffmann K, Loges NT, et al. Primary ciliary dyskinesia associated with normal axoneme ultrastructure is caused by *DNAH11* Mutations. *Hum Mutat* 2008; 29: 289–98

Literatur zu Abschnitt 24.3

- Online Referenz: Barrios C, Pérez-Encinas C, Maruenda JI et al. Significant ventilatory functional restriction in adolescents with mild or moderate scoliosis during maximal exercise tolerance. *Spine* 2005; 30: 1610–1615
- Online Referenz: Becmeur F, Horta P, Donato L, et al. Accessory diaphragm – review of 31 cases in the literature. *Eur J Pediatr Surg* 1995; 5: 43–47
- Online Referenz: Betz RR, Mulcahey MJ, Ramirez N, et al. Mortality and life-threatening events after vertical expandable prosthetic titanium rib surgery in children with hypoplastic chest wall deformities. *J Pediatr Orthop* 2008; 28: 850–853
- Online-Referenz: Björkman KC, Kjellberg M, Bergström SE, et al. Postoperative regional distribution of pulmonary ventilation and perfusion in infants with congenital diaphragmatic hernia. *J Pediatr Surg* 2011; 46: 2047–2053
- Campbell RM. Spine deformities in rare congenital syndromes: *Spine* 2009; 34: 1815–1827
- Online Referenz: Campbell RM, Smith MD, Mayes TC, et al. The characteristics of thoracic insufficiency syndrome associated with fused ribs and congenital scoliosis. *J Bone Joint Surg* 2003; 85-A: 399–408
- Online Referenz: Caubet JF, Emans JB, Smith JT, et al. Increased hemoglobin levels in patients with early onset scoliosis: prevalence and effect of a treatment with Vertical Expandable Prosthetic Titanium Rib (VEPTR). *Spine* 2009; 34: 2534–2536
- Online Referenz: Diméglio A, Bonnel F. *Le rachis en croissance*. Springer Verlag, Paris 1990
- Online-Referenz: Edirisinghe NK, Kazami M, Lessin M, et al. Cysts of serendipity. *J Pediatr Surg* 2005; 40: 1495–1496
- Online Referenz: Fletcher ND, Larson AN, Richards BS, et al. Current treatment preferences for early onset scoliosis: a survey of POSNA members. *J Pediatr Orthop* 2011; 31: 326–330
- Online Referenz: Gadepalli SK, Hirschl RB, Tsai WC, et al. Vertical expandable prosthetic rib device insertion: does it improve pulmonary function? *J Pediatr Surg* 2011; 46: 77–80
- Online Referenz: Gollogly S, Smith JT, Campbell RM. Determining lung volume with three-dimensional reconstructions of CT scan data: a pilot study to evaluate the effects of expansion thoracoplasty on children with severe spinal deformities. *J Pediatr Orthop* 2004; 24: 323–328
- Hasler CC, Mehrkens A, Hefti F. Efficacy and safety of VEPTR instrumentation for progressive spine deformities in young children with rib fusions. *Eur Spine J* 2010; 19: 400–408
- Online Referenz: Horton JD, Hofmann LJ, Hetz SP. Presentation and management of Morgagni hernias in adults: a review of 298 cases. *Surg Endoscopy* 2008; 22: 1413–1420
- Online Referenz: Karol LA. Early definitive spinal fusion in young children: what we have learned. *Clin Orthop Relat Res* 2010; 469: 1323–1329
- Online Referenz: Karpman C, Aughenbaugh GL, Ryu JH. Pneumothorax and bullae in Marfan syndrome. *Respiration* 2011; 82: 219–224
- Online-Referenz: Keppler-Noreuil KM, Adam MP, Welch J et al. Clinical insights gained from eight new cases and review of reported cases with Jeune syndrome. *Am J Med Genet Part A* 2011; 155: 1021–1032
- Kotecha S, Barbato A, Bush A, et al. Congenital diaphragmatic hernia. *ERJ* 2012; 39: 820–829
- Online Referenz: Kotzot D, Schwabegger HA. Etiology of chest wall deformities – a genetic review for the treating physician. *J Pediatr Surg* 2009; 44: 2004–2011
- Online-Referenz: Koumbourlis AC. Pectus excavatum. *Paediatr Respir Rev* 2009; 10: 3–6
- Johnston CE, Richards BS, Sucato DJ, et al. Correlation of preoperative deformity magnitude and pulmonary function tests in adolescent idiopathic scoliosis. *Spine* 2011; 36: 1096–1102
- Lemmer J, Stiller B, Heise G, et al. Mid-term follow-up in patients with diaphragmatic plication after surgery for congenital heart disease. *Intensive Care Med* 2007; 33: 1985–1992
- Martinez-Llorens J, Ramirez M, Colomina MJ et al. Muscle dysfunction and exercise limitation in adolescent idiopathic scoliosis. *Eur Respir J* 2010; 36: 393–400
- Online Referenz: Mayer OH, Redding G. Early changes in pulmonary function after vertical expandable prosthetic rib insertion in children with thoracic insufficiency syndrome. *J Pediatr Orthop* 2009; 29: 35–38
- Online Referenz: Mehta HP, Snyder BD, Baldassarri SR, et al. Expansion thoracoplasty improves respiratory function in a rabbit model of postnatal pulmonary hypoplasia: a pilot study. *Spine* 2010; 35: 153–161
- Motoyama EK, Deeney VF, Fine GF, et al. Effects on lung function of multiple expansion thoracoplasty in children with thoracic insufficiency syndrome: a longitudinal study. *Spine* 2006; 31: 284–290
- Newton PO, Faro FD, Gollogly S et al. Results of preoperative pulmonary function testing of adolescents with idiopathic scoliosis. *J Bone Joint Surg* 2005; 87-A: 1937–1946
- Online Referenz: Obara H, Hoshina H, Iwai S, et al. Eventration of the diaphragm in infants and children. *Acta Paediatr Scand* 1987; 76: 654–658
- Online-Referenz: Petersen C. Fehlbildungen und Tumoren der Thoraxwand. In: von Schweinitz D, Ure U. *Kinderchirurgie*. Springer, Heidelberg 2009
- Online Referenz: Qureshi A. Diaphragm paralysis. *Semin Respir Crit Care Med* 2009; 30: 315–320
- Online-Referenz: Ramirez N, Flynn JM, Emans JB, et al. Vertical expandable prosthetic titanium rib as treatment of thoracic insufficiency syndrome in spondylocostal dysplasia. *J Pediatr Orthop* 2010; 30: 521–526
- Online Referenz: Redding GJ, Mayer OH. Structure-respiration function relationships before and after surgical treatment of early-onset scoliosis. *Clin Orthop Relat Res* 2011; 469: 1330–1334
- Online Referenz: Skaggs DL, Sankar WN, Albrektson J, et al. Weight gain following vertical expandable prosthetic titanium ribs surgery in children with thoracic insufficiency syndrome. *Spine* 2009; 34: 2530–2533
- Online-Referenz: Sponseller PD, Thompson GH, Akbama BA, et al. Growing rods for infantile scoliosis in Marfan syndrome. *Spine* 2009; 34: 1711–1715
- Striegl A, Chen ML, Kifle Y, et al. Sleep-disordered breathing in children with thoracic insufficiency syndrome. *Pediatr Pulmonol* 2010; 45: 469–474
- Torre M, Rapuzzi G, Carlucci M, et al. Phenotypic spectrum and management of sternal cleft: literature review and presentation of a new series. *Eur J Cardiothorac Surg* 2012; 41: 4–9
- Online Referenz: Velasco M, Colin AA, Zurakowski D, et al. Posterior spinal fusion for scoliosis in Duchenne muscular dystrophy diminishes the rate of respiratory decline. *Spine* 2007; 32: 459–465
- Online-Referenz: Vitale MG, Matsumoto H, Bye MR, et al. A retrospective cohort study of pulmonary function, radiographic measures, and quality of life in children with congenital scoliosis: an evaluation of patient outcomes after early spinal fusion. *Spine* 2008; 33: 1242–1249
- Online Referenz: De Vries J, Yntema JL, van Die CE, et al. Jeune syndrome: description of 13 cases and a proposal for follow-up protocol. *Eur J Pediatr* 2010; 169: 77–88

Literatur zu Abschnitt 25.1

- Abdalla S, Geisthoff U, Bonneau D et al. Visceral manifestations in hereditary haemorrhagic telangiectasia type 2. *J Med Genet* 2003; 40: 494–502
- Akay HO, Kervancioglu M, Nazaroglu H et al. Horseshoe lung associated with rare bilateral variant of scimitar syndrome: demonstration by 64-slice MDCT angiography. *Pediatr Radiol* 2008; 38: 563–566
- Alagille D, Odievre M, Gautier M, Dommergues JP. Hepatic ductular hypoplasia associated with characteristic facies, vertebral malformations, retarded physical, mental, and sexual development, and cardiac murmur. *J Pediatr* 1975; 86: 63–71
- Alsoufi B, Cai S, Van Arsdell GS, Williams WG, Caldarone CA, Coles JG. Outcomes after surgical treatment of children with partial anomalous pulmonary venous connection. *Ann Thorac Surg* 2007; 84: 2020–2026
- Alwi M, Geetha K, Bilkis AA et al. Pulmonary atresia with intact ventricular septum percutaneous radiofrequency-assisted valvotomy and balloon dilation versus surgical valvotomy and Blalock Taussig shunt. *J Am Coll Cardiol* 2000; 35: 468–476
- Ammash NM, Seward JB, Warnes CA, Connolly HM, Leary PW, Danielson GK. Partial Anomalous Pulmonary Venous Connection: Diagnosis by Transesophageal Echocardiography. *Journal of the American College of Cardiology* 1997; 29: 1351–1358
- Apitz J. Fallot'sche Tetralogie. In: Apitz J and (Hrsg). *Pädiatrische Kardiologie*. 2. Aufl. Steinkopff, Darmstadt; 2002: 389–404
- Apitz J. Truncus arteriosus communis. In: Apitz J. (Hrsg) *Pädiatrische Kardiologie*. 2. Aufl. Steinkopff, Darmstadt; 2002: 435–444
- Apitz J, Apitz C. Angeborene (arteriovenöse) pulmonale Kurzschlussverbindungen einschließlich der a.v.-Aneurysmen der Lunge. In: Apitz J, Hrsg. *Pädiatrische Kardiologie*. 2. Aufl. Steinkopff, Darmstadt; 2002: 324–328
- Apitz J, Stoermer J. Übe die Lebensaussichten von Säuglingen mit kongenitalen Angiokardiopathien. *Monatsschr Kinderheilkd* 1967; 115: 95–102
- Backer C, Mavroudis C. Vascular rings and pulmonary artery sling. In: Mavroudis C and Backer CL. (eds) *Pediatric Cardiac Surgery*. 2nd ed. Mosby, St. Louis; 1994: 147–166
- Baden W, Schaefer J, Kumpf M et al. Comparison of imaging techniques in the diagnosis of bridging bronchus. *European Respiratory Journal* 2008; 31: 1125–1131
- Baden W, Schaefer J, Kumpf M et al. Comparison of imaging techniques in the diagnosis of bridging bronchus. *European Respiratory Journal* 2008; 31: 1125–1131
- Bartyk K, Bede O, Tiszlavicz L, Onozo B, Virag I, Turi S. Pulmonary capillary haemangiomas in children and adolescents: report of a new case and a review of the literature. *Eur J Pediatr* 2004; 163: 731–737
- Bengur A. Truncus arteriosus. In: Garson Jr A, Bricker JT, Fisher DJ, Neish SR, eds. *The Science and Practice of Pediatric Cardiology* vol. 1. 2nd Williams & Wilkins, Baltimore; 1998: 1421–1430
- Berthelot P, Walker JG, Sherlock S, Reid L. Arterial changes in the lungs in cirrhosis of the liver – lung spider nevi. *N Engl J Med* 1966; 274: 291–298
- Beuren AJ, Schulze C, Eberle P, Harmjanz D, Apitz J. The Syndrome of Supra-valvular Aortic Stenosis, Peripheral Pulmonary Stenosis, Mental Retardation and Similar Facial Appearance. *Am J Cardiol* 1964; 13: 471–83
- Carrington CB, Liebow AA. Pulmonary veno-occlusive disease. *Hum Pathol* 1970; 1: 322–324
- Cerruti MM, Marmolejos F, Cacciarelli T. Bilateral intralobar pulmonary sequestration with horseshoe lung. *Ann Thorac Surg* 1993; 55: 509–510
- dCruz I, Arcilla RA. Anomalous Venous Drainage of the Left Lung into the Inferior Vena Cava. A Case Report. *Am Heart J* 1964; 67: 539–44
- Dallapiccola B, Marino B, Giannotti A, Valorani G. Digeorge anomaly associated with partial deletion of chromosome 22. Report of a case with X/22 translocation and review of the literature. *Ann Genet* 1989; 32: 92–96
- Dische MR, Teixeira ML, Winchester PH, Engle MA. Horseshoe lung associated with a variant of the «scimitar» syndrome. *Br Heart J* 1974; 36: 617–620
- Dupuis C, Charaf L, Brevière G-M, Abou P. »Infantile« form of the Scimitar syndrome with pulmonary hypertension. *Amer J Cardiol* 1993; 71: 1326–1330
- Eichhorn JG, Fink C, Long F et al. Multidetector CT for the diagnosis of congenital vascular anomalies and associated complications in newborns and infants]. *Rofo* 2005; 177: 1366–1372
- Emmanouilides GC, Allen HD, Riemenschneider TA, Gutschesell HP. Right Ventricular and Pulmonary Outflow Abnormalities. In: Emmanouilides GC, Allen HD, Riemenschneider TA, and Gutschesell HP. *Clinical Synopsis of Moss and Adams' Heart Disease in Infants, Children and Adolescents including the fetus and Young Adult*. 1st Williams & Wilkins, Baltimore; 1998: 385–408
- Esposito G, Cigliano B, Farina V, Iaccarino V, Mansi L. Congenital pulmonary arterio-venous fistula in childhood. *Z Kinderchir* 1982; 37: 28–31
- Fyler D. Tetralogy of Fallot. In: Fyler DC. *Nadas' Pediatric Cardiology*. Hanley & Belfus, Philadelphia; 1992: 471–492
- Galie N, Hoeper MM, Humbert M et al. Guidelines for the diagnosis and treatment of pulmonary hypertension: the Task Force for the Diagnosis and Treatment of Pulmonary Hypertension of the European Society of Cardiology (ESC) and the European Respiratory Society (ERS), endorsed by the International Society of Heart and Lung Transplantation (ISHLT). *Eur Heart J* 2009; 30: 2493–2537
- Gikonyo BM, Jue KL, Edwards JE. Pulmonary vascular sling: report of seven cases and review of the literature. *Pediatr Cardiol* 1989; 0: 81–89
- Gillebert T, De Pauw A, Van de Werf F, Goddeeris P, De Geest H. Pulmonary veno-occlusive disease: report of a case. *Acta Cardiol* 1982; 37: 291–297
- Godart F, Rey C, Breviere GM, Francart C, Vaksman G. Lagénésie des valves pulmonaire. Experience sur 20 ans. *Arch Mal Coeur Vaiss* 1995; 88: 673–679
- Greaves K, Bye P, Parker G, Celermajer DS. Prevalence of haemoptysis in adults with pulmonary atresia and ventricular septal defect, and the role of mammary artery collateral vessels. *Heart* 2003; 89: 937–938
- Gumbiner CH, Mullins CE, McNamara DG. Pulmonary artery sling. *Am J Cardiol* 1980; 45: 311–315
- Hassberg D, Steil E, Sieverding L, Rosendahl W. [Combination of scimitar syndrome and horseshoe lung. A rare but typical finding—case report and review of the literature]. *Klin Padiatr* 1992; 204: 434–443
- Hayek Hv. *Die menschliche Lunge*. 2. Aufl., Springer, Heidelberg; 2011
- Heinemann M, Breuer J, Steger V, Steil E, Sieverding L, Ziemer G. Incidence and impact of systemic venous collateral development after Glenn and Fontan procedures. *Thorac Cardiovasc Surg* 2001; 49: 172–178
- Hofbeck M. Fallot'sche Tetralogie und Pulmonalatresie. In: Schmaltz AA and Singer H. *Herzoperierte Kinder und Jugendliche*. Wissenschaftliche Verlagsgesellschaft, Stuttgart; 1994: 151–160
- Holt DB, Moller JH, Larson S, Johnson MC. Primary pulmonary vein stenosis. *Am J Cardiol* 2007; 99: 568–572
- Jonas RA, Spevak PJ, McGill T, Castaneda AR. Pulmonary artery sling: primary repair by tracheal resection in infancy. *J Thorac Cardiovasc Surg* 1989; 97: 548–550
- Kalavrouziotis G, Purohit M, Ciotti G, Corno AF, Pozzi M. Truncus Arteriosus Communis: Early and Midterm Results of Early Primary Repair. *The Annals of Thoracic Surgery* 2006; 82: 2200–2206
- Kamijoh M, Itoh M, Kijimoto C, Nagakura T, Okabe T. Horseshoe lung with bilateral vascular anomalies: A rare variant of hypogenetic lung syndrome (scimitar syndrome). *Pediatrics International* 2002; 44: 443–445
- Keith JRR, Vlad P. *Heart Disease in Infancy and Childhood*. 3rd, Macmillan Comp., New York, 1979
- Krammoh EK, Bigras JL, Prsa M, Lapierre C, Miro J, Dahdah NS. Therapeutic strategies in children with an isolated unilaterally absent proximal pulmonary artery. *Pediatr Cardiol* 2010; 31: 607–610
- Krueger S, Teuber G, Wagner T. Das hepatopulmonale Syndrom. *Dtsch Arztebl* 2002; 99: A 1517–1522
- Laberge J, Puligandla P. Congenital Malformation of the Lungs and Airways. In: Taussig L, Landau L, eds. *Pediatric Respiratory Medicine*. 2nd Mosby Elsevier, Philadelphia; 2008: 907–941
- Langleben D. Pulmonary capillary haemangiomas. *Br Heart J* 1989; 62: 239
- Lofland GK. The management of pulmonary atresia, ventricular septal defect, and multiple aorta pulmonary collateral arteries by definitive single stage repair in early infancy. *Eur J Cardiothorac Surg* 2000; 18: 480–486
- MacDonald ST, Carminati M, Butera G. Initial experience with the Amplatzer Vascular Plug IV in congenital heart disease: coronary artery fistula and aortopulmonary collateral artery embolization. *J Invasive Cardiol* 2011; 23: 120–124
- Magee AG, McCrindle BW, Mawson J, Benson LN, Williams WG, Freedom RM. Systemic venous collateral development after the bidirectional cavopulmonary anastomosis. Prevalence and predictors. *J Am Coll Cardiol* 1988; 32: 502–508
- Mandel J, Mark EJ, Hales CA. Pulmonary veno-occlusive disease. *Am J Respir Crit Care Med* 2000; 162: 1964–1973
- Mardini MK, Sakati NA, Nyhan WL. Anomalous left pulmonary venous drainage to the inferior vena cava and through the pericardiophrenic vein to the innominate vein:left-sided scimitar syndrome. *Am Heart J* 1981; 101: 860–863
- McElhinney DB, Reddy VM, Hanley FL, Moore P. Systemic venous collateral channels causing desaturation after bidirectional cavopulmonary anastomosis: evaluation and management. *J Am Coll Cardiol* 1997; 30: 817–824

- McElhinney DB, Reddy VM, Tworetzky W, Petrossian E, Hanley FL, Moore P. Incidence and implications of systemic to pulmonary collaterals after bidirectional cavopulmonary anastomosis. *Ann Thorac Surg* 2000; 69: 1222–1228
- Momma K. Tetralogy of Fallot, absent pulmonary valve and coarctation of the aorta. *Int J Cardiol* 1996; 54: 287
- Montani D, Jais X, Price LC et al. Cautious epoprostenol therapy is a safe bridge to lung transplantation in pulmonary veno-occlusive disease. *Eur Respir J* 2009; 34: 1348–1356
- Montani D, Price LC, Dorfmüller P et al. Pulmonary veno-occlusive disease. *Eur Respir J* 2009; 33: 189–200
- Neill C, Ferencz C, Sabiston D, Sheldon Y. The familial occurrence of hypoplastic left lung with systemic arterial supply and venous drainage. *Bull Johns Hopkins Hosp* 1960; 107: 1–21
- Nollert G, Fischlein T, Bouterwek S, Bohmer C, Klinner W, Reichart B. Long-term survival in patients with repair of tetralogy of Fallot: 36-year follow-up of 490 survivors of the first year after surgical repair. *J Am Coll Cardiol* 1997; 30: 1374–1383
- Noonan JA. Hypertelorism with Turner phenotype. A new syndrome with associated congenital heart disease. *Am J Dis Child* 1968; 116: 373–380
- Norgaard MA, Alphonso N, Cochrane AD, Menahem S, Brizard CP, Udekem Y. Major aorto-pulmonary collateral arteries of patients with pulmonary atresia and ventricular septal defect are dilated bronchial arteries. *Eur J Cardiothorac Surg* 2006; 29: 653–658
- Oguz B, Alan S, Ozcelik U, Haliloglu M. Horseshoe lung associated with left-lung hypoplasia, left pulmonary artery sling and bilateral agenesis of upper lobe bronchi. *Pediatr Radiol* 2009; 9: 1002–1005
- Palevsky HI, Schloo BL, Pietra GG et al. Primary pulmonary hypertension. Vascular structure, morphometry, and responsiveness to vasodilator agents. *Circulation* 1989; 80: 1207–1221
- Palmer SM, Robinson LJ, Wang A, Gossage JR, Bashore T, Tapson VF. Massive pulmonary edema and death after prostacyclin infusion in a patient with pulmonary veno-occlusive disease. *Chest* 1998; 113: 237–240
- Peuster M, Reckers J, Fink C. [Interventional therapy of large veno-venous collaterals after univentricular palliation for congenital heart disease using the Starflex- and Amplatzer- PDA occluder]. *Z Kardiol* 2002; 91: 853–857
- Pietra GG, Capron F, Stewart S et al. Pathologic assessment of vasculopathies in pulmonary hypertension. *J Am Coll Cardiol* 2004; 43: 255–325
- Rabinovitch M, Herrera-De-Leon V, Castaneda A, Reid L. Growth and development of the pulmonary vascular bed in patients with tetralogy of Fallot with or without pulmonary atresia. *Circulation* 1981; 64: 1234–1249
- Rabinovitch M, Grady S, David I et al. Compression of intrapulmonary bronchi by abnormally branching pulmonary arteries associated with absent pulmonary valves. *Am J Cardiol* 1982; 50: 804–813
- Rauch R, Hofbeck M, Zweier C et al. Pathophysiology; clinical features; and diagnosis of tetralogy of Fallot. *J Med Genet* 2010; 47: 321–331
- Reed MK, Leonard SR, Zellers TM, Nikaidoh H. Major intrahepatic venovenous fistulas after a modified Fontan operation. *The Annals of Thoracic Surgery* 1996; 61: 713–715
- Rocchini A, Emmanouilides G. Moss and Adams Heart Disease in Infants, Children, and Adolescents. 5th ed, Williams & Wilkins, Baltimore; 1995
- Rolla G, Brussino L, Colagrande P et al. Exhaled nitric oxide and oxygenation abnormalities in hepatic cirrhosis. *Hepatology* 1997; 26: 842–847
- Rowe RD. Maternal Rubella and Pulmonary Artery Stenoses. Report of Eleven Cases. *Pediatrics* 1963; 32: 180–5
- Runo JR, Vnencak-Jones CL, Prince M et al. Pulmonary veno-occlusive disease caused by an inherited mutation in bone morphogenetic protein receptor II. *Am J Respir Crit Care Med* 2003; 167: 889–894
- Sade RM, Rosenthal A, Fellows K, Castaneda AR. Pulmonary artery sling. *J Thorac Cardiovasc Surg* 1975; 69: 333–346
- Samanek M, Slavik Z, Zborilova B, Hrobonova V, Voriskova M, Skovranek J. Prevalence, treatment, and outcome of heart disease in live-born children: a prospective analysis of 91,823 live-born children. *Pediatr Cardiol* 1989; 10: 205–211
- Sano S, Ishino K, Kawada M, Fujisawa E, Kamada M, Ohtsuki Si. Staged biventricular repair of pulmonary atresia or stenosis with intact ventricular septum. *The Annals of Thoracic Surgery* 2000; 70: 1501–1506
- Schmaltz A. Links-rechts Shunts auf Vorhofebene. In: Apitz J. (Hrsg) Pädiatrische Kardiologie. 2. Aufl. Steinkopff, Darmstadt; 2002: 341–350
- Schuhmacher G, Sauer U. Herzfehler und Genetik. 1, WVG, Stuttgart; 1999
- Seale AN, Webber SA, Uemura H et al. Pulmonary vein stenosis: the UK, Ireland and Sweden collaborative study. *Heart* 2009; 95: 1944–1949
- Seale AN, Uemura H, Webber SA et al. Total Anomalous Pulmonary Venous Connection / Clinical Perspective. *Circulation* 2010; 122: 2718–2726
- Stewart S, McNeil K, Nashef SA, Wells FC, Higenbottam TW, Wallwork J. Audit of referral and explant diagnoses in lung transplantation: a pathologic study of lungs removed for parenchymal disease. *J Heart Lung Transplant* 1995; 14: 1173–1186
- Stuhrmann M, El-Harith E. Hereditary hemorrhagic telangiectasia. Genetics, pathogenesis, clinical manifestation and management. *Saudi Med J* 2007; 28: 11–21
- Ten Harkel ADJ, Blom NA, Ottenkamp J. Isolated Unilateral Absence of a Pulmonary Artery. *Chest* 2002; 122: 1471–1477
- Valenti A, Caimi G. Physiopathological, clinical and therapeutic aspects of hepatopulmonary syndrome. *Clin Ter* 2010; 161: e123–e128
- Veeraraghavan S, Koss MN, Sharma OP (1999) Pulmonary veno-occlusive disease. *Curr Opin Pulm Med* 1999; 5: 310–313
- Vogt J. Pulmonalatresie mit intaktem Ventrikelseptum. In: Apitz J, Hrsg. Pädiatrische Kardiologie. 2. Aufl. Steinkopff, Darmstadt; 2002: S 448–451
- Wagner G. Pulmonalklappeninsuffizienz. In: Apitz J, Hrsg. Pädiatrische Kardiologie. 2. Aufl. Steinkopff, Darmstadt; 2002: 309–312
- Warnes CA, Williams RG, Bashore TM et al. ACC/AHA 2008 Guidelines for the Management of Adults with Congenital Heart Disease: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (writing committee to develop guidelines on the management of adults with congenital heart disease). *Circulation* 2008; 118: e714–e833
- Wells TR, Gwinn JL, Landing BH, Stanley P. Reconsideration of the anatomy of sling left pulmonary artery: the association of one form with bridging bronchus and imperforate anus. Anatomic and diagnostic aspects. *J Pediatr Surg* 1988; 23: 892–898
- Whight CM, Barratt-Boyes BG, Calder AL, Neutze JM, Brandt PW. Total anomalous pulmonary venous connection. Long-term results following repair in infancy. *J Thorac Cardiovasc Surg* 1978; 75: 52–63
- Yaroglu KS, Emami S, McElhinney DB. Outcome After Repair of Cor Triatriatum. *Am J Cardiol* 2011
- Yu JM, Liao CP, Ge S et al. The prevalence and clinical impact of pulmonary artery sling on school-aged children: A large-scale screening study. *Pediatric Pulmonology* 2008; 43: 656–661

Literatur zu Abschnitt 25.3

- Ahmad FA, Macias CG, Allen JY. The use of incentive spirometry in pediatric patients with sickle cell disease to reduce the incidence of acute chest syndrome. *J Pediatr Hematol Oncol* 2011; 33(6): 415–420
- Al-Seraihy AS, Ware RE. (2003) Evaluation and management of anemia in sickle cell disease. In: Sills RH (ed.) *Practical Algorithms in Pediatric Hematology and Oncology*, Seite 32 – 34 Karger, Basel, Freiburg, Paris.
- Al-Seraihy AS, Ware RE. Sickle cell anemia with fever. In Sills RH, ed. *Practical Algorithms in Pediatric Hematology and Oncology*. Karger, Basel, Freiburg, Paris; 2003: 28–30
- An P, Barron-Casella EA, Strunk RC, Hamilton RG, Casella JF, DeBaun MR. Elevation of IgE in children with sickle cell disease is associated with doctor diagnosis of asthma and increased morbidity. *J Allergy Clin Immunol* 2011; 127(6): 1440–1446
- Bain BJ. Neonatal/newborn haemoglobinopathy screening in Europe and Africa. *J Clin Pathol* 2009; 62(1): 53–56
- Ballas SK, Lief S, Benjamin LJ et al. Definitions of the phenotypic manifestations of sickle cell disease. *Am J Hematol* 2010; 85(1): 6–13
- Bellet PS, Kalinyak KA, Shukla R, Gelfand MJ, Rucknagel DL. Incentive spirometry to prevent acute pulmonary complications in sickle cell diseases. *N Engl J Med* 1995; 333(11): 699–703
- Bernini JC, Rogers ZR, Sandler ES, Reisch JS, Quinn CT, Buchanan GR. Beneficial effect of intravenous dexamethasone in children with mild to moderately severe acute chest syndrome complicating sickle cell disease. *Blood* 1998; 92(9): 3082–3089
- Blake K, Lima J. Asthma in sickle cell disease: implications for treatment. *Anemia* 2011; 740235
- Boyd JH, Macklin EA, Strunk RC, DeBaun MR. Asthma is associated with acute chest syndrome and pain in children with sickle cell anemia. *Blood* 2006; 108(9): 2923–2927
- Boyd JH, Macklin EA, Strunk RC, DeBaun MR. Asthma is associated with increased mortality in individuals with sickle cell anemia. *Haematologica* 2007; 92(8): 1115–1118
- Boyd JH, Moinuddin A, Strunk RC, DeBaun MR. Asthma and acute chest in sickle-cell disease. *Pediatr Pulmonol* 2004; 38(3): 229–232
- Castro O, Brambilla DJ, Thorington B et al. The acute chest syndrome in sickle cell disease: incidence and risk factors. *The Cooperative Study of Sickle Cell Disease*. *Blood* 1994; 84(2): 643–649
- Cohen RT, Madadi A, Blinder MA, Debaun MR, Strunk RC, Field JJ. Recurrent, severe wheezing is associated with morbidity and mortality in adults with sickle cell disease. *Am J Hematol* 2011
- Colombatti R, Maschietto N, Varotto E et al. Pulmonary hypertension in sickle cell disease children under 10 years of age. *Br J Haematol* 2011; 150(5): 601–609
- De Franceschi L, Cappellini MD, Olivieri O. Thrombosis and sickle cell disease. *Semin Thromb Hemost* 2011; 37(3): 226–236
- Dickerhoff R, Genzel-Boroviczeny O, Kohne E. Haemoglobinopathies and newborn haemoglobinopathy screening in Germany. *J Clin Pathol* 2009; 62(1): 34
- Dickerhoff R, Kulozik AE. Sichelzellerkrankheit. In: Gadner H, Gaedicke G, Niemeyer C, Ritter J, eds. *Pädiatrische Hämatologie und Onkologie*. Springer Heidelberg; 2006: 179–185
- Dickerhoff R, von Rucker A, Maschmeyer G, Heimpel H. [Problems of adult sickle cell patients in Germany]. *Dtsch Med Wochenschr* 2009; 134(22): 1179–1184
- Dickerhoff R. [Sickle cell disease in Germany – disease manifestations, therapeutic options and possibilities for improvement of care]. *Klin Padiatr* 2006; 218(3): 165–169
- Field JJ, DeBaun MR, Yan Y, Strunk RC. Growth of lung function in children with sickle cell anemia. *Pediatr Pulmonol* 2008; 43(11): 1061–1066
- Field JJ, Stocks J, Kirkham FJ et al. Airway hyperresponsiveness in children with sickle cell anemia. *Chest* 2011; 139(3): 563–568
- Gill FM, Sleeper LA, Weiner SJ et al. Clinical events in the first decade in a cohort of infants with sickle cell disease. *Cooperative Study of Sickle Cell Disease*. *Blood* 1995; 86(2): 776–783
- Gladwin MT, Vichinsky E. Pulmonary complications of sickle cell disease. *N Engl J Med* 2008; 359(21): 2254–2265
- Heeney M and Dover GJ. Sickle Cell Disease. In: Orkin SH, Look AT, Nathan DG, Fisher DE, Ginsburg D, Lux SE, eds. *Nathan and Oskis Hematology of infancy and childhood*. 7th edition. Saunders, Philadelphia PA, USA; 2009: 949–1015
- Heeney MM, Ware RE. Management of painful vaso-occlusive episodes in sickle cell disease. In: Sills RH, ed. *Practical Algorithms in Pediatric Hematology and Oncology*. Basel, Freiburg, Paris; 2003: 30–32
- Hoppe CC. Novel therapies targeting the endothelium in sickle cell disease. *Hemoglobin* 2011; 35(5-6): 530–546
- Hsu LL, Batts BK, Rau JL. Positive expiratory pressure device acceptance by hospitalized children with sickle cell disease is comparable to incentive spirometry. *Respir Care* 2005; 50(5): 624–627
- Inselman L. Pulmonary Manifestation of systemic Disorders: Hämoglobinopathias Sickle Cell Disease. In: Taussig LM, Landau LI, Le Souëf PN, Morgan WJ, Martinez FD, Sly PD, eds. *Pediatric Respiratory Medicine*. 2nd edition. Mosby Philadelphia PA, USA; 2008: 1071–1076
- Kato GJ, Onyekwere OC, Gladwin MT. Pulmonary hypertension in sickle cell disease: relevance to children. *Pediatr Hematol Oncol* 2007; 24(3): 159–170
- Knight J, Murphy TM, Browning I. The lung in sickle cell disease. *Pediatr Pulmonol* 1999; 28(3): 205–216
- Knight-Madden JM, Forrester TS, Lewis NA, Greenough A. Asthma in children with sickle cell disease and its association with acute chest syndrome. *Thorax* 2005; 60(3): 206–210
- Knight-Madden JM, Forrester TS, Lewis NA, Greenough A. The impact of recurrent acute chest syndrome on the lung function of young adults with sickle cell disease. *Lung*; 188(6): 499–504
- Kohne E, Kleihauer E. Hemoglobinopathies: a longitudinal study over four decades. *Dtsch Arztebl Int* 2010; 107(5): 65–71
- Koumbourlis AC, Lee DJ, Lee A. Lung function and somatic growth in patients with hemoglobin SC sickle cell disease. *Pediatr Pulmonol* 2008; 43(2): 175–178
- Lane PA. Sickle cell disease. *Pediatr Clin North Am* 1996; 43(3): 639–664
- Liem RI, Nevin MA, Prestridge A, Young LT, Thompson AA. Functional capacity in children and young adults with sickle cell disease undergoing evaluation for cardiopulmonary disease. *Am J Hematol* 2009; 84(10): 645–649
- Machado RF, Gladwin MT. Chronic sickle cell lung disease: new insights into the diagnosis, pathogenesis and treatment of pulmonary hypertension. *Br J Haematol* 2005; 129(4): 449–464
- MacLean JE, Atenafu E, Kirby-Allen M et al. Longitudinal decline in lung volume in a population of children with sickle cell disease. *Am J Respir Crit Care Med* 2008; 178(10): 1055–1059
- Makani J, Cox SE, Soka D et al. Mortality in sickle cell anemia in Africa: a prospective cohort study in Tanzania. *PLoS One* 2011; 6(2): e14699
- Maley JH, Lasker GF, Kadowitz PJ. Nitric oxide and disorders of the erythrocyte: emerging roles and therapeutic targets. *Cardiovasc Hematol Disord Drug Targets* 2010; 10(4): 284–291
- Manna SS, Shaw J, Tibby SM, Durward A. Treatment of plastic bronchitis in acute chest syndrome of sickle cell disease with intratracheal rhDNase. *Arch Dis Child* 2003; 88(7): 626–627
- Miller ST. How I treat acute chest syndrome in children with sickle cell disease. *Blood* 2011; 117(20): 5297–5305
- Minter KR, Gladwin MT. Pulmonary complications of sickle cell anemia. A need for increased recognition, treatment, and research. *Am J Respir Crit Care Med* 2001; 164(11): 2016–2019
- Modell B, Darlison M. Global epidemiology of haemoglobin disorders and derived service indicators. *Bull World Health Organ* 2008; 86(6): 480–487
- Morris C, Vichinsky E, Styles L. Clinician assessment for acute chest syndrome in febrile patients with sickle cell disease: is it accurate enough? *Ann Emerg Med* 1999; 34(1): 64–69
- Moser C, Nussbaum E, Cooper DM. Plastic bronchitis and the role of bronchoscopy in the acute chest syndrome of sickle cell disease. *Chest* 2001; 120(2): 608–613
- Murphy TM, Knight-Madden J. The Lung in Sickle cell disease. In: Chernick V, Boat TF, Wilmott RW, Bush A, eds. *Kendig's Disorders of the respiratory Tract in Children*. 7th edition. Saunders, Philadelphia PA, USA; 2006: 992–999
- Newaskar M, Hardy KA, Morris CR. Asthma in sickle cell disease. *Scientific-WorldJournal* 2011; 11: 1138–1152
- Palmer J, Naiman JL. Pulmonary complications of sickle cell disease. In: Hilman BC, ed. *Pediatric Respiratory Disease: Diagnosis and Treatment*. Saunders, Philadelphia PA, USA; 1993: 388–396
- Patel NG, Lindsey T, Strunk RC, DeBaun MR. Prevalence of daily medication adherence among children with sickle cell disease: a 1-year retrospective cohort analysis. *Pediatr Blood Cancer* 2010; 55(3): 554–556

- Platt OS, Brambilla DJ, Rosse WF et al. Mortality in sickle cell disease. Life expectancy and risk factors for early death. *N Engl J Med* 1994; 330(23): 1639–1644
- Quinn CT, Rogers ZR, Buchanan GR. Survival of children with sickle cell disease. *Blood* 2004; 103(11): 4023–4027
- Quinn CT, Rogers ZR, McCavit TL, Buchanan GR. Improved survival of children and adolescents with sickle cell disease. *Blood* 2010; 115(17): 3447–3452
- Quinn CT, Shull EP, Ahmad N, Lee NJ, Rogers ZR, Buchanan GR. Prognostic significance of early vaso-occlusive complications in children with sickle cell anemia. *Blood* 2007; 109(1): 40–45
- Raghuram N, Pettignano R, Gal AA, Harsch A, Adamkiewicz TV. Plastic bronchitis: an unusual complication associated with sickle cell disease and the acute chest syndrome. *Pediatrics* 1997; 100(1): 139–142
- Rees DC, Williams TN, Gladwin MT. Sickle-cell disease. *Lancet* 2010; 376(9757): 2018–2031
- Ryan K, Bain BJ, Worthington D et al. Significant haemoglobinopathies: guidelines for screening and diagnosis. *Br J Haematol* 2010; 149(1): 35–49
- Shilo NR, Lands LC. Asthma and chronic sickle cell lung disease: a dynamic relationship. *Paediatr Respir Rev* 2011; 12(1): 78–82
- Strouse JJ, Takemoto CM, Keefer JR, Kato GJ, Casella JF. Corticosteroids and increased risk of readmission after acute chest syndrome in children with sickle cell disease. *Pediatr Blood Cancer* 2008; 50(5): 1006–1012
- Thuret I, Sarles J, Merono F et al. Neonatal screening for sickle cell disease in France: evaluation of the selective process. *J Clin Pathol* 2010; 63(6): 548–551
- Vichinsky E, Styles L. Pulmonary complications. *Hematol Oncol Clin North Am* 1996; 10(6): 1275–1287
- Vichinsky EP, Neumayr LD, Earles AN et al. Causes and outcomes of the acute chest syndrome in sickle cell disease. National Acute Chest Syndrome Study Group. *N Engl J Med* 2000; 342(25): 1855–1865
- Wood KC, Hsu LL, Gladwin MT. Sickle cell disease vasculopathy: a state of nitric oxide resistance. *Free Radic Biol Med* 2008; 44(8): 1506–1528

Literatur zu Abschnitt 25.4

- Andrew AS, Bolte RG. Pulmonary embolism in the pediatric patient. *Pediatric Emergency Care* 2004; 20: 555–560
- Andrew M, Brooker L, Leaker M, Paes B, Weitz J. Fibrin clot lysis by thrombolytic agents is impaired in newborns due to a low plasminogen concentration. *Thromb Haemost* 1992; 68(3): 325–330
- Andrew M, David M, Adams M et al. Venous thromboembolic complications (VTE) in children: first analyses of the Canadian Registry of VTE. *Blood* 1994; 83(5): 1251–1257
- Andrew M, Marzinotto V, Massicotte P et al. Heparin therapy in pediatric patients: a prospective cohort study. *Pediatr Res* 1994; 35(1): 78–83
- Babyn PS, Gahunia HK, Massicotte P. Pulmonary thromboembolism in children. *Pediatr Radiol* 2005; 35(3): 258–274
- Baird JS, Killinger JS, Kalkbrenner KJ, Bye MR, Schleien CL. Massive pulmonary embolism in children. *J Pediatr* 2011; 156(1): 148–151
- Bernstein D, Coupey S, Schonberg SK. Pulmonary embolism in adolescents. *Am J Dis Child* 1986; 140(7): 667–671
- Biss TT, Brandao LR, Kahr WH, Chan AK, Williams S. Clinical features and outcome of pulmonary embolism in children. *Br J Haematol* 2008; 142(5): 808–818
- Biss TT, Brandao LR, Kahr WH, Chan AK, Williams S. Clinical probability score and D-dimer estimation lack utility in the diagnosis of childhood pulmonary embolism. *J Thromb Haemost* 2009; 7(10): 1633–1638
- Buck JR, Connors RH, Coon WW, Weintraub WH, Wesley JR, Coran AG. Pulmonary embolism in children. *J Pediatr Surg* 1981; 16(3): 385–391
- Byard RW, Cutz E. Sudden and unexpected death in infancy and childhood due to pulmonary thromboembolism. An autopsy study. *Arch Pathol Lab Med* 1990; 114(2): 142–144
- Chalmers EA. Epidemiology of venous thromboembolism in neonates and children. *Thromb Res* 2006; 118(1): 3–12
- Dijk FN, Curtin J, Lord D, Fitzgerald DA. Pulmonary embolism in children. *Paediatr Respir Rev* 2012; 13: 112–122
- Dollery CM. Pulmonary embolism in parenteral nutrition. *Arch Dis Child* 1996; 74(2): 95–98
- Giuntini C, Di Ricco G, Marini C, Melillo E, Palla A. Pulmonary embolism: epidemiology. *Chest* 1995; 107(1 Suppl): 3S–9S.
- Goldhaber SZ. Echocardiography in the management of pulmonary embolism. *Ann Intern Med* 2002; 136(9): 691–700
- Green RM, Meyer TJ, Dunn M, Glassroth J. Pulmonary embolism in younger adults. *Chest* 1992; 101(6): 1507–1511
- Gupta AA, Leaker M, Andrew M, Massicotte P, Liu L, Benson LN, McCrindle BW. Safety and outcomes of thrombolysis with tissue plasminogen activator for treatment of intravascular thrombosis in children. *J Pediatr* 2001; 139(5): 682–688
- Jaff MR, McMurtry MS, Archer SL et al. Management of massive and submassive pulmonary embolism, iliofemoral deep vein thrombosis, and chronic thromboembolic pulmonary hypertension: a scientific statement from the American Heart Association. *Circulation* 2011; 123(16): 1788–1830
- Johnson AS, Bolte RG. Pulmonary embolism in the pediatric patient. *Pediatr Emerg Care* 2004; 20(8): 555–560; quiz 561–553
- Johnson NN, Toledo A, Endom EE. Pneumothorax, pneumomediastinum, and pulmonary embolism. *Pediatr Clin North Am* 2010; 57(6): 1357–1383
- Kritsaneeapaiboon S, Lee EY, Zurakowski D, Strauss KJ, Boiselle PM. MDCT pulmonary angiography evaluation of pulmonary embolism in children. *AJR Am J Roentgenol* 2009; 192(5): 1246–1252
- Leaker M, Massicotte MP, Brooker LA, Andrew M. Thrombolytic therapy in pediatric patients: a comprehensive review of the literature. *Thromb Haemost* 1996; 76(2): 132–134
- Lechleitner P, Riedl B, Raneburger W, Gamper G, Theurl A, Lederer A. Chest sonography in the diagnosis of pulmonary embolism: a comparison with MRI angiography and ventilation perfusion scintigraphy. *Ultraschall Med* 2002; 23(6): 373–378
- Lee EY, Neuman MI, Lee NJ, Johnson VM, Zurakowski D, Tracy DA, Boiselle PM. Pulmonary Embolism Detected by Pulmonary MDCT Angiography in Older Children and Young Adults: Risk Factor Assessment. *AJR Am J Roentgenol* 2012; 198(6): 1431–1437
- Long E, Pitfield AF, Kissoon N. Anticoagulation therapy: indications, monitoring, and complications. *Pediatr Emerg Care* 2011; 27(1): 55–61; quiz 62–54
- Mathis G, Blank W, Reissig A, Lechleitner P, Reuss J, Schuler A, Beckh S. Thoracic ultrasound for diagnosing pulmonary embolism: a prospective multicenter study of 352 patients. *Chest* 2005; 128(3): 1531–1538
- Meaney JF, Johansson LO, Ahlstrom H, Prince MR. Pulmonary magnetic resonance angiography. *J Magn Reson Imaging* 1999; 10(3): 326–338
- Meaney JF, Weg JG, Chenevert TL, Stafford-Johnson D, Hamilton BH, Prince MR. Diagnosis of pulmonary embolism with magnetic resonance angiography. *N Engl J Med* 1997; 336(20): 1422–1427
- Monagle P, Adams M, Mahoney M et al. Outcome of pediatric thromboembolic disease: a report from the Canadian Childhood Thrombophilia Registry. *Pediatr Res* 2000; 47(6): 763–766
- Nowak-Gottl U, Auberger K, Halimeh S et al. Thrombolysis in newborns and infants. *Thromb Haemost* 1999; 82 (Suppl 1): 112–116
- Oger E. Incidence of venous thromboembolism: a community-based study in Western France. EPI-GETBP Study Group. Groupe d'Etude de la Thrombose de Bretagne Occidentale. *Thromb Haemost* 2000; 83(5): 657–660
- Pforte A. Epidemiology, diagnosis, and therapy of pulmonary embolism. *Eur J Med Res* 2004; 9(4): 171–179
- Price VE, Chan AK. Venous thrombosis in children. *Expert Rev Cardiovasc Ther* 2008; 6(3): 411–418
- Rajpurkar M, Warrier I, Chitlur M et al. Pulmonary embolism—experience at a single children's hospital. *Thromb Res* 2007; 119(6): 699–703
- Reed RA, Teitelbaum GP, Stanley P, Mazer MJ, Tonkin IL, Rollins NK. The use of inferior vena cava filters in pediatric patients for pulmonary embolus prophylaxis. *Cardiovasc Intervent Radiol* 1996; 19(6): 401–405
- Remy-Jardin M, Pistoletti M, Goodman LR et al. Management of suspected acute pulmonary embolism in the era of CT angiography: a statement from the Fleischner Society. *Radiology* 2007; 245(2): 315–329
- Ryu JH, Olson EJ, Pellikka PA. Clinical recognition of pulmonary embolism: problem of unrecognized and asymptomatic cases. *Mayo Clin Proc* 1998; 73(9): 873–879
- Silverstein MD, Heit JA, Mohr DN, Petterson TM, O'Fallon WM, Melton LJ, 3rd. Trends in the incidence of deep vein thrombosis and pulmonary embolism: a 25-year population-based study. *Arch Intern Med* 1998; 158(6): 585–593
- Stein PD, Kayali F, Olson RE. Incidence of venous thromboembolism in infants and children: data from the National Hospital Discharge Survey. *J Pediatr* 2004; 145(4): 563–565
- Stein PD, Saltzman HA, Weg JG. Clinical characteristics of patients with acute pulmonary embolism. *Am J Cardiol* 1991; 68(17): 1723–1724
- Strouse JJ, Tamma P, Kickler TS, Takemoto CM. D-dimer for the diagnosis of venous thromboembolism in children. *Am J Hematol* 2009; 84(1): 62–63
- Thies WR, Meyer H. Fehlbildungen und Erkrankungen des pulmonalen Gefäßsystems. Lungenembolie und Lungeninfarkt. In: Rieger Ch, von der Hardt H, Sennhauser FH, Wahn U, Zach M, Hrsg. Pädiatrische Pneumologie, 2. Aufl. Springer, Berlin, Heidelberg, New York; 2004: 622–625
- van Ommen CH, Heijboer H, Buller HR, Hirasing RA, Heijmans HS, Peters M. Venous thromboembolism in childhood: a prospective two-year registry in The Netherlands. *J Pediatr* 2001; 139(5): 676–681.
- van Ommen CH, Peters M. Acute pulmonary embolism in childhood. *Thrombosis Research* 2006; 118: 13–25
- Vavilala MS, Nathens AB, Jurkovich GJ, Mackenzie E, Rivara FP. Risk factors for venous thromboembolism in pediatric trauma. *J Trauma* 2002; 52(5): 922–927
- Victoria T, Mong A, Altes T et al. Evaluation of pulmonary embolism in a pediatric population with high clinical suspicion. *Pediatr Radiol* 2009; 39(1): 35–41
- Virchow RLK. Thrombose und Embolie, Gefäßentzündung und septische Infektion. *Gesammelte Abhandlungen zur Wissenschaftlichen Medizin. Frankfurt am Main: Meidinger & Co* 1856
- Wittman B, Donnerstein R. Pulmonary Embolism. In: Taussig LM, Landau LI, Le Souëf PN, Morgan WJ, Martinez FD, Sly PD, eds. *Pediatric Respiratory Medicine*. 2nd ed. Philadelphia PA, USA: Mosby; 2008: 773–777
- Young G. New anticoagulants in children: a review of recent studies and a look to the future. *Thromb Res* 2011; 127(2): 70–74
- Young G. Old and new antithrombotic drugs in neonates and infants. *Semin Fetal Neonatal Med* 2011; 16(6): 349–354

Literatur zu Abschnitt 26.5

- Abdool Karim SS, et al. Integration of antiretroviral therapy with tuberculosis treatment. *N Engl J Med* 2011; 365(16): 1492–501
- Abdool Karim SS, et al. Timing of initiation of antiretroviral drugs during tuberculosis therapy. *N Engl J Med* 2010; 362(8): 697–706
- Agostini, C., et al., Phenotypical and functional analysis of bronchoalveolar lavage lymphocytes in patients with HIV infection. *Am Rev Respir Dis* 1988; 138(6): 1609–15
- Blanche, S., et al., Relation of the course of HIV infection in children to the severity of the disease in their mothers at delivery. *N Engl J Med* 1994; 330(5): 308–12
- Centers for Disease Control and Prevention, 1994 Revised classification system for human immunodeficiency virus infection in children less than 13 years of age. *MMWR Morb Mortal Wkly Rep* 1994; 43: 1–10
- Dankner WM, Lindsey JC, Levin MJ. Correlates of opportunistic infections in children infected with the human immunodeficiency virus managed before highly active antiretroviral therapy. *Pediatr Infect Dis J* 2001; 20(1): 40–8
- Davies, M.A., et al., Detection of tuberculosis in HIV-infected children using an enzyme-linked immunospot assay. *AIDS* 2009; 23(8): 961–9
- Deutsche Gesellschaft für Pädiatrische Infektiologie (DGPI). HIV-Infektion. In: DGPI Handbook. Georg Thieme Verlag, Stuttgart, Deutschland; 2009: 292–306
- Deutsche Gesellschaft für Pädiatrische Infektiologie (DGPI), Pneumocystis-jirovecii-Pneumonie. Georg Thieme Verlag, Stuttgart, Deutschland; 2009: 420–28
- Dunn, D, et al. Current CD4 cell count and the short-term risk of AIDS and death before the availability of effective antiretroviral therapy in HIV-infected children and adults. *J Infect Dis* 2008; 197(3): 398–404
- Elenga N, et al. Diagnosed tuberculosis during the follow-up of a cohort of human immunodeficiency virus-infected children in Abidjan, Cote d'Ivoire: ANRS 1278 study. *Pediatr Infect Dis J* 2005; 24(12): 1077–82
- George R, et al. Pulmonary infections in HIV-positive children. *Pediatr Radiol*, 2009; 39(6): 545–54
- Gibb DM, et al. Pneumocystis carinii pneumonia in vertically acquired HIV infection in the British Isles. *Arch Dis Child*, 1994; 70(3): 241–4
- Gona P, et al. Incidence of opportunistic and other infections in HIV-infected children in the HAART era. *JAMA* 2006; 296(3): 292–300
- Goussard P, et al. CMV pneumonia in HIV-infected ventilated infants. *Pediatr Pulmonol* 2010; 45(7): 650–5
- Griffiths MH, Miller RF, Semple SJ. Interstitial pneumonitis in patients infected with the human immunodeficiency virus. *Thorax* 1995; 50(11): 1141–6
- Hesseling AC, et al. Bacille Calmette-Guerin vaccine-induced disease in HIV-infected and HIV-uninfected children. *Clin Infect Dis* 2006; 42(4): 548–58
- Hesseling AC, et al. High incidence of tuberculosis among HIV-infected infants: evidence from a South African population-based study highlights the need for improved tuberculosis control strategies. *Clin Infect Dis* 2009; 48(1): 108–14
- HIV Buch. 2010. <http://www.hivbuch.de>
- Hospitalization of children born to human immunodeficiency virus-infected women in Europe. The European Collaborative Study. *Pediatr Infect Dis J* 1997; 16(12): 1151–6
- Joint United Nations Programme on HIV/AIDS (UNAIDS) (2010) Global report: UNAIDS report on the global AIDS epidemic 2010
- Kattan M, et al. Respiratory diseases in the first year of life in children born to HIV-1-infected women. *Pediatr Pulmonol*, 2001; 31(4): 267–76
- Kwan CK, Ernst JD. HIV and tuberculosis: a deadly human syndemic. *Clin Microbiol Rev* 2011; 24(2): 351–76
- Liebeschuetz S, et al. Diagnosis of tuberculosis in South African children with a T-cell-based assay: a prospective cohort study. *Lancet* 2004; 364(9452): 2196–203
- Mandalakas, A.M., et al., High level of discordant IGRA results in HIV-infected adults and children. *Int J Tuberc Lung Dis*, 2008; 12(4): 417–23
- Mansoor N, et al. HIV-1 infection in infants severely impairs the immune response induced by Bacille Calmette-Guerin vaccine. *J Infect Dis* 2009; 199(7): 982–90
- Martin R, et al., Incidence of premature birth and neonatal respiratory disease in infants of HIV-positive mothers. The Pediatric Pulmonary and Cardiovascular Complications of Vertically Transmitted Human Immunodeficiency Virus Infection Study Group. *J Pediatr* 1997; 131(6): 851–6
- McNally LM, et al. Effect of age, polymicrobial disease, and maternal HIV status on treatment response and cause of severe pneumonia in South African children: a prospective descriptive study. *Lancet* 2007; 369(9571): 1440–51
- Meintjes G, Wilkinson RJ. Optimum timing of antiretroviral therapy for HIV-infected patients with concurrent serious opportunistic infections. *Clin Infect Dis* 2010; 50(11): 1539–41
- Mofenson LM, et al. Guidelines for the Prevention and Treatment of Opportunistic Infections among HIV-exposed and HIV-infected children: recommendations from CDC, the National Institutes of Health, the HIV Medicine Association of the Infectious Diseases Society of America, the Pediatric Infectious Diseases Society, and the American Academy of Pediatrics. *MMWR Recomm Rep* 2009; 58(RR-11): 1–166
- Mulenga H, et al. Phenotypic variability in childhood TB: implications for diagnostic endpoints in tuberculosis vaccine trials. *Vaccine* 2011; 29(26): 4316–21
- Murdoch DM, et al. Incidence and risk factors for the immune reconstitution inflammatory syndrome in HIV patients in South Africa: a prospective study. *AIDS* 2008; 22(5): 601–10
- Norton KI, et al. Chronic radiographic lung changes in children with vertically transmitted HIV-1 infection. *AJR Am J Roentgenol* 2001; 176(6): 1553–8
- Panel on Antiretroviral Therapy and Medical Management of HIV-Infected Children. Guidelines for the Use of Antiretroviral Agents in Pediatric HIV Infection 2011: 1–268
- Robert Koch Institut, HIV-Infektionen und AIDS-Erkrankungen in Deutschland. *Epidemiologische Bulletin* 2011; 21: 179–198.
- Rubinstein A., et al. Corticosteroid treatment for pulmonary lymphoid hyperplasia in children with the acquired immune deficiency syndrome. *Pediatr Pulmonol* 1988; 4(1): 13–7
- Schaaf HS, et al. Culture-confirmed childhood tuberculosis in Cape Town, South Africa: a review of 596 cases. *BMC Infect Dis* 2007; 7: 140
- Schaaf HS, et al. Recurrent culture-confirmed tuberculosis in human immunodeficiency virus-infected children. *Pediatr Infect Dis J* 2005; 24(8): 685–91
- Shellito JE. Failure of host defenses in human immunodeficiency virus. *Semin Respir Crit Care Med* 2004; 25(1): 73–84
- Spira R, et al. Natural history of human immunodeficiency virus type 1 infection in children: a five-year prospective study in Rwanda. Mother-to-Child HIV-1 Transmission Study Group. *Pediatrics* 1999; 104(5): e56
- Theron S, et al. Non-infective pulmonary disease in HIV-positive children. *Pediatr Radiol* 2009; 39(6): 555–64
- Tovo, P.A., et al., Prognostic factors and survival in children with perinatal HIV-1 infection. The Italian Register for HIV Infections in Children. *Lancet* 1992; 339(8804): 1249–53
- Welch S, et al. PENTA 2009 guidelines for the use of antiretroviral therapy in paediatric HIV-1 infection. *HIV Med*, 2009; 10(10): 591–613
- Williams AJ, et al. Pneumocystis carinii pneumonia and cytomegalovirus infection in children with vertically acquired HIV infection. *AIDS* 2001; 15(3): 335–9
- World Health Organization. Guidance for National Tuberculosis Programmes on the Management of Tuberculosis in Children. 2006
- Zampoli M, et al. Prevalence and outcome of cytomegalovirus-associated pneumonia in relation to human immunodeficiency virus infection. *Pediatr Infect Dis J* 2011; 30(5): 413–7
- Zar HJ. Chronic lung disease in human immunodeficiency virus (HIV) infected children. *Pediatr Pulmonol* 2008; 43(1): 1–10

Literatur zu Abschnitt 27.3

- Frey U, von Mutius E. The challenge of managing wheezing in infants. *N Engl J Med* 2009; 360: 2130–2133
- Brand PL, Baraldi E, Bisgaard H et al. Definition, assessment and treatment of wheezing disorders in preschool children: an evidence-based approach. *Eur Respir J* 2008; 32(4): 1096–1110
- Cane RS, Ranganathan SC, McKenzie SA. What do parents of wheezy children understand by “wheeze”? *Arch Dis Child* 2000; 82: 327–332
- Cane RS, McKenzie SA. Parents’ interpretations of children’s respiratory symptoms on video. *Arch Dis Child* 2001; 84: 31–34
- Bush A. Diagnosis of asthma in children under five. *Prim Care Respir J* 2007; 16: 7–15
- Calogero C, Sly P. Acute virale bronchiolitis: To treat or not to treat – that is the question. *J Pediatr* 2007; 151(3): 235–237
- Martinez FD, Wright AL, Taussig LM et al. Asthma and wheezing in the first six years of life. *N Engl J Med* 1995; 332(3): 133–138
- Papadopoulos NG, Kalobatsou A. Respiratory viruses in childhood asthma. *Curr Opin Allergy Clin Immunol* 2007; 7(1): 91–95
- Jartti T, Lee WM, Pappas T et al. Serial viral infections in infants with recurrent respiratory illnesses. *Eur Respir J* 2008; 32(2): 314–320
- Kieninger E, Fuchs O, Latzin P et al. Rhinovirus infections in infancy and early childhood. *Eur Respir J* 2013; 41(2): 443–52
- Chan EY, Dundas I, Bridge PD et al. Skin-prick testing as a diagnostic aid for childhood asthma. *Pediatr Pulmonol* 2005; 39: 558–562
- Høst A, Andrae S, Charkin S et al. Allergy testing in children: Why, who, when and how. *Allergy* 2003; 58: 559–569
- Nickel R, Kulig M, Bergmann R et al. Sensitization to hen’s egg at the age of twelve months is predictive for allergic sensitization to common indoor and outdoor allergens at the age of three years. *J Allergy Clin Immunol* 1997; 99(5): 613–617
- Eysink PE, ter Riet G, Aalberse RC et al. Accuracy of specific IgE in the prediction of asthma: development of a scoring formula for general practice. *Br J Gen Pract* 2005; 55: 125–131
- Virrkki R, Juven T, Rikalainen H et al. Differentiation of bacterial and viral pneumonia in children. *Thorax* 2002; 57: 438–441
- Harris M, Clark J, Coote N et al. British Thoracic Society guidelines for the management of community acquired pneumonia in children: update 2011. *Thorax* 2011; 66 (Suppl 2): ii1–23
- Hederos CA, Janson S, Andersson H et al. Chest X-ray investigation in newly discovered asthma. *Pediatr Allergy Immunol* 2004; 15(2): 13–165
- Bisgaard H, Hermansen MN, Loland L et al. Intermittent inhaled corticosteroids in infants with episodic wheezing. *N Engl J Med* 2006; 354: 1998–2005
- Panickar JR, Grigg J. Controversies in the management of preschool viral wheeze. *Paediatr Respir Rev* 2006; 7: 293–298
- Ducharme FM, Lemire C, Noya FJ et al. Preemptive use of high-dose fluticasone for virus-induced wheezing in young children. *N Engl J Med* 2009; 360: 339–353
- Panickar J, Lakhanpaul M, Lambert PC et al. Oral prednisolone for preschool children with acute virus-induced wheezing. *N Engl J Med* 2009; 360: 329–338
- Csonka P, Kaila M, Laippala P et al. Oral prednisolone in the acute management of children age 6 to 35 months with viral respiratory infection-induced lower airway disease: a randomized, placebo-controlled trial. *J Pediatr* 2003; 143: 725–730
- Bisgaard H, Zielen S, Garcia-Garcia ML et al. Montelukast reduces asthma exacerbations in 2- to 5-year-old children with intermittent asthma. *Am J Respir Crit Care Med* 2007; 171: 315–322
- Robertson CF, Price D, Henry R et al. Short-course montelukast for intermittent asthma in children: a randomized controlled trial. *Am J Respir Crit Care Med* 2007; 175(4): 323–329
- Leonardi NA, Spycher BD, Strippoli MP et al. Validation of the Asthma Predictive Index and comparison with simpler clinical prediction rules. *J Allergy Clin Immunol* 2011; 127: 1466–1472

Literatur zu Abschnitt 28.1

Genetik

- Alfonso-Sanchez MA, Perez-Miranda AM, Garcia-Obregon S, Pena JA. An evolutionary approach to the high frequency of the Delta F508 CFTR mutation in European populations. *Med Hypotheses* 2010; 74: 989–992
- Becq F. Cystic fibrosis transmembrane conductance regulator modulators for personalized drug treatment of Cystic Fibrosis: progress to date. *Drugs* 2010; 70: 241–259
- Bobadilla JL, Macek M Jr, Fine JP, Farrell PM. Cystic Fibrosis: A worldwide analysis of CFTR mutations – Correlation with incidence data and application to screening. *Hum Mutat* 2002; 19: 575–606
- Bombieri C, Claustres M, De Boeck K et al. Recommendations for the classification of diseases as CFTR-related disorders. *J Cyst Fibros* 2011; 10 Suppl 2: S86–S102
- Cuppens H, Lin W, Jaspers M et al. Polyvariant mutant cystic fibrosis transmembrane conductance regulator genes. The polymorphic (Tg)m locus explains the partial penetrance of the T5 polymorphism as a disease mutation. *J Clin Invest* 1998; 101: 487–496
- Dequeker E, Stuhmann M, Morris MA et al. Best practice guidelines for molecular genetic diagnosis of cystic fibrosis and CFTR-related disorders – updated European recommendations. *Eur J Hum Genet* 2009; 17: 51–65
- Erlich Y, Chang K, Gordon A et al. DNA Sudoku – harnessing high-throughput sequencing for multiplexed specimen analysis. *Genome Res* 2009; 19: 1243–1253
- Eckford PDW, Li C, Ramjeesingh M, Bear CE. Cystic fibrosis transmembrane conductance regulator (CFTR) potentiator VX-770 (ivacaftor) opens the defective channel gate of mutant CFTR in a phosphorylation-dependent but ATP-independent manner. *J Biol Chem* 2012; 287: 36639–36649
- Farrell PM, Rosenstein BJ, White TB et al., Cystic Fibrosis Foundation. Guidelines for diagnosis of cystic fibrosis in newborns through older adults: Cystic Fibrosis Foundation Consensus Report. *J Pediatr* 2008; 153: S4–S14
- Geborek A, Hjelte L. Association between genotype and pulmonary phenotype in cystic fibrosis patients with severe mutations. *J Cyst Fibros* 2011; 10: 187–192
- Guggino WB, Stanton BA. New insights into cystic fibrosis: molecular switches that regulate CFTR. *Nat Rev Mol Cell Biol* 2006; 7: 426–436
- Konstan MW, Liou TG, Strausbaugh SD et al. Efficacy and safety of a new formulation of pancrelipase (Ultrasec MT20) in the treatment of malabsorption in exocrine pancreatic insufficiency in Cystic Fibrosis. *Gastroenterol Res Pract* 2010: 898193 ##
- Kraemer R, Latzin P, Pramana I, Ballinari P, Gallati S, Frey U. Long-term gas exchange characteristics as markers of deterioration in patients with cystic fibrosis. *Respir Res* 2009; 10: 106
- Mickle JE, Cutting GR. Clinical implications of cystic fibrosis transmembrane conductance regulator mutations. *Clin Chest Med* 1998; 19: 443–458
- Riordan JR, Rommens JM, Kerem BS et al. Identification of the cystic fibrosis gene: cloning and characterization of complementary DNA. *Science* 1989; 245: 1066–1072
- Rohlfes EM, Zhou Z, Heim RA et al. Cystic fibrosis carrier testing in an ethnically diverse US population. *Clin Chem* 2011; 57: 841–848
- Van der Doef HP, Kokke FT, van der Ent CK, Houwen RH. Intestinal obstruction syndromes in cystic fibrosis: meconium ileus, distal intestinal obstruction syndrome, and constipation. *Curr Gastroenterol Rep* 2011; 13: 265–270
- Zielenski J. Genotype and phenotype in cystic fibrosis. *Respiration* 2000; 67: 117–133

Pathophysiologie

Diagnostik

- AWMF-Leitlinie Diagnose der Mukoviszidose (im Druck)
- Barben J, Gallati S, Fingerhut R, Schoeni MH, Baumgartner MR, Torresani T, SWISS CF SCREENING GROUP. Retrospective analysis of stored dried blood spots from children with cystic fibrosis and matched controls to assess the performance of a proposed newborn screening protocol in Switzerland. *J Cyst Fibros* 2012; 11(4): 332–6
- Bombieri C, Claustres M, De Boeck K et al. Recommendations for the classification of diseases as CFTR-related disorders. *J Cyst Fibros* 2011; 10 (Suppl 2): S86–102
- Budd JR, Warwick WJ, Wielinski CL, Finkelstein SM: A medical Information Relational Database System (MIRDS). *Computers and Biomedical Research*, 21:419–433, 1988.

- Castellani C, Cuppens H, Macek M, Jr. et al. Consensus on the use and interpretation of cystic fibrosis mutation analysis in clinical practice. *J Cyst Fibros* 2008; 7: 179–96
- Chrispin AR, Norman AP. The systematic evaluation of the chest radiograph in cystic fibrosis. *Pediatr Radiol* 1974; 2: 101–106
- Conway SP, Pond MN, Bowler I, et al. The chest radiograph in cystic fibrosis: a new scoring system compared with the Chrispin-Norman and Brasfield scores. *Thorax* 1994; 49: 860–862
- De Boeck K, Derichs N, Fajac I et al. ECFS Diagnostic Network Working Group. New clinical diagnostic procedures for cystic fibrosis in Europe. *J Cyst Fibros* 2011; 10 (Suppl 2): S53–66
- De Boeck K, Wilschanski M, Castellani C et al. Cystic fibrosis: terminology and diagnostic algorithms. *Thorax* 2006; 61: 627–35
- Dequeker E, Stuhmann M, Morris MA et al. Best practice guidelines for molecular genetic diagnosis of cystic fibrosis and CFTR-related disorders – updated European recommendations. *Eur J Hum Genet* 2009; 17: 51–65
- Derichs N, Sanz J, Von Kanel T et al. Intestinal current measurement for diagnostic classification of patients with questionable cystic fibrosis: validation and reference data. *Thorax* 2010; 65: 594–9
- Directive 95/46/EC of the European Parliament and Council http://www.dataprivacy.ie/docs/EU_Directive_95/46/EC_Chapter_1/92.htm
- EuroCareCF; <http://www.eurocarecf.eu/>
- European Cystic Fibrosis Registry Report on 2003 data; Eitan Kerem et al. 2006, ECFS http://www.ecfsoc.org/ECFRegistry/ECFR_annual_report_2003_Final.pdf
- Goubau C, Wilschanski M, Skalicka V et al. Phenotypic characterisation of patients with intermediate sweat chloride values: towards validation of the European diagnostic algorithm for cystic fibrosis. *Thorax* 2009; 64: 683–91
- Guidelines for the European Cystic Fibrosis Registry (ECFR) http://www.ecfsoc.org/ECFRegistry/Guidelines_for_ECFR.pdf
- Hafen GM, Hurst C, Yearwood J, Smith J, Dzailiov Z, Robinson PJ. A new scoring system in Cystic Fibrosis: statistical tools for database analysis – a preliminary report. *BMC Medical Informatics and Decision making* 2008, 8: 44
- Hafen GM, Ranganathan SC, Robertson CF, Robinson PJ. Clinical scoring systems in cystic fibrosis. *Review. Pediatr Pulmonol.* 2006; 41: 602–17
- Kraemer R., Rudeberg A., Kläy M., Rossi E. Relationship between clinical conditions, radiographic findings and pulmonary functions in patients with cystic fibrosis. *Helv. Paediat. Acta* 1979; 34: 417–428
- Lewiston NMR, Hindi R, Rubinstein S, Sullivan M. Interobserver variance in clinical scoring for cystic fibrosis. *Chest* 1987; 91: 878–882
- Mayell SJ, Munck A, Craig JV et al. A European consensus for the evaluation and management of infants with an equivocal diagnosis following newborn screening for cystic fibrosis. *J Cyst Fibros* 2009; 8: 71–8
- Neonatales screening (NBS)
- Schoeni MH. Presentation and critical comparison of clinical scoring systems in patients with cystic fibrosis. *Klin. Padiatr.* 1993; 205: 3–8
- Shwachman H, Kulczycki LL. Long-term study of one hundred five patients with cystic fibrosis; studies made over a five- to fourteen-year period. *Am J Dis Child* 1958; 96: 6–15
- Taussig LMKJ, Friedewald WT, di Sant’Agnese PA. A new prognostic score and clinical evaluation system for cystic fibrosis. *J Pediatr* 1973; 82: 380–390
- Torresani T, Fingerhut R, Rueegg CS et al. The Swiss CF Screening Group. Newborn screening for cystic fibrosis in Switzerland - Consequences after analysis of a 4 months pilot study. *J Cyst Fibros.* 2013. DOI: pii: S1569-1993(13)00067-2. 10.1016/j.jcf.2013.04.008. www.cff.org/LivingWithCF/CareCenterNetwork/PatientRegistry/ www.cffr2.org www.cysticfibrosis.ca/en/aboutCysticFibrosis/CfStatistics.php www.ecfs.eu/ www.ecfs.eu/ecfs_dnwg www.ecfs.eu/projects/ecfs-patient-registry/project [www.researchportal.be/en/project/-\(VUB_24533\)/](http://www.researchportal.be/en/project/-(VUB_24533)/) www.touchrespiratory.com/articles/setting-european-registry-cystic-fibrosis-lessons-learned

Mikrobiologie

- Döring G, Gulbins E. Cystic fibrosis and innate immunity: how chloride channel mutations provoke lung disease. *Cell Microbiol* 2009; 11: 208–216
- Zemanick ET, Sagel SD, Harris JK. The airway microbiome in cystic fibrosis and implications for treatment. *Curr Opin Pediatr* 2011; 23: 319–24

- Goss CH, Muhlebach MS. *Staphylococcus aureus* and MRSA in cystic fibrosis. *J Cyst Fibros* 2011; 10: 298–306
- Tümmler B. Clonal variations of *Pseudomonas aeruginosa*. In: Ramos JL, Levesque RC (Hrsg.) *Pseudomonas*. Vol. 4. Springer, New York, 2006: 35–68
- Lynch JP 3rd. *Burkholderia cepacia* complex: impact on the cystic fibrosis lung lesion. *Semin Respir Crit Care Med* 2009; 30: 596–610
- Waters V, Atenafu EG, Salazar JG et al. Chronic *Stenotrophomonas maltophilia* infection and exacerbation outcomes in cystic fibrosis. *J Cyst Fibros* 2012; 11: 8–13
- Esther CR Jr, Esserman DA, Gilligan P, Kerr A, Noone PG. Chronic *Mycobacterium abscessus* infection and lung function decline in cystic fibrosis. *J Cyst Fibros* 2010; 9: 117–123
- Luong ML, Morrissey O, Husain S. Assessment of infection risks prior to lung transplantation. *Curr Opin Infect Dis* 2010; 23: 578–583
- Wiehlmann L, Cramer N, Ulrich J, Hedtfeld S, Weißbrodt H, Tümmler B. Effective prevention of *Pseudomonas aeruginosa* cross-infection at a cystic fibrosis centre - Results of a 10-year prospective study. *Int J Med Microbiol* 2012; 302: 69–77
- Ballmann M, Smaczny C. CF Manual. UNI-MED, Bremen 2008
- Klinisches Management**
- Accurso FJ, Rowe SM, Clancy JP et al. Effect of VX-770 in persons with cystic fibrosis and the G551D-CFTR mutation. *N Engl J Med* 2010; 363(21): 1991–2003
- Agarwal R. Allergic bronchopulmonary aspergillosis. *Chest* 2009; 135(3): 805–26
- Almajed A, Lands LC. The evolution of exercise capacity and its limiting factors in Cystic Fibrosis. *Paediatr Respir Rev*. 2012; 13: 195–9
- American Thoracic Society. ATS Statement: Guidelines for the Six-Minute Walk Test. *Am J Respir Crit Care Med* 2002; 166: 111–117
- American Thoracic Society. Standardization of Spirometry, 1994 Update. *Am J Respir Crit Care Med* 1995; 152: 1107–1136
- Anthony H, Collins CE, Davidson G et al. Pancreatic enzyme replacement therapy in cystic fibrosis. Australian guidelines. Pediatric Gastroenterological Society and the Dietitians association of Australia. *J Paediatr Child Health* 1999; 35(2): 125–9
- Augarten A, Goldman R, Laufer J et al. Reversal of digital clubbing after lung transplantation in cystic fibrosis patients: a clue to the pathogenesis of clubbing. *Pediatr Pulmonol* 2002; 34(5): 378–80.
- Balfour-Lynn I, Elborn J. "CF asthma": what is it and what do we do about it? *Thorax* 2002; 742–749
- Ballmann M, Smaczny C. Distales intestinales Obstruktionssyndrom. In: CF Manual. UNI-MED Verlag AG, Bremen, 2008: 93–94
- Beharry s, Ellis L, Corey M, Marcon M, Durie P. How useful is fecal pancreatic elastase 1 as a marker of exocrine pancreatic disease? *J Pediatr* 2002; 14(1): 84–90
- Botton E, Saraux A, Laselve H, Jousse S, Le Goff P. Musculoskeletal manifestations in cystic fibrosis. *Joint Bone Spine* 2003; 70(5): 327–35. Review.
- Braithwaite M, Philip J, Tranberg H, Finlayson F, Gold M, Kotsimbos T, Wilson J. End-of-life care on CF: patients, families and staff experiences and unmet needs. *J Cyst Fibros* 2001; 10: 253–257
- Canadian Cystic Fibrosis Patient Data Registry Report, 2010, http://www.cysticfibrosis.ca/assets/files/pdf/CPDR_ReportE.pdf
- Center for Applied Ethics. The initiative for pediatric palliative care. [Accessed April 5, 2007]. Available at: <http://www.ippcweb.org/>
- CF Foundation: Patient registry annual report 2010. Bethesda, MD: Cystic Fibrosis Foundation; 2010. <http://www.cff.org/LivingWithCF/QualityImprovement/PatientRegistryReport/>
- Chrispin A, Norman A. The systematic evaluation of the chest radiograph in cystic fibrosis. *Pediatr Radiol* 1974; 2: 101–106
- Coates AJ, Cfofton PM, Marshall T. Evaluation of salt supplementation in CF infants. *Journal of Cystic fibrosis* 2009; 8: 382–385
- Cohen-Cyberknoh M, Shoseyov D, Kerem E. Managing cystic fibrosis: Strategies that increase life expectancy and improve quality of life. *Am J Respir Crit Care Med* 2011; 183: 1463–1471
- Colombo C, Ellemunter H, Houwen R, Munck A, Taylor C, Wilaschanski M. Guidelines for the diagnosis and management of distal intestinal obstruction syndrome in cystic fibrosis patients. *J of Cystic Fibrosis* 2011; 10: 24–28
- Colombo C, Littlewood J. The implementation of standards of care in Europe: state of the art. *J Cyst Fibros* 2011; 10 Suppl 2: S7–15. Review
- Conwell LS, Chang AB. Bisphosphonates for osteoporosis in people with cystic fibrosis. *Cochrane Database Syst Rev* 2012; 4: CD002010. Review
- Cooper P, MacLean J. High-resolution computed tomography (HRCT) should not be considered as a routine assessment method in cystic fibrosis lung disease. *Paediatric Respiratory Reviews* 2006; 7(3): 197–201
- De Boeck K, Weren M, Proesmans M, Kerem E (2005) Pancreatitis among patients with cystic fibrosis: correlation with pancreatic status and genotype. *Pediatrics* 2005; 115(4): 463–469
- Debray D, Kelly D, Houwen R, Strandvik B, Colombo C (2011) Best practice guidance for the diagnosis and management of cystic fibrosis-associated liver disease. *J Cyst Fibros* 2011; 10 (Suppl 2): S29–36.
- Dellon EP, Leigh MW, Yankaskas JR, Noah TL. Effects of lung transplantation on inpatient end of life care in cystic fibrosis. *J Cyst Fibros* 2007; 6: 396–402
- Dellon EP, Shores MD, Nelson KI, Wolfe J, Noah TL, Hanson LC. Family caregiver perspectives on symptoms and treatments for patients dying from complications of cystic fibrosis. *J Pain Symptom Manage* 2010; 40(6): 829–837
- Demko CA, Byard PJ, Davis PB. Gender differences in cystic fibrosis: *Pseudomonas aeruginosa* infection. *J Clin Epidemiol* 1995; 48: 1041–1049
- Dik H, Nicolai JJ, Schipper J, Heijermann HG, Bakker W. Erroneous diagnosis of distal intestinal obstruction syndrome in cystic fibrosis: clinical impact of Ultrasonography. *Eur J Gastroenterol Hepatol*. 1995; 7: 279–281
- Dodge JA, Lewis PA, Stanton M, Wilsher J. Cystic fibrosis mortality and survival in the uk: 1947- 2003. *Eur Respir J* 2007; 29: 522–526
- Dray X, Bienvenu T, Desmazes-Defeu N, Drusser D, Marteau P, Hubert D. Distal intestinal obstruction syndrom in adults with cystic fibrosis. *Clin Gastroenterol Hepatol* 2004; 2: 498–503
- Edenborough FP, Borgo G, Knoop C et al. Guidelines for the management of pregnancy in women with cystic fibrosis. *Journal of Cystic Fibrosis* 7 (2008) S2–S32 (http://www.ecfs.eu/ecfs_guidelines)
- Eichinger M, Heussel C, Kauczor H, Tiddens H, M P. Computed tomography and magnetic resonance imaging in cystic fibrosis lung disease. *J Magn Reson Imaging* 2010; 32: 1370–1378
- Elborn JS, Hodson M, Bertram C. Implementation of European standards of care for cystic fibrosis - provision of care. *J Cyst Fibros* 2009; 8(5): 348–55
- Emerson J, Rosenfeld M, McNamara S et al. *Pseudomonas aeruginosa* and other predictors of mortality and morbidity in young children with cystic fibrosis. *Pediatr Pulmonol* 2002; 34: 91–100
- Ferkol T, Rosenfeld M, Milla CE. Cystic fibrosis pulmonary exacerbations. *J Pediatr* 2006; 148(2): 259–64
- Field P, Martin Nj. CFTR mutation screening in an assisted reproductive clinic. *Australian and New Zealand Journal of Obstetrics and Gynaecology* 2011; 51: 536–539
- Flume PA, Liou TG, Borowitz DS et al. Ivacaftor in subjects with cystic fibrosis who are homozygous for the F508del-CFTR mutation. *Chest* 2012; 142(3): 718–724
- Flume PA, Mogayzel Jr, PJ, Robinson KA, Rosenblatt RL, Quittell L, Marshall BC, Clinical Practice Guidelines For Pulmonary Therapies Committee. Cystic Fibrosis Pulmonary Guidelines: Pulmonary Complications: Hemoptysis and Pneumothorax. *American journal of respiratory and critical care medicine* 2010; 182: 298–306
- Flume PA, Mogayzel PJ, Robinson K et al. Cystic fibrosis pulmonary guidelines: treatment of pulmonary exacerbations. *American journal of respiratory and critical care medicine* 2009; 180(9): 802–8
- Flume PA, Yankaskas JR, Ebeling M, Hulsey T, Clark LL. Massive hemoptysis in cystic fibrosis. *Chest* 2005; 128(2): 729–38
- Flume PA. Pneumothorax in cystic fibrosis. *Curr Opin Pulm Med* 2011; 17(4): 220–5
- Flume PA. Pulmonary complications of cystic fibrosis. *Respiratory care* 2009; 54(5): 618–27
- Franco LP, Camargos PAM, Becker HMG, Guimarães RES. Nasal endoscopic evaluation of children and adolescents with cystic fibrosis. *Brazilian journal of otorhinolaryngology* 2009; 75(6): 806–13
- Fuchs SI, Buess C, Lum S, Kozłowska W, Stocks J, Gappa M. Multiple breath washout with a sidestream ultrasonic flow sensor and mass spectrometry: a comparative study. *Pediatric Pulmonology* 2009; 41: 1218–1225
- Gangell CL, Hall GL, Stick SM, Sly PD. Lung function testing in preschool-aged children with cystic fibrosis in the clinical setting. *Pediatric Pulmonology* 2010; 45: 419–433
- Goss CH, Burns JL. Exacerbations in cystic fibrosis. 1: Epidemiology and pathogenesis. *Thorax* 2007; 62(4): 360–7
- Gruber W, Orenstein DM, Braumann KM. Do responses to exercise training in cystic fibrosis depend on initial fitness level? *Eur Respir J* 2011; 38: 1336–42

- Gustafsson P, De Jong P, Tiddens H, Lindblad A. Multiple-breath inert gas washout and spirometry versus structural lung disease in cystic fibrosis. *Thorax* 2008; 63: 129–134
- Hall G, Logie K, Parsons F et al. Air trapping on chest CT is associated with worse ventilation distribution in infants with cystic fibrosis diagnosed following newborn screening. *PLoS ONE* 2011; 6: e23932
- Hansen SK, Rau MH, Johansen HK et al. Evolution and diversification of *Pseudomonas aeruginosa* in the paranasal sinuses of cystic fibrosis children have implications for chronic lung infection. *The ISME journal* 2012; 6(1): 31–45
- Henker J, Lentze MJ, Koletzko S, Zimmer P. Leitlinie der Gesellschaft für Pädiatrische Gastroenterologie und Ernährung (GPGE)- Zöliakie. AWMF online 2002
- Hope WW, Billaud EM, Lestner J, Denning DW Therapeutic drug monitoring for triazoles. *Curr Opin Infect Dis* 2008; 21(6): 580–6
- Javier RM, Jacquot J. Bone disease in cystic fibrosis: what's new? *Joint Bone Spine*. 2011; 78(5): 445–50. Epub 2011 Jan 12. Review.
- Kerem E, Conway S, Elborn S, Heijerman H; Consensus Committee. Standards of care for patients with cystic fibrosis: a European consensus. *J Cyst Fibros*. 2005; 4(1): 7–26. Review.
- Kirby M, Svenningsen S, Ahmed H et al. Quantitative evaluation of hyperpolarized helium-3 magnetic resonance imaging of lung function variability in cystic fibrosis. *Acad Radiol* 2011; 18: 1006–1013
- Knutsen AP, Bush RK, Demain JG et al. Fungi and allergic lower respiratory tract diseases. *The Journal of allergy and clinical immunology* 2012; 129(2): 280–91
- Koch C, McKenzie SG, Kaplowitz H et al. International practice patterns by age and severity of lung disease in cystic fibrosis: data from the Epidemiologic Registry of Cystic Fibrosis (ERCF). *Pediatr Pulmonol* 1997; 24(2): 147–54
- Koletzko S, Stringer D, Cleghorn GJ, Durie P. Lavage treatment of distal intestinal obstruction syndrome in children with cystic fibrosis. *Pediatrics* 1993; 83: 727–733
- Kommission für Krankenhaushygiene und Infektionsprävention beim Robert Koch Institut. Anforderungen an die Hygiene bei der medizinischen Versorgung von Patienten mit Cystischer Fibrose (Mukoviszidose). 2012. http://www.rki.de/DE/Content/Infekt/Krankenhaushygiene/Kommission/Downloads/Mukoviszidose_AG.pdf
- Kraemer R, Aebi C, Aebischer CC, Gallati S. Early detection of lung disease and its association with the nutritional status, genetic background and life events in patients with cystic fibrosis. *Respiration* 2000; 67: 477–490
- Kurtzmann TL, Borowitz SM. Successful use of neostigmin in a patient with refractory distal intestinal obstruction syndrome. *J Pediatr Gastroenterol Nutr* 2002; 35: 700–703
- Lanken PN, Terry PB, Delisser HM et al. An official American Thoracic Society clinical policy statement: palliative care for patients with respiratory diseases and critical illnesses. *Am Respir Crit Care Med* 2008; 177: 912–927
- Legroux-Gérot I, Leroy S, Prudhomme C, Perez T, Flipo RM, Wallaert B, Cortet B. Bone loss in adults with cystic fibrosis: prevalence, associated factors, and usefulness of biological markers. *Joint Bone Spine* 2012; 79(1): 73–7. Epub 2011 Jul 5.
- Lum S, Gustafsson P, Ljungberg H et al. Early detection of cystic fibrosis lung disease: multiple-breath washout versus raised volume tests. *Thorax* 2007; 62: 341–347
- MacDuff A, Arnold A, Harvey J. BTS Pleural Disease Guideline Group. Management of spontaneous pneumothorax: British Thoracic Society Pleural Disease Guideline 2010. *Thorax* 2010; 65 (Suppl 2): ii18–31.
- Mainz JG, Koitschev A. Pathogenesis and management of nasal polyposis in cystic fibrosis. *Curr Allergy Asthma Rep* 2012; 12(2): 163–74
- Mastella G, Rainisio M, Harms H et al. Allergic bronchopulmonary aspergillosis in cystic fibrosis. A European epidemiological study. *European Respiratory Journal* 2000; 16(3): 464
- Michelson KN, Steinhorn DM. Pediatric End-of-Life Issues and Palliative Care. *Clin Pediatr Emerg Med* 2007; 8(3): 212–219
- Milla CE, Warwick WJ, Moran A. Trends in pulmonary function in patients with cystic fibrosis correlate with the degree of glucose intolerance at baseline. *Am J Respir Crit Care Med*. 2000; 162: 891–895
- Milla CE. Association of nutritional status and pulmonary function in children with cystic fibrosis. *Curr Opin Pulm Med* 2004; 10: 505–509
- Minkes RK, Langer JC, Skinner MA et al. Intestinal obstruction after lung transplantation in children with cystic fibrosis. *J Pediatr Surg* 1999; 34: 1489–1493
- Mitteilung der Ständigen Impfkommission am Robert Koch-Institut (RKI). Empfehlungen der Ständigen Impfkommission (STIKO) am Robert Koch-Institut / Stand: Juli 2012. *Epidemiologisches Bulletin* 2012; 30/2012
- Moran A, Brunzell C, Cohen RC et al. CFRD Guidelines Committee. Clinical care guidelines for cystic fibrosis-related diabetes: a position statement of the American Diabetes Association and a clinical practice guideline of the Cystic Fibrosis Foundation, endorsed by the Pediatric Endocrine Society. *Diabetes Care* 2010; 33: 2697–2708
- Morgan WJ, Butler SM, Johnson CA et al. Epidemiologic study of cystic fibrosis: design and implementation of a prospective, multicenter, observational study of patients with cystic fibrosis in the U.S. and Canada. *Pediatr Pulmonol*. 1999; 28(4): 231–41
- Moss RB. Allergic bronchopulmonary aspergillosis and Aspergillus infection in cystic fibrosis. *Curr Opin Pulm Med* 2010; 16(6): 598–603
- Nakamura CT, Ng GY, Paton JY et al. Correlation between digital clubbing and pulmonary function in cystic fibrosis. *Pediatr Pulmonol* 2002; 33(5): 332–8
- Niemann N, Wenzlaff P, Stern M. [Benchmarking to evaluate the care of patients with cystic fibrosis: an established tool to improve patient care]. *Z Evid Fortbild Qual Gesundheitswes*. 2011; 105(5): 354–9
- Nixon GM, Armstrong DS, Carzino R et al. Clinical outcome after early *Pseudomonas aeruginosa* infection in cystic fibrosis. *J Pediatr* 2001; 138: 699–704
- Orens JB, Estenne M, Arcasoy S et al. International Guidelines for the Selection of Lung Transplant Candidates: 2006 Update – A Consensus Report From the Pulmonary Scientific Council of the International Society for Heart and Lung Transplantation. *The Journal of Heart and Lung Transplantation* 2006; 25(7): 745–755
- Paton JY, Bautista DB, Stabile MW et al. Digital clubbing and pulmonary function abnormalities in children with lung disease. *Pediatr Pulmonol* 1991; 10(1): 25–9
- Proesmans M, De Boeck K. Omeprazole, a proton pump inhibitor, improves residual steatorrhea in cystic fibrosis patients treated with high dose pancreatic enzymes. *Eur J paediatr* 2003; 162(11): 760–3
- Pyle LC, Ehrhardt A, Mitchell LH et al. Regulatory domain phosphorylation to distinguish the mechanistic basis underlying acute CFTR modulators. *Am J Physiol Lung Cell Mol Physiol* 2011; 301(4): L587–597
- Quittner AL, Schechter MS, Rasouliyan L et al. Impact of socioeconomic status, race, and ethnicity on quality of life in patients with cystic fibrosis in the United States. *Chest* 2010; 137: 642–650
- Ranganathan S, Linnane B, Nolan G, Gangell C, Hall G. Early Detection of Lung Disease in Children with Cystic Fibrosis Using Lung Function. *Paediatric Respiratory Reviews* 2008; 9(3): 160–167
- Ratjen F, Durham T, Navratil T et al. Long term effects of denufosal tetrasodium in patients with cystic fibrosis. *J Cyst Fibros* 2012
- Redlich K, Smolen JS. Inflammatory bone loss: pathogenesis and therapeutic intervention. *Nat Rev Drug Discov* 2012; 11(3): 234–50. doi: 10.1038/nrd3669. Review.
- Roberts DM, Craft JC, Mather FJ, Davis SH, Wright JA. Prevalence of giardiasis in patients with cystic fibrosis. *J Pediatr* 1988; 112: 255–259
- Robertson JM, Friedman EM, Rubin BK. Nasal and sinus disease in cystic fibrosis. *Paediatric respiratory reviews* 2008; 9(3): 213–9
- Robinson WM. Palliative and end-of-life care in cystic fibrosis: what we know and what we need to know. *Curr Opin Pulm Med* 2009; 15: 621–625
- Rowe SM, Sermet-Gaudelus I, Konstan M et al. Results of the phase 3 study of Ataluren in nonsense mutation cystic fibrosis (NMCF) *Pediatric Pulmonology* 2012; 47(35): 290 Abstract 193.
- Sanders DB, Bittner RCL, Rosenfeld M, Hoffman LR, Redding GJ, Goss CH. Failure to recover to baseline pulmonary function after cystic fibrosis pulmonary exacerbation. *American journal of respiratory and critical care medicine* 2010; 182(5): 627–32
- Sands D, Repetto T, Dupont LJ, Korzeniewska-Eksterowicz A, Catatini P, Madge S. End of life care for patients with cystic fibrosis. *J Cyst Fibros* 2011; 10 (Suppl 2): S37–44
- Sawicki GS, Dill EJ, Asher D et al. Advanced care planning in adults with cystic fibrosis. *J Palliat Med*. 12008; 1: 1135–1141
- Schönfelder A. *Fett for Life*, Fischer Druck GmbH 2003; ISBN 3-00-016926-1
- Sendzik J, Lode H, Stahlmann R. Quinolone-induced arthropathy: an update focusing on new mechanistic and clinical data. *Int J Antimicrob Agents* 2009; 33(3): 194–200. Epub 2008 Oct 2. Review. PubMed PMID: 18835137.
- Sens B, Stern M. *Qualitätssicherungsverfahren Mukoviszidose. Überblick über den Gesundheitszustand der Patienten in Deutschland 2010*, Hippocampus, Bad Honnef 2011, S. 21

- Shields MD, Levison H, Reisman JJ, Durie PR, Canny GJ. Appendicitis in cystic fibrosis. *Arch Dis Child* 1991; 66: 307–310
- Shwachman H, Kulczycki L. Long term study of one hundred five patients with cystic fibrosis. *Am J Dis Child* 1958; 96: 6–15
- Sinaasappel M, Stern M, Littlewood J et al. Nutrition in patients with cystic fibrosis: A European Consensus. *J Cyst Fibros* 2002; 1: 51–75
- Steinkamp G, Wiedemann B. Relationship between nutritional status and lung function in cystic fibrosis. Cross sectional and longitudinal analyses from the German CF quality assurance (CFQA) project. *Thorax* 2002; 57(7): 596–601
- Stern M, Ellemunter H, Palm B, Posselt HG, Smaczny C. Leitlinie Mukoviszidose- Ernährung und exokrine Pankreasinsuffizienz. Gesellschaft für pädiatrische Gastroenterologie und Ernährung (GPGE). 2011; 1–18
- Stern M, Ellemunter H, Palm B, Posselt HG, Smaczny C. Mukoviszidose (Cystische Fibrose): Ernährung und exokrine Pankreasinsuffizienz. AWMF Leitlinie der GPGE 2001
- Stern M, Wiedemann B, Wenzlaff P. From registry to quality management: the German Cystic Fibrosis Quality Assessment project 1995–2006. *Eur Respir J* 2008; 31: 29–35
- Steven DA, Moss RB, Kurup VP et al. Allergic bronchopulmonary aspergillosis in cystic fibrosis--state of the art: Cystic Fibrosis Foundation Consensus Conference. *Clinical infectious diseases : an official publication of the Infectious Diseases Society of America* 2003; 37 (Suppl 3): S225–64
- Thornton J, Rangaraj S. Anti-inflammatory drugs and analgesics for managing symptoms in people with cystic fibrosis-related arthritis. *Cochrane Database Syst Rev* 2012; 3: CD006838. Review
- Ullrich CK, Dussel V, Hilden JM, Sheaffer JW, Wolfe J. End-of-life experience of children undergoing stem cell transplantation for malignancy: parent provider perspectives and patterns of care. *Blood*, 2010; 115: 3879–3885
- Waters V, Stanojevic S, Atenafu EG, et al. Effect of pulmonary exacerbations on long-term lung function decline in cystic fibrosis. *The European respiratory journal* 2012; 40(1): 61–6
- Wilkes DL, Schneiderman JE, Nguyen T et al. Exercise and physical activity in children with cystic fibrosis. *Paediatr Respir Rev* 2009; 10: 105–1099
- World Health Organization. WHO definition of palliative care. [Accessed April 5, 2007] available at: <http://www.who.int/cancer/palliative/definition/en/>
- Yu H, Burton B, Huang CJ et al. Ivacaftor potentiation of multiple CFTR channels with gating mutations. *J Cyst Fibros* 2012; 11(3): 237–245

Literatur zu Abschnitt 32.1

- Benden C, et al. The Registry of the International Society for Heart and Lung Transplantation: Fourteenth Pediatric Lung and Heart-Lung Transplantation Report 2011. *J Heart Lung Transplant* 2011; 30(10): 1123–32
- Elizur A, et al. Lung transplantation in infants and toddlers from 1990 to 2004 at St. Louis Children's Hospital. *Am J Transplant* 2009; 9(4): 719–26
- Goerler H, et al. Heart-lung transplantation in a 14-year-old boy with Alstrom syndrome. *J Heart Lung Transplant* 2007; 26(11): 1217–8
- Jensen AO, et al. Skin cancer risk among solid organ recipients: a nationwide cohort study in Denmark. *Acta Derm Venereol* 2010; 90(5): 474–9
- Liu M, et al. Respiratory viral infections within one year after pediatric lung transplant. *Transpl Infect Dis*, 2009; 11(4): 304–12
- Muller C, et al. Pulmonary retransplantation in paediatric patients: a justified therapeutic option? A single-centre experience. *Eur J Cardiothorac Surg* 2011; 39(2): 201–5
- Ranganathan K, et al. Cytomegalovirus immunoglobulin decreases the risk of cytomegalovirus infection but not disease after pediatric lung transplantation. *J Heart Lung Transplant* 2009; 28(10): 1050–6
- Zafar F, et al. Two decades of pediatric lung transplant in the United States: have we improved? *J Thorac Cardiovasc Surg* 2011; 141(3): 828–32, 832 e1

Literatur zu Abschnitt 46.1

- Avansino JR, et al. Primary operative versus nonoperative therapy for pediatric empyema: a meta-analysis. *Pediatrics*, 2005; 115(6): 1652–9
- Berger S. Thoraxtrauma. In: Weinberg A, Tscherne H, eds. *Unfallchirurgie im Kindesalter*. Springer: Heidelberg; 2006: 2855–866
- Bialas RC, Weiner TM, Phillips JD. Video-assisted thoracic surgery for primary spontaneous pneumothorax in children: is there an optimal technique? *J Pediatr Surg* 2008; 43(12): 2151–5
- Bliss D, Silen M. Pediatric thoracic trauma. *Crit Care Med* 2002; 30(11 Suppl): S409–15
- Bradnock T, Crabbe D. Pneumothorax. In: Parikh D, et al. eds. *Pediatric Thoracic Surgery* Springer-Verlag: London; 2009: 465–480
- Brandt ML, et al. Diaphragmatic injury in children. *J Trauma* 1992; 32(3): 298–301
- Byington CL, et al. Impact of the pneumococcal conjugate vaccine on pneumococcal parapneumonic empyema. *Pediatr Infect Dis J* 2006; 25(3): 250–4
- Chung PH, et al. Thoracoscopic bullectomy for primary spontaneous pneumothorax in pediatric patients. *Pediatr Surg Int* 2009; 25(9): 763–6
- Cook CH, et al. A cost-effective thoracoscopic treatment strategy for pediatric spontaneous pneumothorax. *Surg Endosc*, 1999; 13(12): 1208–10
- Cooper A. Thoracic injuries. *Semin Pediatr Surg* 1995; 4(2): 109–15
- Diaz DM, et al. Antireflux surgery outcomes in pediatric gastroesophageal reflux disease. *Am J Gastroenterol* 2005; 100(8): 1844–52
- Douglas TS, et al. Early detection of fractures with low-dose digital X-ray images in a pediatric trauma unit. *J Trauma*, 2008; 65(1): p. E4–7
- Fonkalsrud EW, et al. Surgical treatment of gastroesophageal reflux in children: a combined hospital study of 7467 patients. *Pediatrics*. 1998; 101(3 Pt 1): 419–22
- Gow KW, et al. American Pediatric Surgical Association New Technology Committee review on video-assisted thoracoscopic surgery for childhood cancer. *J Pediatr Surg* 2010; 45(11): 2227–33
- Grant WJ, et al. Tracheobronchial injuries after blunt chest trauma in children – hidden pathology. *J Pediatr Surg* 1998; 33(11): 1707–11
- Haller JA, Jr, Donahoo JS. Traumatic asphyxia in children: pathophysiology and management. *J Trauma* 1971; 11(6): 453–7
- Hamrick MC, et al. Pulmonary contusion in the pediatric population. *Am Surg*; 76(7): 721–4
- Hendrickson DJ, et al. Five-fold increase in pediatric parapneumonic empyema since introduction of pneumococcal conjugate vaccine. *Pediatr Infect Dis J* 2008; 27(11): 1030–2
- Hewitson J, Bronchiectasis, in *Pediatric Thoracic Surgery*, D. Parikh, et al., Editors. 2009, Springer-Verlag: London. p. 169–178
- Hewitson J. Lung abscess. In: Parikh D, et al. eds. *Pediatric Thoracic Surgery*. Springer-Verlag: London; 2009: 109–127
- Jaffe A, et al. Role of routine computed tomography in paediatric pleural empyema. *Thorax* 2008; 63(10): 897–902
- Jaffe D, Wesson D. Emergency management of blunt trauma in children. *N Engl J Med*; 1991; 324(21): 1477–82
- Kane TD, Brown MF, Chen MK. Position paper on laparoscopic antireflux operations in infants and children for gastroesophageal reflux disease. American Pediatric Surgery Association. *J Pediatr Surg* 2009; 44(5): 1034–40
- Khan TR, et al. Traumatic diaphragmatic injuries in children: do they really mark the severity of injury? Our experience. *Pediatr Surg Int* 2009; 25(7): 595–9
- Kokoska ER, Chen MK. Position paper on video-assisted thoracoscopic surgery as treatment of pediatric empyema. *J Pediatr Surg* 2009; 44(1): 289–93
- Meier AH, Hess CB, Cilley RE. Complications and treatment failures of video-assisted thoracoscopic debridement for pediatric empyema. *Pediatr Surg Int* 2010; 26(4): 367–71
- Moore MA, Wallace EC, Westra SJ. The imaging of paediatric thoracic trauma. *Pediatr Radiol* 2009; 39(5): 485–96
- Nagasawa KK, Johnson SM. Thoracoscopic treatment of pediatric lung abscesses. *J Pediatr Surg* 2010; 45(3): 574–8
- Ozdulge, A, et al. A review of 24 patients with bronchial ruptures: is delay in diagnosis more common in children? *Eur J Cardiothorac Surg* 2003; 23(3): 379–83
- Parikh D., *Empyema thoracis*. In: Parikh D, et al. eds. *Pediatric Thoracic Surgery*. Springer-Verlag, London; 2009: 109–127
- Peclet MH, et al. Thoracic trauma in children: an indicator of increased mortality. *J Pediatr Surg* 1990; 25(9): 961–5; discussion 965–6
- Peterson RJ, et al. Pediatric and adult thoracic trauma: age-related impact on presentation and outcome. *Ann Thorac Surg* 1994; 58(1): 14–8
- Peterson RJ, et al. Pediatric penetrating thoracic trauma: a five-year experience. *Pediatr Emerg Care* 1994; 10(3): 129–31
- Proesmans M, De Boeck K. Clinical practice: treatment of childhood empyema. *Eur J Pediatr*, 2009; 168(6): 639–45
- Rothenberg SS, Kuenzler KA, Middlesworth W. Thoracoscopic lobectomy for severe bronchiectasis in children. *J Laparoendosc Adv Surg Tech A* 2009; 19(4): 555–7
- Rothenberg SS. The first decade's experience with laparoscopic Nissen fundoplication in infants and children. *J Pediatr Surg* 2005; 40(1): 142–6; discussion 147
- Sawin RS. Pediatric chest lesions. *Pediatr Clin North Am* 1998; 45(4): 861–74
- Schneider CR, et al. Video-assisted thoracoscopic surgery as a primary intervention in pediatric parapneumonic effusion and empyema. *Am Surg* 2010; 76(9): 957–61
- Sharma AK, et al. Rupture of the right hemidiaphragm due to blunt trauma in children: a diagnostic dilemma. *Pediatr Surg Int* 2002; 18(2-3): 173–4
- Shaw KS, et al. Pediatric spontaneous pneumothorax. *Semin Pediatr Surg* 2003; 12(1): 55–61
- Shehata SM, Shabaan BS. Diaphragmatic injuries in children after blunt abdominal trauma. *J Pediatr Surg* 2006; 41(10): 1727–31
- Shomaker KL, Weiner T, Esther CR, Jr. Impact of an evidence-based algorithm on quality of care in pediatric parapneumonic effusion and empyema. *Pediatr Pulmonol* 2011; 46(7): 722–8
- Sonnappa S, et al. Comparison of urokinase and video-assisted thoracoscopic surgery for treatment of childhood empyema. *Am J Respir Crit Care Med* 2006; 174(2): 221–7
- St Peter SD, et al. Thoracoscopic decortication vs tube thoracostomy with fibrinolysis for empyema in children: a prospective, randomized trial. *J Pediatr Surg* 2009; 44(1): 106–11; discussion 111
- Staffler P, Carr SB. Non-cystic fibrosis bronchiectasis: its diagnosis and management. *Arch Dis Child Educ Pract Ed* 2010; 95(3): 73–82
- Tan TQ, Seilheimer DK, Kaplan SL. Pediatric lung abscess: clinical management and outcome. *Pediatr Infect Dis J* 1995; 14(1): 51–5
- Wylie J, et al. Lung contusion in children – early computed tomography versus radiography. *Pediatr Crit Care Med* 2009; 10(6): 643–7
- Yu DC, et al. Primary lung tumors in children and adolescents: a 90-year experience. *J Pediatr Surg* 2010; 45(6): 1090–5