



Warnings

-  Font Courier is used (2x on page 1)
-  Black text does not overprint (3x on page 1)
-  Pattern or shading is used --> could cause a color separation (7x on page 1)
-  Font Courier is used (2x on page 1)



Fixes

-  Changed trapped flag to "False"
-  Changed PDF/X version key to PDF/X-3:2002
-  Changed PDF/X-3:2002 Output Intent to Custom
-  Compressed objects using ZIP compression



Processing

Certified PDF status	Preflighted successfully
Preflight Profile	SpringerNature_Print_cover_V13_2016_10_06
Created by	Mark Rübsam / Klaus Rüschoff Springer Nature
Pages processed	1
Application used to preflight	Enfocus PitStop Server 13 update 2 powered by Enfocus PitStop Library 13 update 2
Application used to create the report	Enfocus PitStop Library 13 update 2
Preflighted on	UTC: April 25, 2017 - 12:27:01 [April 25, 2017 - 17:57:01]

Document properties

Document Name	978-3-662-49591-9_Cover_PrintPDF.pdf
Number of pages	1
PDF Version	1.3
Creation Date	UTC: April 25, 2017 - 12:26:16 [April 25, 2017 - 17:56:16]
Modification Date	UTC: April 25, 2017 - 12:26:40 [April 25, 2017 - 17:56:40]
Producer	Acrobat Distiller 11.0 (Windows)
Creator	Adobe InDesign CS6 (Windows)
Author	pg2963
Title	978-3-662-49591-9_Cover_PrintPDF.indd
Subject	-
Keywords	-
Trapped	no
Trapping Information Present	no
Repaired on Open	no
Optimized for Fast Web View	no
Thumbnails Present	no
Binding	left
Job Ticket Present	no

Security

Encryption Type	not encrypted
Content Copying or Extraction	allowed
Content Access for Disabled Users	allowed
Adding or Modifying Annotations	allowed
Creating or Modifying Form Fields	allowed
Form Field Fill-in or Signing	allowed
Document Assembly	allowed
Other Document Modifications	allowed
Printing	high resolution

Compression

Data format	binary
Document structure compressed	yes
Filters used	ZIP



Status Incoming Document

Not Certified

Action:


Started Certified PDF workflow

Status Outgoing Document


Preflight Profile Name:	SpringerNature_Print_cover_V13_2016_10_06
Author:	Mark Rübsam / Klaus Rüschoff
Company:	Springer Nature
Document Status	Preflighted successfully
Preflight Profile Status	Match



Defined page boxes



Effective page boxes



Page box	Defined size	Effective size
Media box (M)	980.79 x 711.5 pt	980.79 x 711.5 pt
Crop box (C)	980.79 x 711.5 pt	980.79 x 711.5 pt
Trim box (T)	935.43 x 666.14 pt	935.43 x 666.14 pt
Bleed box (B)	952.44 x 683.15 pt	952.44 x 683.15 pt
Art box (A)	not defined	980.79 x 711.5 pt

Defined for page 1

Media box starts at : (0, 0) pt

Page rotation : 0 degrees

Page scaling factor : 1



Font Information

	PostScript font name	Type	Embedded as	Subset	Encoding
🔍	ArialMT	TrueType	TrueType	yes	WinAnsi
🔍	Courier	Type 1	Type 1	yes	Custom
🔍	MinionPro-Regular	Type 1	Type 1	yes	Custom
🔍	MyriadPro-Cond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-CondIt	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldCond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldSemiCn	Type 1	Type 1	yes	Custom
🔍	OCRB	Type 1	Type 1	yes	Custom



Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Color	CMYK	7x7	298.9x304.3	8	1	0	-	-	-	-	-	-
Color	Indexed	1539x7	315.7x304.3	8	1	0	-	-	-	-	-	-
Color	Indexed	3x1480	285.7x315.7	8	1	0	-	-	-	-	-	-
Color	Indexed	3x471	285.7x315.6	8	1	0	-	-	-	-	-	-



enfocus
PITSTOPSERVER



OPI Information

No OPI



Item	Value
Color Space Page	CMYK 1
Color Space Page Base Space Range	Indexed 1 CMYK 192
Color Space Page Base Space Range	Indexed 1 CMYK 60
Color Space Page Base Space Range	Indexed 1 CMYK 183
Color Space Page Name Alternate Space CMYK values	Separation (Process color) 1 ■ Black CMYK [0, 0, 0, 1]



🔍 Document
🔍 Page 1

Ink	Percentage	Surface
Cyan	12.37%	86314 sq pt
Magenta	82.14%	573131 sq pt
Yellow	76.22%	531825 sq pt
Black	8.53%	59485 sq pt
Total	179.25%	1250755 sq pt



enfocus PITSTOPSERVER



Output Intents

GTS_PDFX

Output condition	ISO Coated v2 300% (ECI)
Output condition identifier	Custom
Additional information	ISO Coated v2 300% (ECI)
Destination output profile	ISO Coated v2 300% (ECI)