












Warnings

-  Font Courier is used (1x on page 1)
-  Pattern or shading is used (5x on page 1)
-  RGB Gray or impure CMYK Gray is used (4x on page 1)
-  RGB Black or impure CMYK Black is used (4x on page 1)
-  Objects close to the page edge have been found (1x on page 1)



Fixes

-  Changed trapped flag to "False"
-  Changed PDF/X version key to PDF/X-3:2002
-  Changed PDF/X-3:2002 Output Intent to Custom
-  Compressed objects using ZIP compression



Processing

Certified PDF status	Preflighted successfully
Preflight Profile	SpringerCovers_v08_1502
Created by	Mark Rübsam
	Springer
Pages processed	1
Application used to preflight	Enfocus PitStop Server 13 update 2 powered by Enfocus PitStop Library 13 update 2
Application used to create the report	Enfocus PitStop Library 13 update 2
Preflighted on	UTC: July 15, 2016 - 11:19:26 [July 15, 2016 - 16:49:26]

Document properties

Document Name	978-3-662-52373-5_Cover_PrintPDF.pdf
Number of pages	1
PDF Version	1.3
Creation Date	UTC: July 15, 2016 - 11:18:42 [July 15, 2016 - 16:48:42]
Modification Date	UTC: July 15, 2016 - 11:19:05 [July 15, 2016 - 16:49:05]
Producer	Acrobat Distiller 11.0 (Windows)
Creator	Adobe InDesign CS6 (Windows)
Author	PG3950
Title	978-3-662-52373-5_Cover_PrintPDF.indd
Subject	-
Keywords	-
Trapped	no
Trapping Information Present	no
Repaired on Open	no
Optimized for Fast Web View	no
Thumbnails Present	no
Binding	left
Job Ticket Present	no

Security

Encryption Type	not encrypted
Content Copying or Extraction	allowed
Content Access for Disabled Users	allowed
Adding or Modifying Annotations	allowed
Creating or Modifying Form Fields	allowed
Form Field Fill-in or Signing	allowed
Document Assembly	allowed
Other Document Modifications	allowed
Printing	high resolution

Compression

Data format	binary
Document structure compressed	yes
Filters used	ZIP



enfocus PITSTOPSERVER



Certified PDF Workflow Information

Status Incoming Document


Not Certified

Action:

Started Certified PDF workflow

Status Outgoing Document

Preflight Profile Name:	SpringerCovers_v08_1502
Author:	Mark Rübsam
Company:	Springer
Document Status	Preflighted successfully
Preflight Profile Status	Match



Page box	Defined size	Effective size
Media box (M)	358.8 x 265 mm	358.8 x 265 mm
Crop box (C)	358.8 x 265 mm	358.8 x 265 mm
Trim box (T)	328.8 x 235 mm	328.8 x 235 mm
Bleed box (B)	338.8 x 245 mm	338.8 x 245 mm
Art box (A)	not defined	358.8 x 265 mm

Defined for page 1

Media box starts at : (0, 0) mm

Page rotation : 0 degrees

Page scaling factor : 1



Font Information

	PostScript font name	Type	Embedded as	Subset	Encoding
🔍	Courier	Type 1	Type 1	yes	Custom
🔍	Helvetica	Type 1	Type 1	yes	Custom
🔍	MinionPro-Regular	Type 1	Type 1	yes	Custom
🔍	MyriadPro-Cond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldCond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldSemiCn	Type 1	Type 1	yes	Custom
🔍	OCRB	Type 1	Type 1	yes	Custom



Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Color	CMYK	1495x8	309.2x299.1	8	1	0	-	-	-	-	-	-
Color	CMYK	1521x2976	309.3x308.1	8	1	0	-	-	-	-	-	-
Color	CMYK	294x2033	309.2x308.1	8	1	0	-	-	-	-	-	-
Color	CMYK	439x1594	309.2x308.1	8	1	0	-	-	-	-	-	-
Color	CMYK	7x2555	304.3x308.1	8	1	0	-	-	-	-	-	-
Color	CMYK	7x8	293.7x299.1	8	1	0	-	-	-	-	-	-
Color	CMYK	731x1162	309.2x308.1	8	1	0	-	-	-	-	-	-
Color	CMYK	8x1567	303.8x308.1	8	1	0	-	-	-	-	-	-
Color	CMYK	8x3	299.1x285.7	8	1	0	-	-	-	-	-	-
Color	CMYK	9x3	299.2x285.7	8	1	0	-	-	-	-	-	-
Color	Indexed	304x8	309x299.1	8	1	0	-	-	-	-	-	-



enfocus
PITSTOPSERVER



OPI Information

No OPI



Color Information

Item	Value
Color Space	CMYK
Page	1
Color Space	Indexed
Page	1
Base Space	CMYK
Range	80
Color Space	Separation (Process color)
Page	1
Name	■ Black
Alternate Space	CMYK
CMYK values	[0, 0, 0, 1]



enfocus PITSTOPSERVER



Output Intents

GTS_PDFX

Output condition	ISO Coated v2 300% (ECI)
Output condition identifier	Custom
Additional information	ISO Coated v2 300% (ECI)
Destination output profile	ISO Coated v2 300% (ECI)