



Warnings

- Font Courier is used (1x on page 1)
- Pattern or shading is used (2x on page 1)
- RGB Gray or impure CMYK Gray is used (4x on page 1)
- RGB Black or impure CMYK Black is used (4x on page 1)



Fixes

- Changed trapped flag to "False"
- Changed PDF/X version key to PDF/X-3:2002
- Changed PDF/X-3:2002 Output Intent to Custom
- Compressed objects using ZIP compression



enfocus PITSTOPSERVER



General File Information

Processing

Certified PDF status	Preflighted successfully
Preflight Profile	SpringerCovers_v08_1502
Created by	Mark Rübsam
	Springer
Pages processed	1
Application used to preflight	Enfocus PitStop Server 12 update 3 powered by Enfocus PitStop Library 12 update 3
Application used to create the report	Enfocus PitStop Library 12 update 3
Preflighted on	UTC: June 25, 2016 - 15:03:53 [June 25, 2016 - 20:33:53]

Document properties

Document Name	978-3-662-51076-6_Cover_PrintPDF.pdf
Number of pages	1
PDF Version	1.3
Creation Date	UTC: June 25, 2016 - 15:02:57 [June 25, 2016 - 20:32:57]
Modification Date	UTC: June 25, 2016 - 15:03:19 [June 25, 2016 - 20:33:19]
Producer	Acrobat Distiller 11.0 (Windows)
Creator	Adobe InDesign CS6 (Windows)
Author	201439
Title	978-3-662-51076-6_Cover_PrintPDF.indd
Subject	-
Keywords	-
Trapped	no
Trapping Information Present	no
Repaired on Open	no
Optimized for Fast Web View	no
Thumbnails Present	no
Binding	left
Job Ticket Present	no

Security

Encryption Type	not encrypted
Content Copying or Extraction	allowed
Content Access for Disabled Users	allowed
Adding or Modifying Annotations	allowed
Creating or Modifying Form Fields	allowed
Form Field Fill-in or Signing	allowed
Document Assembly	allowed
Other Document Modifications	allowed
Printing	high resolution

Compression

Data format	binary
Document structure compressed	yes



enfocus PITSTOP SERVER



General File Information

Filters used

ZIP



enfocus PITSTOP SERVER



Certified PDF Workflow Information

Status Incoming Document

Not Certified

Action:

Started Certified PDF workflow

Status Outgoing Document

Preflight Profile Name: SpringerCovers_v08_1502

Author: Mark Rübsam


Company: Springer

Document Status Preflighting successfully


Preflight Profile Status Match



Defined page boxes



Effective page boxes



Page box	Defined size	Effective size
Media box (M)	354.5 x 265 mm	354.5 x 265 mm
Crop box (C)	354.5 x 265 mm	354.5 x 265 mm
Trim box (T)	324.5 x 235 mm	324.5 x 235 mm
Bleed box (B)	334.5 x 245 mm	334.5 x 245 mm
Art box (A)	not defined	354.5 x 265 mm

Defined for page 1

Media box starts at : (0, 0) mm

Page rotation : 0 degrees

Page scaling factor : 1



enfocus PITSTOP SERVER



Font Information


	PostScript font name	Type	Embedded as	Subset	Encoding
🔍	Courier	Type 1	Type 1	yes	Custom
🔍	Helvetica	Type 1	Type 1	yes	Custom
🔍	MinionPro-Regular	Type 1	Type 1	yes	Custom
🔍	MyriadPro-Cond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-CondIt	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldCond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldSemiCn	Type 1	Type 1	yes	Custom
🔍	Springnew-Regular	Type 1	Type 1	yes	Custom



enfocus PITSTOP SERVER



Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
 Color	Indexed	3092x1375	426.8x426.8	8	1	0	-	-	-	-	-	-



enfocus **PITSTOP**SERVER



OPI Information

No OPI



enfocus PITSTOP SERVER



Color Information

Item	Value
Color Space Page	CMYK 1
Color Space Page	Indexed 1
Base Space Range	CMYK 231
Color Space Page	Separation (Process color) 1
Name	Black
Alternate Space	CMYK
CMYK values	[0, 0, 0, 1]



enfocus PITSTOP SERVER



Output Intents

GTS_PDFX

Output condition	ISO Coated v2 300% (ECI)
Output condition identifier	Custom
Additional information	ISO Coated v2 300% (ECI)
Destination output profile	ISO Coated v2 300% (ECI)