







### Warnings

-  Font Courier is used (1x on page 1)
-  Pattern or shading is used (3x on page 1)
-  RGB Gray or impure CMYK Gray is used (4x on page 1)
-  RGB Black or impure CMYK Black is used (4x on page 1)



### Processing

Certified PDF status	Preflighted successfully
Preflight Profile	SpringerCovers_v08_1502
Created by	Mark Rübsam
	Springer
Pages processed	1
Application used to preflight	Enfocus PitStop Server 13 update 2 powered by Enfocus PitStop Library 13 update 2
Application used to create the report	Enfocus PitStop Library 13 update 2
Preflighted on	UTC: July 28, 2016 - 22:59:16 [ July 29, 2016 - 04:29:16 ]

### Document properties

Document Name	978-3-662-52145-8_Cover_PrintPDF.pdf
Number of pages	1
PDF Version	1.3
Creation Date	UTC: July 28, 2016 - 20:09:52 [ July 29, 2016 - 01:39:52 ]
Modification Date	UTC: July 28, 2016 - 22:58:46 [ July 29, 2016 - 04:28:46 ]
Producer	Acrobat Distiller 11.0 (Windows)
Creator	Adobe InDesign CS6 (Windows)
Author	pg3945
Title	978-3-662-52145-8_Cover_PrintPDF.indd
Subject	-
Keywords	-
Trapped	no
Trapping Information Present	no
Repaired on Open	no
Optimized for Fast Web View	no
Thumbnails Present	no
Binding	left
Job Ticket Present	no

### Security

Encryption Type	not encrypted
Content Copying or Extraction	allowed
Content Access for Disabled Users	allowed
Adding or Modifying Annotations	allowed
Creating or Modifying Form Fields	allowed
Form Field Fill-in or Signing	allowed
Document Assembly	allowed
Other Document Modifications	allowed
Printing	high resolution

### Compression

Data format	binary
Document structure compressed	yes
Filters used	ZIP



# enfocus PITSTOPSERVER



## Certified PDF Workflow Information

### Status Incoming Document


Not Certified

### Action:

Started Certified PDF workflow

### Status Outgoing Document

Preflight Profile Name:	SpringerCovers_v08_1502
Author:	Mark Rübsam
Company:	Springer
Document Status	Preflighted successfully
Preflight Profile Status	Match



Page box	Defined size	Effective size
Media box (M)	362.68 x 265 mm	362.68 x 265 mm
Crop box (C)	362.68 x 265 mm	362.68 x 265 mm
Trim box (T)	332.68 x 235 mm	332.68 x 235 mm
Bleed box (B)	342.68 x 245 mm	342.68 x 245 mm
Art box (A)	not defined	362.68 x 265 mm

Defined for page 1

Media box starts at : (0, 0) mm

Page rotation : 0 degrees

Page scaling factor : 1




## Font Information

	PostScript font name	Type	Embedded as	Subset	Encoding
🔍	Courier	Type 1	Type 1	yes	Custom
🔍	Helvetica	Type 1	Type 1	yes	Custom
🔍	MinionPro-Regular	Type 1	Type 1	yes	Custom
🔍	MyriadPro-Cond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-CondIt	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldCond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldSemiCn	Type 1	Type 1	yes	Custom



## Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
 Color	Indexed	1839x924	291.6x291.6	8	1	0	-	+	-	-	-	-



enfocus  
**PITSTOP**SERVER



**OPI Information**

**No OPI**



Item	Value
Color Space	CMYK
Page	1
Color Space	Indexed
Page	1
Base Space	CMYK
Range	255
Color Space	Separation (Process color)
Page	1
Name	■ Black
Alternate Space	CMYK
CMYK values	[0, 0, 0, 1]





# enfocus PITSTOPSERVER



## Output Intents

### GTS\_PDFX

Output condition	ISO Coated v2 300% (ECI)
Output condition identifier	Custom
Additional information	ISO Coated v2 300% (ECI)
Destination output profile	ISO Coated v2 300% (ECI)