









### Warnings

-  Book PDF contains color pages (more than 1 separation) (139020x on pages 1-276)
-  Page is empty inside trim box (4x on pages 74,232,262,276)
-  The number of nodes (11696...23648) in the single path is more than 6000 (2x on page 67)
-  Pattern or shading is used (1x on page 172)



### Fixes

-  Changed PDF/X-3:2002 Output Intent to Custom
-  Compressed objects using ZIP compression



### Processing

Certified PDF status	Preflighted successfully
Preflight Profile	SpringerPrint_Books_v08_1002
Created by	Mark Rübsam
	Springer
Pages processed	1-276
Application used to preflight	Enfocus PitStop Server 13 update 2 powered by Enfocus PitStop Library 13 update 2
Application used to create the report	Enfocus PitStop Library 13 update 2
Preflighted on	UTC: July 28, 2016 - 00:12:07 [ July 28, 2016 - 05:42:07 ]

### Document properties

Document Name	978-3-662-52238-7_Book_PrintPDF.pdf
Number of pages	276
PDF Version	1.3
Creation Date	UTC: July 28, 2016 - 00:10:27 [ July 28, 2016 - 05:40:27 ]
Modification Date	UTC: July 28, 2016 - 00:11:15 [ July 28, 2016 - 05:41:15 ]
Producer	Acrobat Distiller 11.0 (Windows)
Creator	VTeX PDF Tools
Author	swf
Title	978-3-662-52238-7_Book_PrintPDF.pdf
Subject	-
Keywords	-
Trapped	no
Trapping Information Present	no
Repaired on Open	no
Optimized for Fast Web View	no
Thumbnails Present	no
Binding	left
Job Ticket Present	no

### Security

Encryption Type	not encrypted
Content Copying or Extraction	allowed
Content Access for Disabled Users	allowed
Adding or Modifying Annotations	allowed
Creating or Modifying Form Fields	allowed
Form Field Fill-in or Signing	allowed
Document Assembly	allowed
Other Document Modifications	allowed
Printing	high resolution

### Compression

Data format	binary
Document structure compressed	yes
Filters used	CCITT, JPEG, ZIP



# enfocus PITSTOPSERVER



## Certified PDF Workflow Information

### Status Incoming Document

Not Certified

### Action:


Started Certified PDF workflow

### Status Outgoing Document


Preflight Profile Name:	SpringerPrint_Books_v08_1002
Author:	Mark Rübsam
Company:	Springer
Document Status	Preflighted successfully
Preflight Profile Status	Match



Defined page boxes



Effective page boxes



Page box	Defined size	Effective size
Media box (M)	155.02 x 235.03 mm	155.02 x 235.03 mm
Crop box (C)	155.02 x 235.03 mm	155.02 x 235.03 mm
Trim box (T)	155.02 x 235.03 mm	155.02 x 235.03 mm
Bleed box (B)	155.02 x 235.03 mm	155.02 x 235.03 mm
Art box (A)	not defined	155.02 x 235.03 mm

Defined for pages 1-276

Media box starts at : (0, 0) mm

Page rotation : 0 degrees

Page scaling factor : 1



## Font Information

	PostScript font name	Type	Embedded as	Subset	Encoding
🔍	Times-Bold	Type 1	Type 1	yes	Custom
🔍	Times-Italic	Type 1	Type 1	yes	Custom
🔍	Times-Roman	Type 1	Type 1	yes	Custom
🔍	LCIRCLE10	Type 1	Type 1	yes	Custom
🔍	MTMI	Type 1	Type 1	yes	Custom
🔍	MTSYN	Type 1	Type 1	yes	Custom
🔍	MTEX	Type 1	Type 1	yes	Custom
🔍	MTGU	Type 1	Type 1	yes	Custom
🔍	Times-BoldItalic	Type 1	Type 1	yes	Custom
🔍	MTMIB	Type 1	Type 1	yes	Custom
🔍	MTSYB	Type 1	Type 1	yes	Custom



## Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Grayscale	Gray	629x107	299.8x301.7	8	3	0	-	-	-	-	-	-
Mask	Gray	2517x425	1200x1200	1	3	0	-	-	-	-	-	-
Grayscale	Gray	1069x645	350x349.8	8	19	0	-	-	-	-	-	-
Grayscale	Gray	937x808	349.9x349.8	8	113	0	-	-	-	-	-	-
Grayscale	Gray	1834x1518	599.8x599.8	8	269	0	-	-	-	-	-	-
Grayscale	Gray	1834x1518	599.8x599.8	8	270	0	-	-	-	-	-	-
Grayscale	Gray	1834x1489	599.8x599.8	8	270	0	-	-	-	-	-	-



enfocus  
**PITSTOP**SERVER



**OPI Information**

**No OPI**



Item	Value
Color Space	Separation (Process color)
Page	1-73,75-231,233-261,263-275
Name	■ Black
Alternate Space	CMYK
CMYK values	[0, 0, 0, 1]
Color Space	Gray
Page	2-3,12-15,19-20,28-71,76-113,117-142,147-158,160-164,167,169,172-229,234-250,252-260,265-270



# enfocus PITSTOPSERVER



## Output Intents

### GTS\_PDFX

Output condition	ISO Coated v2 300% (ECI)
Output condition identifier	Custom
Additional information	ISO Coated v2 300% (ECI)
Destination output profile	ISO Coated v2 300% (ECI)