



Warnings

-  Font Courier is used (1x on page 1)
-  Pattern or shading is used (4x on page 1)
-  RGB Gray or impure CMYK Gray is used (4x on page 1)
-  RGB Black or impure CMYK Black is used (4x on page 1)



Fixes

-  Changed trapped flag to "False"
-  Changed PDF/X version key to PDF/X-3:2002
-  Changed PDF/X-3:2002 Output Intent to Custom
-  Compressed objects using ZIP compression (5x)



Processing

Certified PDF status	Preflighted successfully
Preflight Profile	SpringerCovers_v08_1502
Created by	Mark Rübsam
	Springer
Pages processed	1
Application used to preflight	Enfocus PitStop Server 13 update 2 powered by Enfocus PitStop Library 13 update 2
Application used to create the report	Enfocus PitStop Library 13 update 2
Preflighted on	UTC: July 15, 2016 - 11:19:42 [July 15, 2016 - 16:49:42]

Document properties

Document Name	978-3-662-52386-5_Cover_PrintPDF.pdf
Number of pages	1
PDF Version	1.3
Creation Date	UTC: July 15, 2016 - 11:18:47 [July 15, 2016 - 16:48:47]
Modification Date	UTC: July 15, 2016 - 11:19:20 [July 15, 2016 - 16:49:20]
Producer	Acrobat Distiller 11.0 (Windows)
Creator	Adobe InDesign CS6 (Windows)
Author	PG3950
Title	978-3-662-52386-5_Cover_PrintPDF.indd
Subject	-
Keywords	-
Trapped	no
Trapping Information Present	no
Repaired on Open	no
Optimized for Fast Web View	no
Thumbnails Present	no
Binding	left
Job Ticket Present	no

Security

Encryption Type	not encrypted
Content Copying or Extraction	allowed
Content Access for Disabled Users	allowed
Adding or Modifying Annotations	allowed
Creating or Modifying Form Fields	allowed
Form Field Fill-in or Signing	allowed
Document Assembly	allowed
Other Document Modifications	allowed
Printing	high resolution

Compression

Data format	binary
Document structure compressed	yes
Filters used	ZIP



enfocus PITSTOPSERVER



Certified PDF Workflow Information

Status Incoming Document

Not Certified

Action:


Started Certified PDF workflow

Status Outgoing Document


Preflight Profile Name:	SpringerCovers_v08_1502
Author:	Mark Rübsam
Company:	Springer
Document Status	Preflighted successfully
Preflight Profile Status	Match



Defined page boxes



Effective page boxes



Page box	Defined size	Effective size
Media box (M)	351.38 x 265 mm	351.38 x 265 mm
Crop box (C)	351.38 x 265 mm	351.38 x 265 mm
Trim box (T)	321.38 x 235 mm	321.38 x 235 mm
Bleed box (B)	331.38 x 245 mm	331.38 x 245 mm
Art box (A)	not defined	351.38 x 265 mm

Defined for page 1

Media box starts at : (0, 0) mm

Page rotation : 0 degrees

Page scaling factor : 1



Font Information

	PostScript font name	Type	Embedded as	Subset	Encoding
🔍	Courier	Type 1	Type 1	yes	Custom
🔍	Helvetica	Type 1	Type 1	yes	Custom
🔍	MinionPro-Regular	Type 1	Type 1	yes	Custom
🔍	MyriadPro-Cond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldCond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldSemiCn	Type 1	Type 1	yes	Custom
🔍	OCRBStd	Type 1	Type 1	yes	Custom
🔍	Springnew-Regular	Type 1	Type 1	yes	Custom



Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Color	CMYK	2089x21	309.2x308.1	8	1	0	-	+	-	-	-	-
Color	CMYK	2089x983	309.2x309.2	8	1	0	-	-	-	-	-	-
Color	CMYK	75x983	309.2x309.2	8	1	0	-	-	-	-	-	-
Color	Indexed	1027x5	309.2x308.5	8	1	0	-	-	-	-	-	-
Color	Indexed	1027x995	309.2x309.2	8	1	0	-	-	-	-	-	-
Color	Indexed	1027x996	309.2x309.2	8	1	0	-	-	-	-	-	-
Color	Indexed	714x1137	309.2x309.2	8	1	0	-	-	-	-	-	-
Color	Indexed	714x856	309.2x309.2	8	1	0	-	-	-	-	-	-
Color	Indexed	75x21	309.2x308.1	8	1	0	-	+	-	-	-	-



enfocus
PITSTOPSERVER



OPI Information

No OPI



Item	Value
Color Space Page	CMYK 1
Color Space Page Base Space Range	Indexed 1 CMYK 5
Color Space Page Base Space Range	Indexed 1 CMYK 15
Color Space Page Base Space Range	Indexed 1 CMYK 18
Color Space Page Base Space Range	Indexed 1 CMYK 12
Color Space Page Base Space Range	Indexed 1 CMYK 21
Color Space Page Base Space Range	Indexed 1 CMYK 31
Color Space Page Name Alternate Space CMYK values	Separation (Process color) 1 ■ Black CMYK [0, 0, 0, 1]



enfocus PITSTOPSERVER



Output Intents

GTS_PDFX

Output condition	ISO Coated v2 300% (ECI)
Output condition identifier	Custom
Additional information	ISO Coated v2 300% (ECI)
Destination output profile	ISO Coated v2 300% (ECI)