



Warnings

-  Font Courier is used (1x on page 1)
-  Pattern or shading is used (2x on page 1)
-  RGB Gray or impure CMYK Gray is used (4x on page 1)
-  RGB Black or impure CMYK Black is used (4x on page 1)



Fixes

-  Changed trapped flag to "False"
-  Changed PDF/X version key to PDF/X-3:2002
-  Changed PDF/X-3:2002 Output Intent to Custom
-  Compressed objects using ZIP compression



Processing

Certified PDF status	Preflighted successfully
Preflight Profile	SpringerCovers_v08_1502
Created by	Mark Rübsam Springer
Pages processed	1
Application used to preflight	Enfocus PitStop Server 13 update 2 powered by Enfocus PitStop Library 13 update 2
Application used to create the report	Enfocus PitStop Library 13 update 2
Preflighted on	UTC: August 26, 2016 - 21:17:28 [August 27, 2016 - 02:47:28]

Document properties

Document Name	978-3-662-52520-3_Cover_PrintPDF.pdf
Number of pages	1
PDF Version	1.3
Creation Date	UTC: August 26, 2016 - 21:16:23 [August 27, 2016 - 02:46:23]
Modification Date	UTC: August 26, 2016 - 21:17:05 [August 27, 2016 - 02:47:05]
Producer	Acrobat Distiller 11.0 (Windows)
Creator	Adobe InDesign CS6 (Windows)
Author	PG3945
Title	978-3-662-52520-3_Cover_PrintPDF.indd
Subject	-
Keywords	-
Trapped	no
Trapping Information Present	no
Repaired on Open	no
Optimized for Fast Web View	no
Thumbnails Present	no
Binding	left
Job Ticket Present	no

Security

Encryption Type	not encrypted
Content Copying or Extraction	allowed
Content Access for Disabled Users	allowed
Adding or Modifying Annotations	allowed
Creating or Modifying Form Fields	allowed
Form Field Fill-in or Signing	allowed
Document Assembly	allowed
Other Document Modifications	allowed
Printing	high resolution

Compression

Data format	binary
Document structure compressed	yes
Filters used	ZIP



Status Incoming Document


Not Certified

Action:

Started Certified PDF workflow

Status Outgoing Document

Preflight Profile Name:	SpringerCovers_v08_1502
Author:	Mark Rübsam
Company:	Springer
Document Status	Preflighted successfully
Preflight Profile Status	Match



Page box	Defined size	Effective size
Media box (M)	349.53 x 265 mm	349.53 x 265 mm
Crop box (C)	349.53 x 265 mm	349.53 x 265 mm
Trim box (T)	319.52 x 235 mm	319.52 x 235 mm
Bleed box (B)	329.53 x 245 mm	329.53 x 245 mm
Art box (A)	not defined	349.53 x 265 mm

Defined for page 1

Media box starts at : (0, 0) mm

Page rotation : 0 degrees

Page scaling factor : 1



Font Information

	PostScript font name	Type	Embedded as	Subset	Encoding
🔍	Courier	Type 1	Type 1	yes	Custom
🔍	Helvetica	Type 1	Type 1	yes	Custom
🔍	MinionPro-Regular	Type 1	Type 1	yes	Custom
🔍	MyriadPro-Cond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldCond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldSemiCn	Type 1	Type 1	yes	Custom



Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Color	CMYK	1045x806	309.2x309.2	8	1	0	-	+	-	-	-	-
Color	CMYK	1188x875	309.2x309.2	8	1	0	-	+	-	-	-	-
Color	CMYK	1188x876	309.2x309.2	8	1	0	-	+	-	-	-	-
Color	CMYK	1188x876	309.2x309.2	8	1	0	-	+	-	-	-	-
Color	CMYK	1189x876	309.2x309.2	8	1	0	-	+	-	-	-	-
Color	CMYK	1671x144	309.2x309.1	8	1	0	-	+	-	-	-	-
Color	CMYK	3561x293	309.3x308.9	8	1	0	-	+	-	-	-	-
Color	CMYK	595x1749	309.1x309.2	8	1	0	-	+	-	-	-	-
Color	CMYK	599x1242	309.2x309.2	8	1	0	-	+	-	-	-	-
Color	CMYK	599x1313	309.2x309.2	8	1	0	-	+	-	-	-	-
Color	CMYK	599x435	309.2x309.1	8	1	0	-	+	-	-	-	-
Color	CMYK	874x852	309.2x309.2	8	1	0	-	+	-	-	-	-
Color	CMYK	875x1143	309.2x309.2	8	1	0	-	+	-	-	-	-
Color	CMYK	878x1000	309.2x309.2	8	1	0	-	+	-	-	-	-
Color	CMYK	878x994	309.2x309.2	8	1	0	-	+	-	-	-	-



enfocus
PITSTOPSERVER



OPI Information

No OPI



Color Information

Item	Value
Color Space	CMYK
Page	1
Color Space	Separation (Process color)
Page	1
Name	 Black
Alternate Space	CMYK
CMYK values	[0, 0, 0, 1]



GTS_PDFX

Output condition	ISO Coated v2 300% (ECI)
Output condition identifier	Custom
Additional information	ISO Coated v2 300% (ECI)
Destination output profile	ISO Coated v2 300% (ECI)