



Warnings

-   Font Courier is used (1x on page 1)
-   RGB Black or impure CMYK Black is used --> please check the used color for intentional choice, could this mixed color be replaced by pure gray or black (4x on page 1)
-   RGB Gray or impure CMYK Gray is used --> please check the used color for intentional choice, could this mixed color be replaced by pure gray or black (4x on page 1)
-   Black text does not overprint (2x on page 1)
-   Pattern or shading is used --> could cause a color separation (3x on page 1)
-   Font Courier is used (1x on page 1)
-   Objects close to the page edge have been found --> ****serious warning****, please check carefully elements which needs bleed (3 mm) (7x on page 1)



Fixes

-   Changed trapped flag to "False"
-   Changed PDF/X version key to PDF/X-3:2002
-   Changed PDF/X-3:2002 Output Intent to Custom
-   Compressed objects using ZIP compression



Processing

Certified PDF status	Preflighted successfully
Preflight Profile	SpringerNature_Print_cover_V13_2016_10_06
Created by	Mark Rübsam / Klaus Rüschhoff Springer Nature
Pages processed	1
Application used to preflight	Enfocus PitStop Server 13 update 2 powered by Enfocus PitStop Library 13 update 2
Application used to create the report	Enfocus PitStop Library 13 update 2
Preflighted on	UTC: April 26, 2017 - 10:37:21 [April 26, 2017 - 16:07:21]

Document properties

Document Name	978-981-10-1224-2_Cover_PrintPDF.pdf
Number of pages	1
PDF Version	1.3
Creation Date	UTC: April 26, 2017 - 10:33:23 [April 26, 2017 - 16:03:23]
Modification Date	UTC: April 26, 2017 - 10:36:40 [April 26, 2017 - 16:06:40]
Producer	Acrobat Distiller 11.0 (Windows)
Creator	Adobe InDesign CS6 (Windows)
Author	PG3945
Title	978-981-10-1224-2_Cover_PrintPDF.indd
Subject	-
Keywords	-
Trapped	no
Trapping Information Present	no
Repaired on Open	no
Optimized for Fast Web View	no
Thumbnails Present	no
Binding	left
Job Ticket Present	no

Security

Encryption Type	not encrypted
Content Copying or Extraction	allowed
Content Access for Disabled Users	allowed
Adding or Modifying Annotations	allowed
Creating or Modifying Form Fields	allowed
Form Field Fill-in or Signing	allowed
Document Assembly	allowed
Other Document Modifications	allowed
Printing	high resolution

Compression

Data format	binary
Document structure compressed	yes
Filters used	ZIP



Status Incoming Document



Not Certified

Action:

Started Certified PDF workflow

Status Outgoing Document

Preflight Profile Name:	SpringerNature_Print_cover_V13_2016_10_06
Author:	Mark Rübsam / Klaus Rüschoff
Company:	Springer Nature
Document Status	Preflighted successfully
Preflight Profile Status	Match



Page box	Defined size	Effective size
Media box (M)	1043.15 x 711.5 pt	1043.15 x 711.5 pt
Crop box (C)	1043.15 x 711.5 pt	1043.15 x 711.5 pt
Trim box (T)	997.79 x 666.14 pt	997.79 x 666.14 pt
Bleed box (B)	1014.8 x 683.15 pt	1014.8 x 683.15 pt
Art box (A)	not defined	1043.15 x 711.5 pt

Defined for page 1

Media box starts at : (0, 0) pt

Page rotation : 0 degrees

Page scaling factor : 1



Font Information

	PostScript font name	Type	Embedded as	Subset	Encoding
🔍	Courier	Type 1	Type 1	yes	Custom
🔍	Helvetica	Type 1	Type 1	yes	Custom
🔍	MinionPro-Regular	Type 1	Type 1	yes	Custom
🔍	MyriadPro-Cond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldCond	Type 1	Type 1	yes	Custom
🔍	MyriadPro-SemiboldSemiCn	Type 1	Type 1	yes	Custom



Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Color	CMYK	160x1039	599.8x600	8	1	0	-	-	-	-	-	-
Color	CMYK	160x1557	599.8x600.1	8	1	0	-	-	-	-	-	-
Color	CMYK	230x1079	599.6x600	8	1	0	-	-	-	-	-	-
Color	CMYK	230x1079	599.6x600	8	1	0	-	-	-	-	-	-
Color	CMYK	230x1080	599.6x600.1	8	1	0	-	-	-	-	-	-
Color	CMYK	230x1134	599.6x600.2	8	1	0	-	-	-	-	-	-
Color	CMYK	230x592	599.6x600.7	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	457x541	600.2x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	457x542	600.2x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	457x542	600.2x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	457x542	600.2x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	457x542	600.2x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	457x542	600.2x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	457x542	600.2x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	457x568	600.2x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	457x568	600.2x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	457x568	600.2x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	457x568	600.2x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	457x568	600.2x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	458x54	600.4x607.8	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.1x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.1x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.1x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.1x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.1x601.1	8	1	0	-	-	-	-	-	-



Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Color	CMYK	458x541	600.1x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.1x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.1x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.1x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.4x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.4x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.4x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.4x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.4x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.4x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.4x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.4x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.4x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.4x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	458x541	600.4x601.1	8	1	0	-	-	-	-	-	-
Color	CMYK	458x542	600.1x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	458x542	600.1x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	458x542	600.1x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	458x542	600.1x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	458x542	600.4x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	458x542	600.4x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	458x542	600.4x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	458x542	600.4x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	458x542	600.4x601.3	8	1	0	-	-	-	-	-	-
Color	CMYK	458x568	600.1x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	458x568	600.1x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	458x568	600.1x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	458x568	600.4x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	458x568	600.4x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	458x568	600.4x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	458x568	600.4x600.5	8	1	0	-	-	-	-	-	-
Color	CMYK	684x286	599.6x602	8	1	0	-	-	-	-	-	-
Color	CMYK	912x286	600.1x602	8	1	0	-	-	-	-	-	-
Color	CMYK	912x286	600.1x602	8	1	0	-	-	-	-	-	-
Color	CMYK	912x286	600.2x602	8	1	0	-	-	-	-	-	-
Color	CMYK	912x54	600.1x607.8	8	1	0	-	-	-	-	-	-
Color	CMYK	912x54	600.1x607.8	8	1	0	-	-	-	-	-	-
Color	CMYK	912x54	600.2x607.8	8	1	0	-	-	-	-	-	-



enfocus
PITSTOPSERVER



OPI Information

No OPI



Color Information

Item	Value
Color Space	CMYK
Page	1
Color Space	Separation (Process color)
Page	1
Name	■ Black
Alternate Space	CMYK
CMYK values	[0, 0, 0, 1]



 Document
 Page 1

Ink

Cyan
Magenta
Yellow
Black
Total

Percentage

74.04%
53.09%
12.83%
22.36%
162.32%

Surface

550391 sq pt
394665 sq pt
95358 sq pt
166175 sq pt
1206589 sq pt



enfocus PITSTOPSERVER



Output Intents

GTS_PDFX

Output condition	ISO Coated v2 300% (ECI)
Output condition identifier	Custom
Additional information	ISO Coated v2 300% (ECI)
Destination output profile	ISO Coated v2 300% (ECI)