



Warnings

-  ** Strong WARNING ** Line weight is less than 0.0706 mm --> check if real line is not less than 0,2 pt (= 0,0706 mm) and is visible (58783x on pages 178-180)
-  Text of 3.76...4.49 pt is less than 5 pt --> please check for legibility (405x on pages 18,23,71,75,83)
-  The number of nodes (6346...10552) in the single path is more than 6000 --> check for fractal eps (2x on page 179)
-  Compression ratio of image is more than 15 --> PS minimal 10er imagequality, better tiff (22x on pages 21...177)



Fixes

-  Changed PDF/X version key to PDF/X-3:2002
-  Changed PDF/X-3:2002 Output Intent to Custom
-  Compressed objects using ZIP compression (5x)



Processing

Certified PDF status	Preflighted successfully
Preflight Profile	SpringerNature_Print_Books_V13_2016_07_08
Created by	Mark Rübsam / Klaus Rüschhoff
	Springer Nature
Pages processed	1-192
Application used to preflight	Enfocus PitStop Server 13 update 2 powered by Enfocus PitStop Library 13 update 2
Application used to create the report	Enfocus PitStop Library 13 update 2
Preflighted on	UTC: September 2, 2016 - 00:09:44 [September 2, 2016 - 05:39:44]

Document properties

Document Name	978-3-319-36099-7_Book_PrintPDF.pdf
Number of pages	192
PDF Version	1.3
Creation Date	UTC: September 1, 2016 - 23:55:17 [September 2, 2016 - 05:25:17]
Modification Date	UTC: September 2, 2016 - 00:04:15 [September 2, 2016 - 05:34:15]
Producer	Acrobat Distiller 11.0 (Windows)
Creator	Adobe Acrobat Pro 9.0.0
Author	0001195
Title	978-3-319-36099-7_Book_PrintPDF.pdf
Subject	-
Keywords	-
Trapped	no
Trapping Information Present	no
Repaired on Open	no
Optimized for Fast Web View	no
Thumbnails Present	no
Binding	left
Job Ticket Present	no

Security

Encryption Type	not encrypted
Content Copying or Extraction	allowed
Content Access for Disabled Users	allowed
Adding or Modifying Annotations	allowed
Creating or Modifying Form Fields	allowed
Form Field Fill-in or Signing	allowed
Document Assembly	allowed
Other Document Modifications	allowed
Printing	high resolution

Compression

Data format	binary
Document structure compressed	yes
Filters used	JPEG, ZIP



Status Incoming Document

Not Certified

Action:


Started Certified PDF workflow

Status Outgoing Document


Preflight Profile Name:	SpringerNature_Print_Books_V13_2016_07_08
Author:	Mark Rübsam / Klaus Rüschoff
Company:	Springer Nature
Document Status	Preflighted successfully
Preflight Profile Status	Match



Defined page boxes



Effective page boxes



Page box	Defined size	Effective size
Media box (M)	155 x 235 mm	155 x 235 mm
Crop box (C)	155 x 235 mm	155 x 235 mm
Trim box (T)	155 x 235 mm	155 x 235 mm
Bleed box (B)	155 x 235 mm	155 x 235 mm
Art box (A)	not defined	155 x 235 mm

Defined for pages 1-192

Media box starts at : (0, 0) mm

Page rotation : 0 degrees

Page scaling factor : 1



Font Information

PostScript font name	Type	Embedded as	Subset	Encoding
AdvGTIMES-B	Type 1	Type 1	yes	Custom
AdvGTIMES-R	Type 1	Type 1	yes	Custom
AdvTTeeee58d9.B	Type 1	Type 1	yes	Custom
AdvSPRING-R	Type 1	Type 1	yes	Custom
AdvTT3713a231	Type 1	Type 1	yes	Custom
TimesNewRomanPSMT	Type 1	Type 1	yes	Custom
AdvTT5ada87cc	Type 1	Type 1	yes	Custom
AdvTT5ada87cc+fb	Type 1	Type 1	yes	Custom
AdvTTec369687	Type 1	Type 1	yes	Custom
AdvTTec369687+20	Type 1	Type 1	yes	Custom
AdvTTec369687+03	Type 1	Type 1	yes	Custom
AdvP4C4E74	Type 1	Type 1	yes	Custom
AdvTT5843c571	Type 1	Type 1	yes	Custom
AdvTTf2e4df62.l	Type 1	Type 1	yes	Custom
Times-Roman	Type 1	Type 1	yes	Custom
Times-Bold	Type 1	Type 1	yes	Custom
AdvPi1	Type 1	Type 1	yes	Custom
AdvGTIMES-IT	Type 1	Type 1	yes	Custom
Times-Italic	Type 1	Type 1	yes	Custom
AdvTT5ada87cc+20	Type 1	Type 1	yes	Custom
AdvTTec369687+25	Type 1	Type 1	yes	Custom
AdvTT8fc4438a.BI	Type 1	Type 1	yes	Custom
AdvTTc6ee16d2.l+03	Type 1	Type 1	yes	Custom
Symbol	Type 1	Type 1	yes	Custom
AdvTTdf37bfe4+22	Type 1	Type 1	yes	Custom
AdvTT3713a231+20	Type 1	Type 1	yes	Custom
AdvPSMSAM10	Type 1	Type 1	yes	Custom
AdvTTf2e4df62.l+fb	Type 1	Type 1	yes	Custom
AdvPTimes	Type 1	Type 1	yes	Custom



Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Color	CMYK	1059x2399	599.5x599.8	8	18	0	-	-	-	-	-	-
Color	CMYK	2702x2532	599.8x599.8	8	20	0	-	-	-	-	-	-
Color	CMYK	2717x1762	599.9x599.9	8	21	0	-	-	-	-	-	-
Color	CMYK	2629x1603	580.6x580.6	8	22	0	-	-	-	-	-	-
Grayscale	Gray	2724x2994	599.9x600	8	24	0	-	-	-	-	-	-
Color	CMYK	2517x2190	599.8x599.8	8	25	0	-	-	-	-	-	-
Color	CMYK	1089x3443	599.6x599.9	8	26	0	-	-	-	-	-	-
Color	CMYK	2445x1840	539.9x539.9	8	27	0	-	-	-	-	-	-
Grayscale	Separation: Black (Process color)	1373x1011	567.7x567.6	8	33	0	-	-	-	-	-	-
Grayscale	Gray	1101x1046	465.9x465.9	8	34	0	-	-	-	-	-	-
Color	CMYK	1942x1130	430.9x430.9	8	37	0	-	-	-	-	-	-
Grayscale	Gray	2543x1539	561.6x561.6	8	37	0	-	-	-	-	-	-
Color	CMYK	2712x3715	599.9x600	8	43	0	-	-	-	-	-	-
Color	CMYK	2654x1294	599.9x599.6	8	44	0	-	-	-	-	-	-
Color	CMYK	2724x3734	599.9x600	8	46	0	-	-	-	-	-	-
Color	CMYK	2535x3379	599.8x599.9	8	47	0	-	-	-	-	-	-
Grayscale	Separation: Black (Process color)	2470x969	599.8x599.5	8	48	0	-	-	-	-	-	-
Color	CMYK	2724x1709	599.9x599.9	8	49	0	-	-	-	-	-	-
Color	CMYK	2590x3469	599.8x599.9	8	50	0	-	-	-	-	-	-
Color	CMYK	2560x3658	599.8x599.9	8	51	0	-	-	-	-	-	-
Color	CMYK	2724x3946	599.9x600	8	53	0	-	-	-	-	-	-
Color	CMYK	950x1475	599.8x599.9	8	54	0	-	-	-	-	-	-
Color	CMYK	1321x105	335.4x334.1	8	55	0	-	-	-	-	-	-
Color	CMYK	695x804	374.3x374.3	8	55	0	-	-	-	-	-	-
Color	CMYK	761x821	373.6x373.7	8	55	0	-	-	-	-	-	-
Color	CMYK	797x831	310.3x310.3	8	56	0	-	-	-	-	-	-
Color	CMYK	2633x1415	599.8x599.7	8	57	0	-	-	-	-	-	-
Grayscale	Gray	1868x1415	474.3x474.3	8	65	0	-	-	-	-	-	-
Color	CMYK	2708x2641	599.8x599.8	8	67	0	-	-	-	-	-	-
Color	CMYK	1927x1290	425.6x425.6	8	68	0	-	-	-	-	-	-
Color	CMYK	2716x650	599.8x599.3	8	69	0	-	-	-	-	-	-
Color	CMYK	2717x942	599.8x599.5	8	69	0	-	-	-	-	-	-
Color	CMYK	2717x1038	599.8x599.5	8	70	0	-	-	-	-	-	-
Color	CMYK	1779x2561	599.9x599.9	8	72	0	-	-	-	-	-	-
Color	CMYK	1666x3997	599.7x599.9	8	75	0	-	-	-	-	-	-
Color	CMYK	2596x3706	599.8x599.9	8	77	0	-	-	-	-	-	-



Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Color	CMYK	2357x3380	545.3x545.3	8	78	0	-	-	-	-	-	-
Color	CMYK	1630x3822	599.7x599.9	8	80	0	-	-	-	-	-	-
Color	CMYK	1708x4158	599.9x600	8	81	0	-	-	-	-	-	-
Grayscale	Separation: Black (Process color)	2372x1375	599.8x599.7	8	83	0	-	-	-	-	-	-
Color	CMYK	2594x4133	599.9x600	8	92	0	-	-	-	-	-	-
Grayscale	Gray	2731x3818	599.9x600	8	93	0	-	-	-	-	-	-
Grayscale	Gray	2724x3828	599.9x600	8	94	0	-	-	-	-	-	-
Grayscale	Gray	2729x3834	599.9x600	8	95	0	-	-	-	-	-	-
Grayscale	Gray	2738x3895	599.9x600	8	96	0	-	-	-	-	-	-
Grayscale	Gray	2724x3830	599.9x600	8	97	0	-	-	-	-	-	-
Grayscale	Gray	2729x3884	599.9x600	8	98	0	-	-	-	-	-	-
Grayscale	Gray	2724x3812	599.9x600	8	99	0	-	-	-	-	-	-
Grayscale	Gray	2729x3853	599.9x600	8	100	0	-	-	-	-	-	-
Grayscale	Gray	2724x3805	599.9x600	8	101	0	-	-	-	-	-	-
Grayscale	Gray	2729x3896	599.9x600	8	102	0	-	-	-	-	-	-
Grayscale	Gray	2724x3894	599.9x600	8	103	0	-	-	-	-	-	-
Grayscale	Gray	2717x3910	599.9x600	8	104	0	-	-	-	-	-	-
Grayscale	Gray	2717x3903	599.9x600	8	105	0	-	-	-	-	-	-
Grayscale	Gray	2717x3877	599.9x600	8	106	0	-	-	-	-	-	-
Grayscale	Gray	2719x3869	600x600	8	107	0	-	-	-	-	-	-
Grayscale	Gray	2717x3817	599.9x600	8	108	0	-	-	-	-	-	-
Grayscale	Gray	2719x3844	600x600	8	109	0	-	-	-	-	-	-
Grayscale	Gray	2717x3820	599.9x600	8	110	0	-	-	-	-	-	-
Grayscale	Gray	2718x3838	599.9x600	8	111	0	-	-	-	-	-	-
Grayscale	Gray	2717x3833	599.9x600	8	112	0	-	-	-	-	-	-
Grayscale	Gray	2718x3842	599.9x600	8	113	0	-	-	-	-	-	-
Grayscale	Gray	2717x3853	599.9x600	8	114	0	-	-	-	-	-	-
Grayscale	Gray	2717x3853	599.9x600	8	116	0	-	-	-	-	-	-
Grayscale	Gray	2718x3837	599.9x600	8	115	0	-	-	-	-	-	-
Grayscale	Gray	2718x3837	599.9x600	8	133	0	-	-	-	-	-	-
Grayscale	Gray	2718x3841	599.9x600	8	117	0	-	-	-	-	-	-
Grayscale	Gray	2719x3841	600x600	8	118	0	-	-	-	-	-	-
Grayscale	Gray	2718x3848	599.9x600	8	119	0	-	-	-	-	-	-
Grayscale	Gray	2717x3858	599.9x600	8	120	0	-	-	-	-	-	-
Grayscale	Gray	2717x3891	599.9x600	8	121	0	-	-	-	-	-	-
Grayscale	Gray	2717x3836	599.9x600	8	122	0	-	-	-	-	-	-
Grayscale	Gray	2717x3834	599.9x600	8	123	0	-	-	-	-	-	-
Grayscale	Gray	2717x3834	599.9x600	8	127	0	-	-	-	-	-	-



Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Grayscale	Gray	2717x3818	599.9x600	8	124	0	-	-	-	-	-	-
Grayscale	Gray	2717x3818	599.9x600	8	134	0	-	-	-	-	-	-
Grayscale	Gray	2718x3840	599.9x600	8	125	0	-	-	-	-	-	-
Grayscale	Gray	2717x3799	599.9x600	8	126	0	-	-	-	-	-	-
Grayscale	Gray	2717x3831	599.9x600	8	128	0	-	-	-	-	-	-
Grayscale	Gray	2717x3831	599.9x600	8	144	0	-	-	-	-	-	-
Grayscale	Gray	2717x3829	599.9x600	8	129	0	-	-	-	-	-	-
Grayscale	Gray	2717x3821	599.9x600	8	130	0	-	-	-	-	-	-
Grayscale	Gray	2718x3888	599.9x600	8	131	0	-	-	-	-	-	-
Grayscale	Gray	2717x3835	599.9x600	8	132	0	-	-	-	-	-	-
Grayscale	Gray	2719x3867	600x600	8	135	0	-	-	-	-	-	-
Grayscale	Gray	2717x3837	599.9x600	8	136	0	-	-	-	-	-	-
Grayscale	Gray	2717x3867	599.9x600	8	137	0	-	-	-	-	-	-
Grayscale	Gray	2717x3814	599.9x600	8	138	0	-	-	-	-	-	-
Grayscale	Gray	2718x3866	599.9x600	8	139	0	-	-	-	-	-	-
Grayscale	Gray	2717x3809	599.9x600	8	140	0	-	-	-	-	-	-
Grayscale	Gray	2717x3850	599.9x600	8	141	0	-	-	-	-	-	-
Grayscale	Gray	2717x3840	599.9x600	8	142	0	-	-	-	-	-	-
Grayscale	Gray	2718x3885	599.9x600	8	143	0	-	-	-	-	-	-
Grayscale	Gray	2718x3924	599.9x600	8	145	0	-	-	-	-	-	-
Grayscale	Gray	2717x3861	599.9x600	8	146	0	-	-	-	-	-	-
Color	CMYK	2626x3602	599.8x599.9	8	147	0	-	-	-	-	-	-
Color	CMYK	2686x4063	599.8x599.9	8	148	0	-	-	-	-	-	-
Color	CMYK	2718x3875	599.8x599.9	8	149	0	-	-	-	-	-	-
Color	CMYK	2718x3950	599.8x599.9	8	150	0	-	-	-	-	-	-
Color	CMYK	2711x4104	599.8x599.9	8	151	0	-	-	-	-	-	-
Color	CMYK	2488x3512	549.4x549.4	8	152	0	-	-	-	-	-	-
Color	CMYK	2657x3575	599.8x599.9	8	153	0	-	-	-	-	-	-
Color	CMYK	2724x3621	599.8x599.9	8	154	0	-	-	-	-	-	-
Color	CMYK	2717x3619	599.9x599.9	8	155	0	-	-	-	-	-	-
Color	CMYK	2717x3613	599.9x599.9	8	156	0	-	-	-	-	-	-
Color	CMYK	2527x3623	571.8x571.8	8	157	0	-	-	-	-	-	-
Color	CMYK	2062x4063	599.8x599.9	8	158	0	-	-	-	-	-	-
Color	CMYK	2717x4062	599.8x599.9	8	159	0	-	-	-	-	-	-
Color	CMYK	2570x3737	567.5x567.5	8	160	0	-	-	-	-	-	-
Color	CMYK	2566x3779	566.6x566.6	8	161	0	-	-	-	-	-	-
Grayscale	Gray	1908x3260	472x472	8	165	0	-	-	-	-	-	-
Grayscale	Gray	2152x3124	475.3x475.3	8	166	0	-	-	-	-	-	-
Grayscale	Gray	2173x3181	479.9x480	8	167	0	-	-	-	-	-	-
Grayscale	Gray	1585x2308	350x350	8	168	0	-	-	-	-	-	-
Grayscale	Gray	1816x2625	401.1x401.1	8	169	0	-	-	-	-	-	-



Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Grayscale	Gray	1698x3100	449.9x450	8	170	0	-	-	-	-	-	-
Grayscale	Gray	1745x3211	465.9x466	8	171	0	-	-	-	-	-	-
Grayscale	Gray	2264x3263	500x500	8	172	0	-	-	-	-	-	-
Grayscale	Gray	2264x3256	500x500	8	173	0	-	-	-	-	-	-
Grayscale	Gray	1449x2088	320x320	8	174	0	-	-	-	-	-	-
Grayscale	Gray	1404x2022	310x310	8	175	0	-	-	-	-	-	-
Grayscale	Gray	1585x2304	350x350	8	176	0	-	-	-	-	-	-
Color	CMYK	1540x1072	599.9x599.8	8	177	0	-	-	-	-	-	-
Grayscale	Gray	1416x1034	399.9x399.9	8	180	0	-	-	-	-	-	-



enfocus
PITSTOPSERVER



OPI Information

No OPI



Color Information

Item	Value
 Color Space	Separation (Process color)
Page	1-5,7-9,11-13,15,17-39,41-59,61-192
Name	■ Black
Alternate Space	CMYK
CMYK values	[0, 0, 0, 1]
 Color Space	Gray
Page	3-4,6,10,14,16-18,20-22,24-27,32-37,40,43-44,46,48-51,53-57,60,63-65,67-70,74-83,91,93-146,162,165-188
 Color Space	CMYK
Page	18,20-23,25-27,33,37,43-44,46-51,53-57,67-72,74-75,77-78,80-81,83,92,147-161,177-180



Document

Ink	Percentage	Surface
Black	5.19%	363307.24 sq mm
Cyan	1.01%	70955.84 sq mm
Magenta	0.84%	58993.94 sq mm
Yellow	0.92%	64585.03 sq mm
Total	7.97%	557842.05 sq mm

Page 1

Ink	Percentage	Surface
Black	0.61%	221.88 sq mm
Total	0.61%	221.88 sq mm

Page 2

Ink	Percentage	Surface
Black	0.16%	59.9 sq mm
Total	0.16%	59.9 sq mm

Page 3

Ink	Percentage	Surface
Black	1.52%	555.54 sq mm
Total	1.52%	555.54 sq mm

Page 4

Ink	Percentage	Surface
Black	2.56%	932.3 sq mm
Total	2.56%	932.3 sq mm

Page 5

Ink	Percentage	Surface
Black	2.65%	967.73 sq mm
Total	2.65%	967.73 sq mm

Pages 6,10,14,16,40,60,191-192 don't use any inks

Page 7

Ink	Percentage	Surface
Black	5.28%	1926.59 sq mm



Ink Information

Total	5.28%	1926.59 sq mm
Page 8		
Ink	Percentage	Surface
Black	0.47%	170.94 sq mm
Total	0.47%	170.94 sq mm
Page 9		
Ink	Percentage	Surface
Black	3.72%	1357.37 sq mm
Total	3.72%	1357.37 sq mm
Page 11		
Ink	Percentage	Surface
Black	1.78%	648.27 sq mm
Total	1.78%	648.27 sq mm
Page 12		
Ink	Percentage	Surface
Black	2.38%	867.34 sq mm
Total	2.38%	867.34 sq mm
Page 13		
Ink	Percentage	Surface
Black	1.74%	633.93 sq mm
Total	1.74%	633.93 sq mm
Page 15		
Ink	Percentage	Surface
Black	3.68%	1341.08 sq mm
Total	3.68%	1341.08 sq mm
Page 17		
Ink	Percentage	Surface
Black	4.62%	1683.62 sq mm
Total	4.62%	1683.62 sq mm



Page 18

Ink	Percentage	Surface
Cyan	1.68%	614.43 sq mm
Magenta	1.12%	408.16 sq mm
Yellow	2.38%	866.54 sq mm
Black	4.68%	1706.35 sq mm
Total	9.86%	3595.48 sq mm

Page 19

Ink	Percentage	Surface
Black	6.38%	2326.83 sq mm
Total	6.38%	2326.83 sq mm

Page 20

Ink	Percentage	Surface
Cyan	19.88%	7251.63 sq mm
Magenta	15.59%	5684.87 sq mm
Yellow	5.92%	2159.84 sq mm
Black	10.91%	3977.96 sq mm
Total	52.3%	19074.29 sq mm

Page 21

Ink	Percentage	Surface
Cyan	10.42%	3799.48 sq mm
Magenta	3%	1093.79 sq mm
Yellow	7.56%	2758.34 sq mm
Black	4.52%	1648.18 sq mm
Total	25.5%	9299.79 sq mm

Page 22

Ink	Percentage	Surface
Cyan	2.57%	937.87 sq mm
Magenta	6.56%	2392.41 sq mm
Yellow	7.6%	2772.08 sq mm
Black	3.83%	1398.49 sq mm
Total	20.57%	7500.84 sq mm

Page 23

Ink	Percentage	Surface
-----	------------	---------



Ink Information

Black	4.07%	1484.3 sq mm
Total	4.07%	1484.3 sq mm

Page 24

Ink	Percentage	Surface
Black	2.96%	1078.76 sq mm
Total	2.96%	1078.76 sq mm

Page 25

Ink	Percentage	Surface
Cyan	5.29%	1927.73 sq mm
Magenta	4.63%	1687.6 sq mm
Yellow	3.42%	1245.85 sq mm
Black	4.54%	1654.97 sq mm
Total	17.87%	6516.15 sq mm

Page 26

Ink	Percentage	Surface
Cyan	1.09%	398.9 sq mm
Magenta	0.87%	318.91 sq mm
Yellow	1%	363.23 sq mm
Black	2.59%	945.58 sq mm
Total	5.56%	2026.63 sq mm

Page 27

Ink	Percentage	Surface
Cyan	7.63%	2782.87 sq mm
Magenta	1.41%	512.53 sq mm
Yellow	9.59%	3498.13 sq mm
Black	5.11%	1862.06 sq mm
Total	23.73%	8655.6 sq mm

Page 28

Ink	Percentage	Surface
Black	6.25%	2280.71 sq mm
Total	6.25%	2280.71 sq mm

Page 29



Ink Information

Ink

Black

Percentage

6.35%

Surface

2315.67 sq mm

Total

6.35%

2315.67 sq mm

Page 30

Ink

Black

Percentage

2.9%

Surface

1057.68 sq mm

Total

2.9%

1057.68 sq mm

Page 31

Ink

Black

Percentage

5.58%

Surface

2033.52 sq mm

Total

5.58%

2033.52 sq mm

Page 32

Ink

Black

Percentage

0.97%

Surface

354.22 sq mm

Total

0.97%

354.22 sq mm

Page 33

Ink

Black

Percentage

5.11%

Surface

1862.01 sq mm

Total

5.11%

1862.01 sq mm

Page 34

Ink

Black

Percentage

6.91%

Surface

2518.24 sq mm

Total

6.91%

2518.24 sq mm

Page 35

Ink

Black

Percentage

6.94%

Surface

2532.3 sq mm

Total

6.94%

2532.3 sq mm

Page 36

Ink

Black

Percentage

12.34%

Surface

4501.81 sq mm



Total	12.34%	4501.81 sq mm
-------	--------	---------------

Page 37

Ink	Percentage	Surface
Cyan	2.48%	903.42 sq mm
Magenta	1.75%	638.9 sq mm
Yellow	2.18%	794.47 sq mm
Black	5.28%	1924.29 sq mm
Total	11.68%	4261.07 sq mm

Page 38

Ink	Percentage	Surface
Black	4.68%	1706.38 sq mm
Total	4.68%	1706.38 sq mm

Page 39

Ink	Percentage	Surface
Black	0.82%	299.1 sq mm
Total	0.82%	299.1 sq mm

Page 41

Ink	Percentage	Surface
Black	4.68%	1705.23 sq mm
Total	4.68%	1705.23 sq mm

Page 42

Ink	Percentage	Surface
Black	7.7%	2808.32 sq mm
Total	7.7%	2808.32 sq mm

Page 43

Ink	Percentage	Surface
Cyan	11.76%	4289.28 sq mm
Magenta	9.7%	3536.33 sq mm
Yellow	9.74%	3551.68 sq mm
Black	10.93%	3984.91 sq mm
Total	42.12%	15362.2 sq mm



Page 44

Ink	Percentage	Surface
Cyan	2.55%	930.71 sq mm
Magenta	1.97%	718.45 sq mm
Yellow	1.91%	697.88 sq mm
Black	6.56%	2391.66 sq mm
Total	12.99%	4738.71 sq mm

Page 45

Ink	Percentage	Surface
Black	6.98%	2544.49 sq mm
Total	6.98%	2544.49 sq mm

Page 46

Ink	Percentage	Surface
Cyan	9.21%	3358.39 sq mm
Magenta	7.57%	2761.83 sq mm
Yellow	7.93%	2891.26 sq mm
Black	8.56%	3121.75 sq mm
Total	33.27%	12133.23 sq mm

Page 47

Ink	Percentage	Surface
Cyan	9.9%	3609.15 sq mm
Magenta	8.17%	2979.38 sq mm
Yellow	8.37%	3054.2 sq mm
Black	10.16%	3704.2 sq mm
Total	36.6%	13346.93 sq mm

Page 48

Ink	Percentage	Surface
Black	5.32%	1939.05 sq mm
Total	5.32%	1939.05 sq mm

Page 49

Ink	Percentage	Surface
Cyan	5.07%	1847.96 sq mm
Magenta	4.14%	1510.07 sq mm
Yellow	4.43%	1614.66 sq mm



Black	6.45%	2352.3 sq mm
Total	20.09%	7324.99 sq mm

Page 50

Ink	Percentage	Surface
Cyan	7.78%	2837.05 sq mm
Magenta	6.33%	2310.14 sq mm
Yellow	6.91%	2519.5 sq mm
Black	7.55%	2753.06 sq mm
Total	28.57%	10419.75 sq mm

Page 51

Ink	Percentage	Surface
Cyan	7.07%	2578.99 sq mm
Magenta	6.09%	2221.32 sq mm
Yellow	7.5%	2733.72 sq mm
Black	7.58%	2763.51 sq mm
Total	28.24%	10297.54 sq mm

Page 52

Ink	Percentage	Surface
Black	6.04%	2204.04 sq mm
Total	6.04%	2204.04 sq mm

Page 53

Ink	Percentage	Surface
Cyan	9.87%	3598.64 sq mm
Magenta	7.97%	2907.98 sq mm
Yellow	8.48%	3091.25 sq mm
Black	8.5%	3098.28 sq mm
Total	34.81%	12696.15 sq mm

Page 54

Ink	Percentage	Surface
Cyan	2.77%	1010.56 sq mm
Magenta	2.24%	818.72 sq mm
Yellow	2.38%	868.13 sq mm
Black	5.82%	2121.19 sq mm
Total	13.21%	4818.6 sq mm



Page 55

Ink	Percentage	Surface
Cyan	1.07%	390.3 sq mm
Magenta	1.02%	370.46 sq mm
Yellow	1.25%	455.69 sq mm
Black	4.34%	1581.58 sq mm
Total	7.67%	2798.03 sq mm

Page 56

Ink	Percentage	Surface
Cyan	1%	363.63 sq mm
Magenta	0.94%	343.47 sq mm
Yellow	1.34%	488.51 sq mm
Black	4.43%	1613.99 sq mm
Total	7.7%	2809.6 sq mm

Page 57

Ink	Percentage	Surface
Cyan	1.23%	449.61 sq mm
Magenta	0.97%	352.82 sq mm
Yellow	1.3%	474.21 sq mm
Black	4.36%	1591.39 sq mm
Total	7.86%	2868.04 sq mm

Page 58

Ink	Percentage	Surface
Black	5.96%	2174.06 sq mm
Total	5.96%	2174.06 sq mm

Page 59

Ink	Percentage	Surface
Black	5.02%	1832.51 sq mm
Total	5.02%	1832.51 sq mm

Page 61

Ink	Percentage	Surface
Black	4.53%	1651.85 sq mm
Total	4.53%	1651.85 sq mm



Page 62

Ink	Percentage	Surface
Black	6.3%	2298.65 sq mm
Total	6.3%	2298.65 sq mm

Page 63

Ink	Percentage	Surface
Black	3.49%	1274.29 sq mm
Total	3.49%	1274.29 sq mm

Page 64

Ink	Percentage	Surface
Black	1.73%	629.8 sq mm
Total	1.73%	629.8 sq mm

Page 65

Ink	Percentage	Surface
Black	3.75%	1365.8 sq mm
Total	3.75%	1365.8 sq mm

Page 66

Ink	Percentage	Surface
Black	6.64%	2422.85 sq mm
Total	6.64%	2422.85 sq mm

Page 67

Ink	Percentage	Surface
Cyan	3.52%	1285.18 sq mm
Magenta	5.4%	1969.26 sq mm
Yellow	6.99%	2550.43 sq mm
Black	3.35%	1222.77 sq mm
Total	19.27%	7027.64 sq mm

Page 68

Ink	Percentage	Surface
Cyan	2.17%	790.18 sq mm
Magenta	0.6%	218.62 sq mm
Yellow	0.93%	339.95 sq mm



Ink Information

Black	3.16%	1153.31 sq mm
Total	6.86%	2502.06 sq mm

Page 69

Ink	Percentage	Surface
Cyan	2.68%	977.49 sq mm
Magenta	6.2%	2262.3 sq mm
Yellow	7.65%	2789.52 sq mm
Black	7.49%	2730.96 sq mm
Total	24.02%	8760.26 sq mm

Page 70

Ink	Percentage	Surface
Cyan	2.58%	940.94 sq mm
Magenta	3.57%	1300.32 sq mm
Yellow	3.4%	1240.24 sq mm
Black	5.52%	2014.69 sq mm
Total	15.07%	5496.2 sq mm

Page 71

Ink	Percentage	Surface
Black	5.98%	2180.55 sq mm
Total	5.98%	2180.55 sq mm

Page 72

Ink	Percentage	Surface
Cyan	2.51%	916 sq mm
Magenta	2.04%	743.56 sq mm
Yellow	2.63%	960.49 sq mm
Black	4.21%	1534.03 sq mm
Total	11.39%	4154.09 sq mm

Page 73

Ink	Percentage	Surface
Black	8.31%	3029.26 sq mm
Total	8.31%	3029.26 sq mm

Page 74



Ink	Percentage	Surface
Cyan	1.87%	682.14 sq mm
Magenta	1.23%	447.07 sq mm
Yellow	0.24%	86.07 sq mm
Black	6.11%	2229.68 sq mm
Total	9.45%	3444.96 sq mm

Page 75

Ink	Percentage	Surface
Cyan	2.77%	1008.9 sq mm
Magenta	2.03%	739.57 sq mm
Yellow	2.32%	845.79 sq mm
Black	2.3%	838.77 sq mm
Total	9.41%	3433.03 sq mm

Page 76

Ink	Percentage	Surface
Black	6.09%	2219.8 sq mm
Total	6.09%	2219.8 sq mm

Page 77

Ink	Percentage	Surface
Cyan	2.3%	837.1 sq mm
Magenta	1.78%	649.79 sq mm
Yellow	1.99%	726.65 sq mm
Black	1.44%	526.65 sq mm
Total	7.51%	2740.2 sq mm

Page 78

Ink	Percentage	Surface
Cyan	2.15%	782.72 sq mm
Magenta	1.95%	711.03 sq mm
Yellow	2.05%	747.32 sq mm
Black	1.4%	512.14 sq mm
Total	7.55%	2753.22 sq mm

Page 79

Ink	Percentage	Surface
Black	11.59%	4225.35 sq mm



Total	11.59%	4225.35 sq mm
-------	--------	---------------

Page 80

Ink	Percentage	Surface
Cyan	4.29%	1565.06 sq mm
Magenta	2.49%	909.27 sq mm
Yellow	3.67%	1338.18 sq mm
Black	2.5%	912.08 sq mm
Total	12.95%	4724.59 sq mm

Page 81

Ink	Percentage	Surface
Cyan	5.05%	1841.91 sq mm
Magenta	3.01%	1096.71 sq mm
Yellow	4.33%	1577.74 sq mm
Black	1.75%	638.94 sq mm
Total	14.14%	5155.3 sq mm

Page 82

Ink	Percentage	Surface
Black	10.15%	3702.05 sq mm
Total	10.15%	3702.05 sq mm

Page 83

Ink	Percentage	Surface
Magenta	0.05%	17.9 sq mm
Yellow	0.05%	17.19 sq mm
Black	4.88%	1781.12 sq mm
Total	4.98%	1816.21 sq mm

Page 84

Ink	Percentage	Surface
Black	6.14%	2238.31 sq mm
Total	6.14%	2238.31 sq mm

Page 85

Ink	Percentage	Surface
Black	6.7%	2443.35 sq mm



Ink Information

Total	6.7%	2443.35 sq mm
Page 86		
Ink	Percentage	Surface
Black	4.82%	1758.89 sq mm
Total	4.82%	1758.89 sq mm
Page 87		
Ink	Percentage	Surface
Black	5.3%	1931.91 sq mm
Total	5.3%	1931.91 sq mm
Page 88		
Ink	Percentage	Surface
Black	6.44%	2348.69 sq mm
Total	6.44%	2348.69 sq mm
Page 89		
Ink	Percentage	Surface
Black	6.81%	2481.92 sq mm
Total	6.81%	2481.92 sq mm
Page 90		
Ink	Percentage	Surface
Black	3.99%	1454.58 sq mm
Total	3.99%	1454.58 sq mm
Page 91		
Ink	Percentage	Surface
Black	3.01%	1097.4 sq mm
Total	3.01%	1097.4 sq mm
Page 92		
Ink	Percentage	Surface
Cyan	3.36%	1225.28 sq mm
Magenta	2.7%	983.62 sq mm
Yellow	3.07%	1119.53 sq mm
Black	1.54%	562.27 sq mm



Ink Information

Total	10.67%	3890.71 sq mm
Page 93		
Ink	Percentage	Surface
Black	5.67%	2066.3 sq mm
Total	5.67%	2066.3 sq mm
Page 94		
Ink	Percentage	Surface
Black	4.72%	1722.9 sq mm
Total	4.72%	1722.9 sq mm
Page 95		
Ink	Percentage	Surface
Black	5.58%	2035.6 sq mm
Total	5.58%	2035.6 sq mm
Page 96		
Ink	Percentage	Surface
Black	5.99%	2185.18 sq mm
Total	5.99%	2185.18 sq mm
Page 97		
Ink	Percentage	Surface
Black	4.98%	1814.5 sq mm
Total	4.98%	1814.5 sq mm
Page 98		
Ink	Percentage	Surface
Black	4.82%	1758.82 sq mm
Total	4.82%	1758.82 sq mm
Page 99		
Ink	Percentage	Surface
Black	5.07%	1850.65 sq mm
Total	5.07%	1850.65 sq mm



🔍 Page 100

Ink	Percentage	Surface
Black	5.76%	2099 sq mm
Total	5.76%	2099 sq mm

🔍 Page 101

Ink	Percentage	Surface
Black	6.81%	2482.27 sq mm
Total	6.81%	2482.27 sq mm

🔍 Page 102

Ink	Percentage	Surface
Black	5.74%	2092.78 sq mm
Total	5.74%	2092.78 sq mm

🔍 Page 103

Ink	Percentage	Surface
Black	4.32%	1575.37 sq mm
Total	4.32%	1575.37 sq mm

🔍 Page 104

Ink	Percentage	Surface
Black	4.5%	1642.1 sq mm
Total	4.5%	1642.1 sq mm

🔍 Page 105

Ink	Percentage	Surface
Black	4.11%	1499.01 sq mm
Total	4.11%	1499.01 sq mm

🔍 Page 106

Ink	Percentage	Surface
Black	3.41%	1242.57 sq mm
Total	3.41%	1242.57 sq mm

🔍 Page 107

Ink	Percentage	Surface
-----	------------	---------



Ink Information

Black	4.95%	1805.59 sq mm
Total	4.95%	1805.59 sq mm

Page 108

Ink	Percentage	Surface
Black	4.06%	1481.76 sq mm
Total	4.06%	1481.76 sq mm

Page 109

Ink	Percentage	Surface
Black	4.96%	1809.9 sq mm
Total	4.96%	1809.9 sq mm

Page 110

Ink	Percentage	Surface
Black	4.72%	1720.86 sq mm
Total	4.72%	1720.86 sq mm

Page 111

Ink	Percentage	Surface
Black	3.82%	1393.62 sq mm
Total	3.82%	1393.62 sq mm

Page 112

Ink	Percentage	Surface
Black	0.76%	275.93 sq mm
Total	0.76%	275.93 sq mm

Page 113

Ink	Percentage	Surface
Black	2.29%	834.46 sq mm
Total	2.29%	834.46 sq mm

Page 114

Ink	Percentage	Surface
Black	4.81%	1754.76 sq mm
Total	4.81%	1754.76 sq mm



Page 115

Ink	Percentage	Surface
Black	5.84%	2128.98 sq mm
Total	5.84%	2128.98 sq mm

Page 116

Ink	Percentage	Surface
Black	3.61%	1317.53 sq mm
Total	3.61%	1317.53 sq mm

Page 117

Ink	Percentage	Surface
Black	7.62%	2778.26 sq mm
Total	7.62%	2778.26 sq mm

Page 118

Ink	Percentage	Surface
Black	5.35%	1950.22 sq mm
Total	5.35%	1950.22 sq mm

Page 119

Ink	Percentage	Surface
Black	4.3%	1566.68 sq mm
Total	4.3%	1566.68 sq mm

Page 120

Ink	Percentage	Surface
Black	3.72%	1357.75 sq mm
Total	3.72%	1357.75 sq mm

Page 121

Ink	Percentage	Surface
Black	5.6%	2041.53 sq mm
Total	5.6%	2041.53 sq mm

Page 122

Ink	Percentage	Surface
-----	------------	---------



Black	2.03%	741.35 sq mm
Total	2.03%	741.35 sq mm

Page 123

Ink	Percentage	Surface
Black	6.44%	2349.23 sq mm
Total	6.44%	2349.23 sq mm

Page 124

Ink	Percentage	Surface
Black	3.9%	1421.52 sq mm
Total	3.9%	1421.52 sq mm

Page 125

Ink	Percentage	Surface
Black	6.01%	2191.05 sq mm
Total	6.01%	2191.05 sq mm

Page 126

Ink	Percentage	Surface
Black	5.31%	1935.43 sq mm
Total	5.31%	1935.43 sq mm

Page 127

Ink	Percentage	Surface
Black	5.7%	2077.14 sq mm
Total	5.7%	2077.14 sq mm

Page 128

Ink	Percentage	Surface
Black	3.9%	1421.51 sq mm
Total	3.9%	1421.51 sq mm

Page 129

Ink	Percentage	Surface
Black	4.21%	1533.73 sq mm
Total	4.21%	1533.73 sq mm



🔍 Page 130

Ink	Percentage	Surface
Black	2.98%	1087.33 sq mm
Total	2.98%	1087.33 sq mm

🔍 Page 131

Ink	Percentage	Surface
Black	3.21%	1169.98 sq mm
Total	3.21%	1169.98 sq mm

🔍 Page 132

Ink	Percentage	Surface
Black	3.75%	1366.83 sq mm
Total	3.75%	1366.83 sq mm

🔍 Page 133

Ink	Percentage	Surface
Black	2.42%	882.36 sq mm
Total	2.42%	882.36 sq mm

🔍 Page 134

Ink	Percentage	Surface
Black	2.87%	1045.48 sq mm
Total	2.87%	1045.48 sq mm

🔍 Page 135

Ink	Percentage	Surface
Black	1.92%	701.13 sq mm
Total	1.92%	701.13 sq mm

🔍 Page 136

Ink	Percentage	Surface
Black	2.8%	1019.77 sq mm
Total	2.8%	1019.77 sq mm

🔍 Page 137

Ink	Percentage	Surface
-----	------------	---------



Ink Information

Black	2.11%	771.28 sq mm
Total	2.11%	771.28 sq mm

Page 138

Ink	Percentage	Surface
Black	4.84%	1763.95 sq mm
Total	4.84%	1763.95 sq mm

Page 139

Ink	Percentage	Surface
Black	6.18%	2252.6 sq mm
Total	6.18%	2252.6 sq mm

Page 140

Ink	Percentage	Surface
Black	6.48%	2364.41 sq mm
Total	6.48%	2364.41 sq mm

Page 141

Ink	Percentage	Surface
Black	3.19%	1162.15 sq mm
Total	3.19%	1162.15 sq mm

Page 142

Ink	Percentage	Surface
Black	2.17%	791.72 sq mm
Total	2.17%	791.72 sq mm

Page 143

Ink	Percentage	Surface
Black	2.05%	746.32 sq mm
Total	2.05%	746.32 sq mm

Page 144

Ink	Percentage	Surface
Black	2.86%	1044.64 sq mm
Total	2.86%	1044.64 sq mm



Page 145

Ink	Percentage	Surface
Black	1.74%	634.6 sq mm
Total	1.74%	634.6 sq mm

Page 146

Ink	Percentage	Surface
Black	1.73%	630.59 sq mm
Total	1.73%	630.59 sq mm

Page 147

Ink	Percentage	Surface
Cyan	2.25%	820.81 sq mm
Magenta	2.08%	756.75 sq mm
Yellow	1.59%	579.81 sq mm
Black	1.61%	586.07 sq mm
Total	7.52%	2743.45 sq mm

Page 148

Ink	Percentage	Surface
Cyan	2.07%	755.22 sq mm
Magenta	2.49%	906.58 sq mm
Yellow	2.1%	765.5 sq mm
Black	1.49%	544.27 sq mm
Total	8.15%	2971.57 sq mm

Page 149

Ink	Percentage	Surface
Cyan	2.22%	809.11 sq mm
Magenta	3.42%	1247.8 sq mm
Yellow	2.83%	1030.28 sq mm
Black	1.47%	534.58 sq mm
Total	9.93%	3621.77 sq mm

Page 150

Ink	Percentage	Surface
Cyan	2.39%	871.29 sq mm
Magenta	2.81%	1026.02 sq mm
Yellow	2.42%	880.87 sq mm



Black	1.72%	628.51 sq mm
Total	9.34%	3406.7 sq mm

Page 151

Ink	Percentage	Surface
Cyan	1.82%	664 sq mm
Magenta	2.14%	779.66 sq mm
Yellow	1.83%	668.91 sq mm
Black	1.28%	467.26 sq mm
Total	7.07%	2579.83 sq mm

Page 152

Ink	Percentage	Surface
Cyan	3.26%	1187.85 sq mm
Magenta	2.56%	932.58 sq mm
Yellow	3.4%	1240.03 sq mm
Black	1.57%	572.43 sq mm
Total	10.78%	3932.89 sq mm

Page 153

Ink	Percentage	Surface
Cyan	0.98%	358.68 sq mm
Magenta	1.58%	574.5 sq mm
Yellow	1.4%	511.11 sq mm
Black	0.85%	309.34 sq mm
Total	4.81%	1753.64 sq mm

Page 154

Ink	Percentage	Surface
Cyan	2.29%	836.08 sq mm
Magenta	1.28%	467.73 sq mm
Yellow	2.18%	794.21 sq mm
Black	0.88%	319.93 sq mm
Total	6.63%	2417.95 sq mm

Page 155

Ink	Percentage	Surface
Cyan	1.26%	460.74 sq mm
Magenta	1.9%	692.38 sq mm
Yellow	1.64%	598.44 sq mm



Black	0.86%	311.97 sq mm
Total	5.66%	2063.53 sq mm

Page 156

Ink	Percentage	Surface
Cyan	2.07%	753.73 sq mm
Magenta	1.09%	397.09 sq mm
Yellow	1.97%	719.4 sq mm
Black	0.85%	311.23 sq mm
Total	5.98%	2181.45 sq mm

Page 157

Ink	Percentage	Surface
Cyan	3.01%	1098.81 sq mm
Magenta	2.55%	929.59 sq mm
Yellow	2.61%	951.13 sq mm
Black	2.58%	940.09 sq mm
Total	10.75%	3919.62 sq mm

Page 158

Ink	Percentage	Surface
Cyan	2.14%	782.1 sq mm
Magenta	2.09%	763.94 sq mm
Yellow	1.97%	717.3 sq mm
Black	1.55%	565.18 sq mm
Total	7.76%	2828.52 sq mm

Page 159

Ink	Percentage	Surface
Cyan	4.06%	1481.23 sq mm
Magenta	2.79%	1017.66 sq mm
Yellow	2.09%	762.47 sq mm
Black	1.91%	697.51 sq mm
Total	10.86%	3958.87 sq mm

Page 160

Ink	Percentage	Surface
Cyan	1.66%	606.92 sq mm
Magenta	1.62%	590.42 sq mm
Yellow	1.63%	595.47 sq mm



Ink Information

Black	1.5%	547.05 sq mm
Total	6.42%	2339.86 sq mm

Page 161

Ink	Percentage	Surface
Cyan	1.7%	621.47 sq mm
Magenta	1.72%	628.33 sq mm
Yellow	1.63%	596.21 sq mm
Black	1.47%	537.09 sq mm
Total	6.53%	2383.11 sq mm

Page 162

Ink	Percentage	Surface
Black	2.81%	1025.7 sq mm
Total	2.81%	1025.7 sq mm

Page 163

Ink	Percentage	Surface
Black	4.57%	1665.88 sq mm
Total	4.57%	1665.88 sq mm

Page 164

Ink	Percentage	Surface
Black	2.84%	1036.15 sq mm
Total	2.84%	1036.15 sq mm

Page 165

Ink	Percentage	Surface
Black	17.73%	6465.21 sq mm
Total	17.73%	6465.21 sq mm

Page 166

Ink	Percentage	Surface
Black	22.84%	8329.66 sq mm
Total	22.84%	8329.66 sq mm

Page 167

**Ink**

Black

Percentage

24.63%

Surface

8982.33 sq mm

Total

24.63%

8982.33 sq mm

Page 168**Ink**

Black

Percentage

25.06%

Surface

9141.05 sq mm

Total

25.06%

9141.05 sq mm

Page 169**Ink**

Black

Percentage

24.22%

Surface

8832.05 sq mm

Total

24.22%

8832.05 sq mm

Page 170**Ink**

Black

Percentage

15.41%

Surface

5619.41 sq mm

Total

15.41%

5619.41 sq mm

Page 171**Ink**

Black

Percentage

16.23%

Surface

5917.88 sq mm

Total

16.23%

5917.88 sq mm

Page 172**Ink**

Black

Percentage

21.86%

Surface

7970.45 sq mm

Total

21.86%

7970.45 sq mm

Page 173**Ink**

Black

Percentage

23.62%

Surface

8612.57 sq mm

Total

23.62%

8612.57 sq mm

Page 174**Ink**

Black

Percentage

25.27%

Surface

9214.28 sq mm



Ink Information

Total	25.27%	9214.28 sq mm
-------	--------	---------------

Page 175

Ink	Percentage	Surface
Black	22.9%	8351.9 sq mm
Total	22.9%	8351.9 sq mm

Page 176

Ink	Percentage	Surface
Black	23.92%	8724.59 sq mm
Total	23.92%	8724.59 sq mm

Page 177

Ink	Percentage	Surface
Cyan	0.38%	139.2 sq mm
Magenta	0.3%	108.8 sq mm
Yellow	0.18%	66.95 sq mm
Black	5.2%	1895.18 sq mm
Total	6.06%	2210.13 sq mm

Page 178

Ink	Percentage	Surface
Cyan	0.45%	163.17 sq mm
Magenta	0.33%	119.52 sq mm
Yellow	0.1%	34.67 sq mm
Black	2.23%	814.2 sq mm
Total	3.1%	1131.56 sq mm

Page 179

Ink	Percentage	Surface
Cyan	2.31%	843.04 sq mm
Magenta	2.55%	931.51 sq mm
Yellow	2.75%	1002.64 sq mm
Black	3.85%	1405.72 sq mm
Total	11.47%	4182.9 sq mm

Page 180

Ink	Percentage	Surface
Cyan	2.66%	968.87 sq mm



Ink Information

Magenta	1.39%	505.91 sq mm
Yellow	2.28%	831.34 sq mm
Black	3.73%	1361.2 sq mm
Total	10.06%	3667.33 sq mm

Page 181

Ink	Percentage	Surface
Black	2.81%	1024.55 sq mm
Total	2.81%	1024.55 sq mm

Page 182

Ink	Percentage	Surface
Black	1.66%	606.49 sq mm
Total	1.66%	606.49 sq mm

Page 183

Ink	Percentage	Surface
Black	5.2%	1896.58 sq mm
Total	5.2%	1896.58 sq mm

Page 184

Ink	Percentage	Surface
Black	1.93%	704.91 sq mm
Total	1.93%	704.91 sq mm

Page 185

Ink	Percentage	Surface
Black	3.07%	1121.33 sq mm
Total	3.07%	1121.33 sq mm

Page 186

Ink	Percentage	Surface
Black	1.04%	380.7 sq mm
Total	1.04%	380.7 sq mm

Page 187

Ink	Percentage	Surface
-----	------------	---------



Ink Information

Black	4.91%	1789.49 sq mm
Total	4.91%	1789.49 sq mm

Page 188

Ink	Percentage	Surface
Black	2.27%	828.14 sq mm
Total	2.27%	828.14 sq mm

Page 189

Ink	Percentage	Surface
Black	2.45%	893.89 sq mm
Total	2.45%	893.89 sq mm

Page 190

Ink	Percentage	Surface
Black	2.46%	898.12 sq mm
Total	2.46%	898.12 sq mm



enfocus PITSTOPSERVER



Output Intents

GTS_PDFX

Output condition	ISO Coated v2 300% (ECI)
Output condition identifier	Custom
Additional information	ISO Coated v2 300% (ECI)
Destination output profile	ISO Coated v2 300% (ECI)