











Warnings

-  Book PDF contains color pages (more than 1 separation) (40620x on pages 1-292)
-  Page is empty inside trim box (12x on pages 2,10,14,98,164,222,272,274,284,290-292)
-  Font Courier is used (2x on pages 267-268)
-  Text of 4.99 pt is less than 5 pt (16x on page 247)



Fixes

-  Remapped Device grayscale color space to Separation color space, keeping overprint (1x on page 4)
-  Changed PDF/X-3:2002 Output Intent to Custom
-  Changed black text to overprint (1x on page 4)
-  Compressed objects using ZIP compression (5x)



Processing

Certified PDF status	Preflighted successfully
Preflight Profile	SpringerPrint_Books_v08_1002
Created by	Mark Rübsam
	Springer
Pages processed	1-292
Application used to preflight	Enfocus PitStop Server 13 update 2 powered by Enfocus PitStop Library 13 update 2
Application used to create the report	Enfocus PitStop Library 13 update 2
Preflighted on	UTC: June 29, 2016 - 12:26:49 [June 29, 2016 - 17:56:49]

Document properties

Document Name	978-3-319-36320-2_Book_PrintPDF.pdf
Number of pages	292
PDF Version	1.3
Creation Date	UTC: June 29, 2016 - 12:25:21 [June 29, 2016 - 17:55:21]
Modification Date	UTC: June 29, 2016 - 12:26:10 [June 29, 2016 - 17:56:10]
Producer	Acrobat Distiller 11.0 (Windows)
Creator	dvips(k) 5.99 Copyright 2010 Radical Eye Software
Author	swf
Title	driver.dvi
Subject	-
Keywords	-
Trapped	no
Trapping Information Present	no
Repaired on Open	no
Optimized for Fast Web View	no
Thumbnails Present	no
Binding	left
Job Ticket Present	no

Security

Encryption Type	not encrypted
Content Copying or Extraction	allowed
Content Access for Disabled Users	allowed
Adding or Modifying Annotations	allowed
Creating or Modifying Form Fields	allowed
Form Field Fill-in or Signing	allowed
Document Assembly	allowed
Other Document Modifications	allowed
Printing	high resolution

Compression

Data format	binary
Document structure compressed	yes
Filters used	ZIP



enfocus PITSTOPSERVER



Certified PDF Workflow Information

Status Incoming Document

Not Certified

Action:


Started Certified PDF workflow

Status Outgoing Document


Preflight Profile Name:	SpringerPrint_Books_v08_1002
Author:	Mark Rübsam
Company:	Springer
Document Status	Preflighted successfully
Preflight Profile Status	Match



Defined page boxes



Effective page boxes



Page box	Defined size	Effective size
Media box (M)	155 x 235 mm	155 x 235 mm
Crop box (C)	155 x 235 mm	155 x 235 mm
Trim box (T)	155 x 235 mm	155 x 235 mm
Bleed box (B)	155 x 235 mm	155 x 235 mm
Art box (A)	not defined	155 x 235 mm

Defined for pages 1-292

Media box starts at : (0, 0) mm

Page rotation : 0 degrees

Page scaling factor : 1



Font Information

PostScript font name	Type	Embedded as	Subset	Encoding
Times-Roman	Type 1	Type 1	yes	Custom
Springnew-Regular	Type 1	Type 1	yes	Custom
Times-Bold	Type 1	Type 1	yes	Custom
MT2MIT	Type 1	Type 1	yes	Custom
MT2SYT	Type 1	Type 1	yes	Custom
Times-Italic	Type 1	Type 1	yes	Custom
MT2SYS	Type 1	Type 1	yes	Custom
Times-BoldItalic	Type 1	Type 1	yes	Custom
MT2EXA	Type 1	Type 1	yes	Custom
Helvetica	Type 1	Type 1	yes	Custom
MT2SYF	Type 1	Type 1	yes	Custom
MT2BMIT	Type 1	Type 1	yes	Custom
MT2BSYS	Type 1	Type 1	yes	Custom
Helvetica-Bold	Type 1	Type 1	yes	Custom
MT2SYAT	Type 1	Type 1	yes	Custom
CMSY10	Type 1	Type 1	yes	Custom
dsrom10	Type 1	Type 1	yes	Custom
ArialMT	Type 1	Type 1	yes	Custom
MT2BSYT	Type 1	Type 1	yes	Custom
TeX-feymr10	Type 1	Type 1	yes	Custom
Courier	Type 1	Type 1	yes	Custom



enfocus
PITSTOPSERVER



Image Information

No images



enfocus
PITSTOPSERVER



OPI Information

No OPI



Item	Value
Color Space	Separation (Process color)
Page	1,3-9,11-13,15-97,99-163,165-221,223-271,273,275-283,285-289
Name	■ Black
Alternate Space	CMYK
CMYK values	[0, 0, 0, 1]
Color Space	Gray
Page	3,25-26,29-32,34-37,39,41,44-50,52-54,58,62-68,70,72-73,75,77-78,80,82-89,91,101-103,105,107-111,113-114,117-118,120,122-123,127-128,130,133,136-141,144,146-151,155-162,166-167,169-172,175,180-185,187-191,194,196,198-200,202-205,210-213,216-219,224-228,233,235-236,238,240,242,244-249,251-252,254,258,262,268-270,273
Color Space	Separation (Process color)
Page	4
Name	■ Black
Alternate Space	CMYK
CMYK values	[0, 0, 0, 1]
Color Space	CMYK
Page	30-31,33,35-43,46,49,51-52,54-60,64-85,92-97,114,122,130-134,155-156,174-176,178-179,186-187,193-194,204-205,207-208,230-231,245,250,254-255,257-262



enfocus PITSTOPSERVER



Output Intents

GTS_PDFX

Output condition	ISO Coated v2 300% (ECI)
Output condition identifier	Custom
Additional information	ISO Coated v2 300% (ECI)
Destination output profile	ISO Coated v2 300% (ECI)