

Messen und Erfassen von Schmerz

Julia Wager, Tanja Hechler, Christoph Hünsele, Boris Zernikow

Literatur

- Abu-Saad HH, Kroonen E, Halfens R (1990) On the development of a multidimensional Dutch pain assessment tool for children. *Pain* 43: 249–256
- Allegaert K, Nauwaers G, Vanhaesebrouck S, Anderson BJ (2013) The paracetamol concentration-effect relation in neonates. *Paediatr Anaesth* 23: 45–50
- Als H, Lawhon G, Duffy FH, McAnulty GB, Gibes-Grossman R, Blickman JG (1994) Individualized developmental care for the very low-birth-weight preterm infant. Medical and neurofunctional effects. *JAMA* 272: 853–858
- Anand KJ (1993) The applied physiology of pain. In: Anand KJ, McGrath PJ (Hrsg) *Pain in neonates*. Elsevier, Amsterdam, pp 39–66
- Anand KJ, International Evidence-Based Group for Neonatal Pain (IEBGNP) (2001) Consensus Statement for the Prevention and management of Pain in the Newborn. *Arch Pediatr Adolesc Med* 155: 173–180
- Baron R (2000) Neuropathischer Schmerz - der lange Weg vom Mechanismus zur Mechanismen-orientierten Therapie. *Anaesthesist* 49: 373–368
- Barr R (1992) Is this infant pain? Caveats from the clinical setting. *Am Pain Soc J* 1: 187–190
- Bartocci M, Bergqvist LL, Lagercrantz H, Anand KJ (2006) Pain activates cortical areas in the preterm newborn brain. *Pain* 122: 109–117
- Beyer JE (1984) *The Oucher: A user's manual and technical report*. Judson Press, Evanston, Illinois
- Blankenburg M, Boekens H, Hechler T, Maier C, Krumova E, Scherens A, Magerl W, Aksu F, Zernikow B (2010) Reference values for quantitative sensory testing in children and adolescents: Developmental and gender differences of somatosensory perception. *Pain* 149: 76–88
- Breau LM (2003) Non-communicating children's pain checklist: better pain assessment for severely disabled children. *Exp Rev Pharmacol Econ Outcomes Res* 3: 327–339
- Breau LM, Finley GA, McGrath PJ, Camfield CS (2002) Validation of the Non-communicating Children's Pain Checklist-Postoperative Version. *Anesthesiology* 96: 528–535
- Breau LM, Camfield CS, McGrath PJ, Finley GA (2007) Pain's impact on adaptive functioning. *J Intellect Disabil Res* 51: 125–134
- Broderick JE, Schwartz JE, Vikingstad G, Pribbenow M, Grossman S, Stone AA (2008) The accuracy of pain and fatigue items across different reporting periods. *Pain* 139: 146–157
- Bühner M (2006) (Hrsg) *Einführung in die Test- und Fragebogenkonstruktion*. Pearson Studium, München
- Büttner W (1998) *Die Erfassung des postoperativen Schmerzes beim Kleinkind*. Arcis, München
- Büttner W, Finke W (2000) Analysis of behavioural and physiological parameters for the assessment of postoperative analgesic demand in newborns, infants and young children: a comprehensive report on seven consecutive studies. *Paediatr Anaesth* 10: 303–318
- Büttner W, Finke W, Hillecke M, Reckerts S, Vsianka L, Brambrink A (1998) Entwicklung eines Fremdbeobachtungsbogens zur Beurteilung des postoperativen Schmerzes bei Säuglingen. *Anesthesiol Intensivmed Notfallmed Schmerzther* 33: 353–361
- Champion GD, Goodenough B, von Baeyer CL, Thomas W (1998) Measurement of pain by self-report. In: Finley GA, McGrath PJ (Hrsg) *Measurements of pain in infants and children*. ISAP Press, Seattle, pp 123–160
- Chicoine MR, Park TS, Kaufman BA (1997) Selective dorsal rhizotomy and rates of orthopedic surgery in children with spastic cerebral palsy. *J Neurosurg* 86: 34–39
- Cignacco E, Mueller R, Hamers JP, Gessler P (2004) Pain assessment in the neonate using the Bernese Pain Scale for Neonates. *Early Hum Dev* 78: 125–131
- Cong X, McGrath JM, Cusson RM, Zhang D (2013) Pain Assessment and Measurement in Neonates: An Updated Review. *Adv Neonatol Care* 13: 379–395
- Dansie EJ, Turk DC (2013) Assessment of patients with chronic pain. *Br J Anaesth* 111: 19–25
- Debillon T, Zupan V, Ravault N, Magny JF, Dehan M (2001a) Development and initial validation of the EDIN scale, a new tool for assessing prolonged pain in preterm infants. *Arch Dis Child Fetal Neonatal Ed* 85: F36–F41
- Denecke H, Kröner-Herwig B (2000) *Kopfschmerztherapie mit Kindern und Jugendlichen – Ein Trainingsprogramm*. Hogrefe, Göttingen
- Dickinson HO, Parkinson KN, Ravens-Sieberer R, Schirripa G, Thyen U, Arnaud C, Beckung E, Fauconnier J, McManus V, Michelsen SI, Parkes J, Colver AF (2007) Self-reported quality of life of 8–12-year-old children with cerebral palsy: a cross-sectional European study. *Lancet* 369: 2171–2178
- Dobe M, Zernikow B (Hrsg) (2012) *Therapie von Schmerzstörungen im Kindes- und Jugendalter. Das stationäre schmerztherapeutische Programm des Deutschen Kinderschmerzentrums*. Springer, Berlin, Heidelberg
- Dobe M, Zernikow B (Hrsg) (2013) *Practical Treatment Options for Chronic Pain in Children and Adolescents*. Springer, Berlin, Heidelberg
- Dobe M, Damschen U, Reiffer-Wiesel B, Sauer C, Zernikow B (2006) Dreiwöchige stationäre multimodale Schmerztherapie bei Kindern und Jugendlichen mit chronischen Schmerzen. *Schmerz* 20: 51–60
- Duivenvoorden HJ, Tibboel D, Koot HM, van Dijk M, Peters JWB (2006) Pain assessment in profound cognitive impaired children using the Checklist Pain Behavior; is item reduction valid? *Pain* 126: 154
- Fanurik D, Koh JL, Harrison RD, Conrad TM, Tomerun C (1998) Pain assessment in children with cognitive impairment: an exploration of self-report skills. *Clin Nurs Res* 7: 103–124
- Finley GA, McGrath PJ (1998) Introduction: The roles of measurement in pain management and research. In: Finley GA, McGrath PJ (Hrsg) *Measurements of pain in infants and children*. IASP Press, Seattle, pp 1–4
- Flor H, Rudy TE, Birbaumer N, Streit B, Schugens MM (1990) *Zur Anwendbarkeit des West Haven-Yale Multidimen-*

- sional Pain Inventory im deutschen Sprachraum: Daten zur Reliabilität und Validität des MPI-D. *Schmerz* 4: 87
- Galli F, D'Antuono G, Tarantino S, Borrelli O, Chirumbolo A, Cucchiara S (2007) Headache and recurrent abdominal pain: a controlled study by the means of the Child Behaviour Checklist (CBCL). *Cephalgia* 27: 211–219
- Gerbershagen U (1986) Organisierte Schmerzbehandlung – Eine Standortbestimmung. *Internist* 27: 459–469
- Gessler P, Cignacco E (2004) [Measures for the assessment of pain in neonates as well as a comparison between the Bernese Pain Scale for Neonates (BPSN) with the Premature Infant Pain Profile (PIPP)]. *Klin Päd* 216: 16–20
- Gillies ML, Smith LN, Parry-Jones W (1999) Postoperative pain assessment and management in adolescents. *Pain* 79: 207–215
- Groß M, Warschburger P (2012) Evaluation of a cognitive-behavioral pain management program for children with chronic abdominal pain: a randomized controlled study. *Int J Behav Med* 20: 434–443
- Hagenah U, Hertz-Dahlmann B (2005) Somatisierungsstörungen bei Kindern und Jugendlichen. *Dtsch Arztebl* 8: 361–366
- Handwerker HO (1984) Experimentelle Schmerzanalyse beim Menschen. In: Zimmermann M, Handwerker HO (Hrsg) *Konzepte und ärztliches Handeln*. Springer, Berlin, S 87–123
- Hansson P, Backonja M, Bouhassira D (2007) Usefulness and limitations of quantitative sensory testing: Clinical and research application in neuropathic pain states. *Pain* 129: 256–259
- Hartwig S, Roth B, Theisohn M (1991) Clinical experience with continuous intravenous sedation using midazolam and fentanyl in the pediatric intensive care unit. *Eur J Pediatr* 150: 784–788
- Hechler T, Vervoort T, Hamann M, Tietze AL, Vocks S, Goubert L, Hermann C, Wager J, Blankenburg M, Schroeder S, Zernikow B (2011) Parental catastrophizing about their child's chronic pain: Are mothers and fathers different? *Eur J Pain* 15: 515.e1–515.e9
- Hermann C, Hohmeister J, Demirakca S, Zohsel K, Flor H (2006) Long-term alteration of pain sensitivity in school-aged children with early pain experiences. *Pain* 125: 278–285
- Hermann C, Hohmeister J, Zohsel K, Ebinger F, Flor H (2007) The assessment of pain coping and pain-related cognitions in children and adolescents: Current methods and further development. *J Pain* 8: 802–813
- Hermann C, Zohsel K, Hohmeister J, Flor H (2008) Dimensions of pain-related parent behavior: Development and psychometric evaluation of a new measure for children and their parents. *Pain* 137: 689–699
- Hester NO, Foster R, Kristensen K (1990) Measurement of pain in children: Generalizability and validity of the pain ladder and poker chip tool. *Adv Pain Res Ther* 15: 79–84
- Hicks CL, von Baeyer CL, Spafford PA, van Korlaar I, Good-enough B (2001) The Faces Pain Scale - Revised: Toward a common metric in pediatric pain measurement. *Pain* 93: 173–183
- Hirschfeld G, Wager J, Schmidt P, Zernikow B (2014) Minimally clinically significant differences for adolescents with chronic pain – Variability of ROC-based cutpoints. *J Pain* 15: 32–39
- Hohmeister J, Demirakca S, Zohsel K, Flor H, Hermann C (2009) Responses to pain in school-aged children with experience in a neonatal intensive care unit: Cognitive aspects and maternal influences. *Eur J Pain* 13: 94–101
- Hübner B, Hechler T, Dobe M, Damschen U, Kosfelder J, Denecke H, Schroeder S, Zernikow B (2009) Schmerzbezogene Beeinträchtigung bei Jugendlichen mit chronischen Schmerzen – Erste Überprüfung des Pediatric Pain Disability Index (P-PDI). *Schmerz* 23: 20–32
- Hummel P, Puchalski M, Creech SD, Weiss MG (2008) Clinical reliability and validity of the N-PASS: neonatal pain, agitation and sedation scale with prolonged pain. *J Perinatol* 28: 55–60
- Hünseler C, Merkt V, Gerloff M, Einfinger F, Kribs A, Roth B (2006) Beurteilung von Schmerzempfinden und Sedierungsgrad bei beatmeten Neugeborenen und Säuglingen: Validierung eines Schmerz- und Sedierungs-Scores (Hartwig-Score). *Z Geburtshilfe Neonatol* 210: P157
- Hunt A, Goldman A, Seers K (2004) Clinical validation of the paediatric pain profile. *Dev Med Child Neurol* 46: 9–18
- International Headache Society (IHS) (2003) Die internationale Klassifikation von Kopfschmerzkrankungen. 2. Auflage. *Nervenheilkunde* 22: 531–670
- Ista E, van Dijk M, Tibboel D, de Hoog M (2005) Assessment of sedation levels in pediatric intensive care patients can be improved by using the COMFORT »behavior« scale. *Ped Crit Care Med* 6: 58–63
- Jacob E, Mack AK, Savedra M, Van Cleve L, Wilkie DJ (2014) Adolescent Pediatric Pain Tool for Multidimensional Measurement of Pain in Children and Adolescents. *Pain Manag Nurs* 15: 694–706
- Karoly P (1991) Assessment of pediatric pain. In: Bush JP, Harkins SW (eds) *Children in pain*. Springer, New York, p 59
- Katz E, Kellerman J, Siegel S (1980) Behavioral distress in children with cancer undergoing medical procedures: Developmental aspects. *J Consult Clin Psychol* 48: 356–365
- Kleberg A, Westrup B, Stjernqvist K (2000) Developmental outcome, child behaviour and mother-child interaction at 3 years of age following Newborn Individualized Developmental Care and Intervention Program (NIDCAP) intervention. *Early Hum Dev* 60: 123–135
- Kleberg A, Westrup B, Stjernqvist K, Lagercrantz H (2002) Indications of improved cognitive development at one year of age among infants born very prematurely who received care based on the Newborn Individualized Developmental Care and Assessment Program (NIDCAP). *Early Hum Dev* 68: 83–91
- Kleinknecht M (2007) Reliabilität und Validität der deutschsprachigen »NCCPC-R«. Eine Pilotstudie zu den psychometrischen Eigenschaften eines Schmerzmessinstrumentes bei kognitiv beeinträchtigten Kindern und Jugendlichen. *Pflege* 20: 93–102

- Knook LME, Konijnenberg AY, van der Hoeven J, Kimpen JLL, Buitelaar JK, van Engeland H, de Graeff-Meeder ER (2011) Psychiatric disorders in children and adolescents presenting with unexplained chronic pain: what is the prevalence and clinical relevancy? *Eur Child Adolesc Psychiatry* 20: 39–48
- Kristjansdottir G, Unruh AM, McAlpine L, McGrath PJ (2012) A systematic review of cross-cultural comparison studies of child, parent, and health professional outcomes associated with pediatric medical procedures. *J Pain* 13: 207–219
- Kröner-Herwig B (1995) Qualitätssicherung in der Therapie chronischen Schmerzes: I. Einführung und Überblick. *Schmerz* 9: 39–42
- Kröner-Herwig B, Plump U, Pothmann R (1992) Progressive Relaxation und EMG-Biofeedback in der Therapie von chronischen Kopfschmerz bei Kindern. *Schmerz* 6: 121
- Kropp P (2004) Psychologische Schmerzdiagnostik bei Kindern. *Schmerz* 18: 61–74
- Lautenbacher S (2007) Schmerzmessung. In: Kröner-Herwig B, Frettlöh J, Klinger R, Nilges P (Hrsg) *Schmerzpsychotherapie*. 6. Aufl. Springer, Heidelberg, S 275–292
- Lautenbacher S, Huber C, Schäfer D, Kunz M, Parthum A, Weber PG, Roman C, Griessinger N, Sittl R (2010) Attentional and emotional mechanisms related to pain as predictors of chronic postoperative pain: A comparison with other psychological and physiological predictors. *Pain* 151: 722–731
- Lawrence J, Alcock D, McGrath PJ, Kay J, MacMurray SB, Dulberg C (1993) The development of a tool to assess neonatal pain. *Neonatal Netw* 12: 59–66
- LeBaron S, Zeltzer LK (1984) Assessment of acute pain and anxiety in children and adolescents by self-reports, observer reports and a behavior checklist. *J Consult Clin Psychol* 52: 729–738
- Legrain V, Iannetti GD, Plaghki L, Mouraux A (2011) The pain matrix reloaded. A salience detection system for the body. *Prog Neurobiol* 93: 111–124
- Lenton S, Stallard P, Lewis M (2001) Prevalence and morbidity associated with non-malignant, life-threatening conditions in childhood. *Child Care Health Dev* 27: 389–398
- Logan DE, Simsons LE, Stein MJ, Chastain L (2008) School impairment in adolescents with chronic pain. *J Pain* 9: 407–416
- Malviya S, Voepel-Lewis T, Burke C, Merkel S, Tait AR (2006) The revised FLACC observational pain tool: improved reliability and validity for pain assessment in children with cognitive impairment. *Paediatr Anaesth* 16: 258–265
- Maxwell LG, Malavolta CP, Fraga MV (2013) Assessment of Pain in the Neonate. *Clin Perinatol* 40: 457–469
- McCaffrey M (ed) (1972) *Nursing the patient in pain*. Lippincott, Philadelphia
- McGrath PA, Seifert ChE, Speechley KN, Booth JC, Stitt L, Gibson MC (1996) A new analogue scale for assessing children's pain: an initial validation study. *Pain* 64: 435–443
- McGrath PJ, Rosmus C, Canfield MA, Campbell MA, Hennigar A (1998) Behaviours caregivers use to determine pain in non-verbal, cognitively impaired individuals. *Dev Med Child Neurol* 40: 340–343
- McGrath PJ, Walco GA, Turk DC, Dworkin RH, Brown MT, Davidson K, Eccleston C, Finley GA, Goldschneider K, Haverkos L, Hertz SH, Ljungman G, Palermo T, Rappaport BA, Rhodes T, Schechter N, Scott J, Sethna N, Svensson OK, Stinson J, von Baeyer CL, Walker L, Weisman S, White RE, Zajicek A, Zeltzer L, *PedIMMPACT* (2008) Core outcome domains and measures for pediatric acute and chronic/recurrent pain clinical trials: *PedIMMPACT* recommendations. *J Pain* 9: 771–783
- Merkel SI, Voepel-Lewis T, Shayevitz JR, Malviya S (1997) The FLACC: A behavioral scale for scoring postoperative pain in young children. *Pediatr Nurs* 23: 293–297
- Merskey H, Bogduk N (1994) *Classification of chronic pain*, IASP Task Force on Taxonomy. IASP Press, Seattle
- Miro J, Castarlenas E, Huguet A (2009) Evidence for the use of a numerical rating scale to assess the intensity of pediatric pain. *Eur J Pain* 13: 1089–1095
- Nagel B, Gerbershagen HU, Pflingsten M (2002) Entwicklung und empirische Überprüfung des Deutschen Schmerzfragebogens der DGSS. *Schmerz* 16: 263–270
- Nilges P, Wichmann-Dorn E (2007) Schmerzanamnese. In: Kröner-Herwig B, Frettlöh J, Klinger R, Nilges P (Hrsg) *Schmerzpsychotherapie*. 6. Aufl. Springer, Heidelberg, S 247–272
- Palermo TM, Zebracki K, Cox S, Newman AJ, Singer NG (2004) Juvenile idiopathic arthritis: Parent-child discrepancy on reports of pain and disability. *J Rheumatol* 31: 1840–1846
- Phillip D, Lyngberg A, Jensen R (2007) Assessment of headache diagnosis. A comparative population study of a clinical interview with a diagnostic headache diary. *Cephalalgia* 27: 1–8
- Pothmann R, Plump U, Maibach G, von Frankenberg S, Besken E, Kröner-Herwig B (Hrsg) (2013) *Migränetagebuch für Kinder*. Arcis, München
- Ravens-Sieberer U (2006) *The KIDSCREEN Questionnaires – Quality of Life Questionnaires for Children and Adolescents – Handbook*. Pabst Science Publisher, Lengerich
- Rolke R, Baron R, Maier C, Tolle TR, Treede RD, Beyer A, Binder A, Birbaumer N, Birklein F, Bötefür IC, Braune S, Flor H, Hüge V, Klug R, Landwehrmeyer GB, Magerl W, Maihöfner C, Rolko C, Schaub C, Scherens A, Sprenger T, Valet M, Wasserka B (2006) Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): Standardized protocol and reference values. *Pain* 123: 231–243
- Saile H (2004) Erprobung eines modularen Systems zur Erfassung von Kopfschmerzen bei Kindern und Jugendlichen. *Trierer Psychologische Berichte* 31: 1–22
- Schroeder S, Hechler T, Denecke H, Müller-Busch M, Martin A, Menke A et al. (2010) *Deutscher Schmerzfragebogen für Kinder, Jugendliche und deren Eltern (DSF-KJ) – Ein multimodaler Fragebogen zur Diagnostik und Therapie*

- chronischer Schmerzen im Kindes- und Jugendalter. *Schmerz* 24: 23–37
- Schultz AA, Murphy E, Morton J, Stempel A, Messenger-Rioux C, Bennett K (1999) Preverbal, Early Verbal Pediatric Pain Scale (PEPPS): Development and early psychometric testing. *J Pediatr Nurs* 14: 19–27
- Scott P, Ansell B, Huskisson E (1977) Measurement of pain in juvenile chronic polyarthritis. *Ann Rheum Dis* 36: 186–187
- Simons LE, Kaczynski KJ (2012) The Fear Avoidance Model of Chronic Pain: Examination for pediatric application. *J Pain* 13: 827–835
- Simons LE, Sieberg CB, Carpino E, Logan D, Berde C (2011) The Fear of Pain Questionnaire (FOPQ): Assessment of pain-related fear among children and adolescents with chronic pain. *J Pain* 12: 677–686
- Slater R, Cantarella A, Galella S, Worley A, Boyd S, Meek J, Fitzgerald M (2006) Cortical pain responses in human infants. *J Neurosci* 26: 3662–3666
- Slater R, Cornelissen L, Fabrizi L, Patten D, Yoxen J, Worley A, Boyd S, Meek J, Fitzgerald M (2010) Oral sucrose as an analgesic drug for procedural pain in newborn infants: a randomised controlled trial. *Lancet* 376: 1225–1232
- Solodiuk J, Curley MAQ (2003) Pain assessment in nonverbal children with severe cognitive impairments: the individualized numeric rating scale (INRS). *J Pediatr Nurs* 18: 295–299
- Solodiuk JC, Scott-Sutherland J, Meyers M, Myette B, Shusterman C, Karian VE, Harris SK, Curley MA (2010) Validation of the Individualized Numeric Rating Scale (INRS): A pain assessment tool for nonverbal children with intellectual disability. *Pain* 150: 231–236
- Stevens B, Johnston C, Petryshen P, Taddio A (1996) Premature infant pain profile: Development and initial validation. *Clin J Pain* 12: 13–22
- Stiensmeier-Pelster J, Schürmann M, Duda K (Hrsg) (2000) *Depressions-Inventar für Kinder und Jugendliche (DIKJ)*. Hogrefe, Göttingen
- Stinson JN, Kavanagh T, Yamada J, Gill N, Stevens B (2006) Systematic review of the psychometric properties, interpretability and feasibility of self-report pain intensity measures for use in clinical trials in children and adolescents. *Pain* 125: 143–157
- Suraseranivongse S, Santawat U, Kraiprasit K, Petcharatana S, Prakkamodom S, Muntraporn N (2001) Cross-validation of a composite pain scale for preschool children within 24 hours of surgery. *Br J Anaesth* 87: 400–405
- Taddio A, Katz J, Hersich AL, Koren G (1997) Effects of neonatal circumcision on pain response during subsequent routine vaccination. *Lancet* 349: 599–603
- van Dijk M, Roofthoof DW, Anand KJ, Guldmond F, de Graaf J, Simons S, de Jager Y, van Goudoever JB, Tibboel D (2009) Taking up the challenge of measuring prolonged pain in (premature) neonates: the COMFORTneo scale seems promising. *Clin J Pain* 25: 607–616
- Varni JW, Thompson KL, Hanson V (1987) The Varni/Thompson Pediatric Pain Questionnaire: I. Chronic musculoskeletal pain in juvenile rheumatoid arthritis. *Pain* 28: 27–38
- Vlaeyen JW, Linton SJ (2000) Fear-avoidance and its consequences in chronic musculoskeletal pain: A state of art. *Pain* 85: 317–332
- Vlaeyen JW, Linton SJ (2012) Fear-avoidance model of chronic musculoskeletal pain: 12 years on. *Pain* 153: 1144–1147
- Voepel-Lewis T, Merkel S, Tait AR, Trzinka A, Malviya S (2002) The reliability and validity of the Face, Legs, Activity, Cry, Consolability observational tool as a measure of pain in children with cognitive impairment. *Anesth Analg* 95: 1224–1229
- Voepel-Lewis T, Malviya S, Tait AR, Merkel S, Foster R, Krane EJ, Davis PJ (2008) A comparison of the clinical utility of pain assessment tools for children with cognitive impairment. *Anesth Analg* 106: 72–78
- von Baeyer CL (2006) Children's self-report of pain intensity: Scale selection, limitations and interpretations. *Pain Res Manag* 11: 157–162
- von Baeyer CL, Spagrud LJ (2007) Systematic review of observational (behavioral) measures of pain for children and adolescents aged 3 to 18 years. *Pain* 127: 140–150
- von Baeyer CL, Spagrud LJ, McCormick JC, Choo E, Neville K, Connelly MA (2009) Three new datasets supporting use of the numerical rating scale (NRS-11) for children's self-reports of pain intensity. *Pain* 143: 223–227
- Von Korff M, Ormel J, Keefe FJ, Dworkin SF (1992) Grading the severity of pain. *Pain* 50: 133–149
- Wager J, Hechler T, Darlington AS, Hirschfeld G, Vocks S, Zernikow B (2013) Classifying the severity of paediatric chronic pain - an application of the chronic pain grading. *Eur J Pain* 17: 1393–1402
- Wager J, Tietze A-L, Hamann M, Schroeder S, Vocks S, Kosfelder J, Zernikow B, Hechler T (2010) Schmerzempfindung bei Jugendlichen mit chronischen funktionellen Schmerzen: Adaptation und psychometrische Überprüfung der Schmerzempfindungsskala (SES) nach Geissner. *Schmerz* 24: 236–250
- Walker LS, Sherman AL, Bruehl S, Garber J, Smith CA (2012) Functional abdominal pain patient subtypes in childhood predict functional gastrointestinal disorders with chronic pain and psychiatric comorbidities in adolescence and adulthood. *Pain* 153: 1798–1806
- Watcha MF, Galinkin J, Fazi LM, Rose JB (1999) Bispectral Index (BIS) EEG monitoring in children. *Anesthesiology* 91: 1266
- Wieczerkowski W, Nickel H, Janowski A, Fittkau B, Rauer W (Hrsg) (1981) *Angstfragebogen für Schüler (AFS)*. Westermann, Göttingen
- Wong DL, Baker CM (1988) Pain in children: comparison of assessment scales. *Pediatr Nurs* 14: 9–17
- Zernikow B, Hechler T (2008) Schmerztherapie bei Kindern und Jugendlichen. *Dtsch Arztebl* 105: 511–522
- Zernikow B, Wager J, Hechler T, Hasan C, Rohr U, Dobe M, Meyer A, Hübner-Möhler B, Wamsler C, Blankenburg M (2012) Characteristics of highly impaired children with severe chronic pain: A 5-year retrospective study on 2249 pediatric pain patients. *BMC Pediatrics* 12: 54