

Klinisch-pharmakologische Grundlagen der Schmerztherapie

Boris Zernikow, Christoph Hünsele, Bernhard Roth, Erik Michel

Literatur

- Adam D, Stankov G (1994) Treatment of fever in childhood. *Eur J Pediatr* 153: 394–402
- Adelmann C, Kribs A, Keuth B, Licht C, Roth B (1998) Doppelblinder, randomisierter Vergleich von Sufentanil und Fentanyl in der Analgosedierung beatmeter reifer Neugeborener mit schwerem Lungenversagen. *Z Geburtshilfe Neonat* 201: 9
- Alhashemi JA, Daghistani MF (2006) Effects of intraoperative i. v. acetaminophen vs i.m. meperidine on post-tonsillectomy pain in children. *Br J Anaesth* 96: 790–795
- Allegaert K, de Hoon J, van Overmeire B, Devlieger H (2005a) Clinical pharmacology of non opioid analgesics in neonates. *Verh K Acad Geneesk Belg* 67: 289–315
- Allegaert K, Vanhole C, de Hoon J, Guignard JP, Tibboel D, Devlieger H, Van Overmeire B (2005b) Nonselective cyclo-oxygenase inhibitors and glomerular filtration rate in preterm neonates. *Pediatr Nephrol* 20: 1557–1561
- Allegaert K, Rayyan M, Anderson BJ (2006) Impact of ibuprofen administration on renal drug clearance in the first weeks of life. *Methods Find Exp Clin Pharmacol* 28: 519–522
- Allegaert K, Van Schaik RH, Vermeersch S, Verbesselt R, Cossey V, Vanhole C, van Fessem M, de Hoon J, van den Anker JN (2008) Postmenstrual age and CYP2D6 polymorphisms determine tramadol O-demethylation in critically ill neonates and infants. *Pediatr Res* 63: 674–679
- Allegaert K, Rochette A, Veyckemans F (2011a) Developmental pharmacology of tramadol during infancy: ontogeny, pharmacogenetics and elimination clearance. *Paediatr Anaesth* 21: 266–273
- Allegaert K, Palmer GM, Anderson BJ (2011b) The pharmacokinetics of intravenous paracetamol in neonates: size matters most. *Arch Dis Child* 96: 575–580
- Allegaert K, Tibboel D, van den Anker J (2013) Pharmacological treatment of neonatal pain: In search of a new equipoise. *Semin Fetal Neonatal Med* 18: 42–47
- Anand KJS, Hall RW (2006) Morphine, hypotension, and intraventricular hemorrhage. *Pediatrics* 117: 250–252; author reply 252–253
- Anand KJS, McIntosh N, Lagercrantz H, Pelausa E, Young TE, Vasa R (1999) Analgesia and sedation in preterm neonates who require ventilatory support. *Arch Pediatr Adolesc Med* 153: 331–338
- Anand KJS, Whit Hall R, Desai N, Shepard B, Bergvist LL, Young TE, Boyle EM, Carbajal R, Bhutani VK, Moore MB, Kronsberg SS, Barton BA; NEOPAIN Trial Investigators Group (2004) Effects of morphine analgesia in ventilated preterm neonates: primary outcomes from the NEOPAIN randomised trial. *Lancet* 363: 1673–1682
- Anand KJS, Clark AE, Willson DF, Berger J, Meert KL, Zimmerman JJ, Harrison R, Carcillo JA, Newth CJ, Bisping S, Holubkov R, Dean JM, Nicholson CE; Eunice Kennedy Shriver National Institute of Child Health, Human Development (NICHD) Collaborative Pediatric Critical Care Research Network (CPCCRN) (2013) Opioid analgesia in mechanically ventilated children: results from the Multicenter Measuring Opioid Tolerance Induced by Fentanyl Study*. *Ped Crit Care Med* 14: 27–36
- Andersohn F, Konzen C, Garbe E (2007) Systematic review: agranulocytosis induced by nonchemotherapy drugs. *Ann Intern Med* 146: 657–665
- Anderson BJ (2013) Is it farewell to codeine? *Arch Dis Child* 98: 986–988
- Anderson BJ, Holford NH (1997) Rectal paracetamol dosing regimes: determination by computer simulation. *Paediatr Anaesth* 7: 451–455
- Anderson BJ, Meakin GH (2002) Scaling for size: some implications for paediatric anaesthesia dosing. *Paediatr Anaesth* 12: 205–219
- Anderson M, Collins E (2008) Analgesia for children with acute abdominal pain and diagnostic accuracy. *Arch Dis Child* 93: 445–451
- Anderson B, Kanagasundaram S, Woollard G (1996) Analgesic efficacy of paracetamol in children using tonsillectomy as a pain model. *Anaesth Intensive Care* 24: 669–673
- Anderson BJ, Pons G, Autret-Leca E, Allegaert K, Boccard E (2005) Pediatric intravenous paracetamol (propacetamol) pharmacokinetics: a population analysis. *Paediatr Anaesth* 15: 282–292
- Anonym (2011) Fentanyl sublingual tablets. Breakthrough pain: new formulation, no therapeutic advantage. *Prescrire Int* 19: 16
- Aranda JV, Varvarigou A, Beharry K, Bansal R, Bardin C, Modanlou H, Papageorgiou A, Chemtob S (1997) Pharmacokinetics and protein binding of intravenous ibuprofen in the premature newborn infant. *Acta Paediatr* 86: 289–293
- Arnold JH, Truog RD, Orav EJ, Scavone JM, Hershenon MB (1990) Tolerance and dependence in neonates sedated with fentanyl during extracorporeal membrane oxygenation. *Anesthesiol* 73: 1136–1140
- Arnold JH, Truog RD, Scavone JM, Fenton T (1991) Changes in the pharmacodynamic response to fentanyl in neonates during continuous infusion. *J Pediatr* 119: 639–643
- Ashburn MA, Slevin KA, Messina J, Xie F (2011) The efficacy and safety of fentanyl buccal tablet compared with immediate-release oxycodone for the management of breakthrough pain in opioid-tolerant patients with chronic pain. *Anesth Analg* 112: 693–702
- Atwood GF, Evans MA, Harbison RD (1976) Pharmacokinetics of meperidine in infants. *Pediatr Res* 10: 328
- Ayoglu H, Kulah C, Turan I (2008) Antimicrobial effects of two anaesthetic agents: dexmedetomidine and midazolam. *Anaesth Intensive Care* 36: 681–684
- Babul N, Darke AC (1992) Putative role of hydromorphone metabolites in myoclonus. *Pain* 51: 260–261
- Babul N, Darke AC, Hain R (1995) Hydromorphone and metabolite pharmacokinetics in children. *J Pain Symptom Manage* 10: 335–337
- Ball M, Moore RA, Fisher A, McQuay HJ, Allen MC, Sear J (1985) Renal failure and the use of morphine in intensive care. *Lancet* 325: 784–786

- Balogh A, Melzer K, Ziehl U, Finke G, Voigt L, Hoffmann A (1989) Elimination of Metamizol (Analgin)-Metabolites in Children. *Z Klin Med* 44: 213–215
- Band CJ, Band PR, Deschamps M (1994) Human pharmacokinetic study of immediate-release (codeine phosphate) and sustained-release (codeine Contin) codeine. *J Clin Pharmacol* 34: 938–943
- Bandschapp O, Filitz J, Urwyler A, Koppert W, Ruppen W (2011) Tropisetron blocks analgesic action of acetaminophen: A human pain model study. *Pain* 152: 1304–1310
- Bañós JE, Barajas C, Martín ML, Hansen E, Cos MÁ, Bosch F, Martín R, Marco J, Dierssen T (1999) A survey of post-operative pain treatment in children of 3–4 years. *Eur J Pain* 3: 275–282
- Barrett DA, Simpson J, Rutter N, Kurihara-Bergstrom T, Shaw PN, Davis SS (1993) The pharmacokinetics and physiological effects of buprenorphine infusion in premature neonates. *Br J Clin Pharmacol* 36: 215
- Baumert J (2000) Remifentanyl in der Kinderanästhesie (Vortrag). 18. Internationales Aachener Anästhesie-Symposium, Aachen
- Bee LA, Bannister K, Rahman W, Dickenson AH (2011) Mu-opioid and noradrenergic [alpha] 2-adrenoceptor contributions to the effects of tapentadol on spinal electrophysiological measures of nociception in nerve-injured rats. *Pain* 152: 39
- Bejian S, Valasek C, Nigro JJ, Cleveland C, Willis BC (2009) Prolonged use of dexmedetomidine in the paediatric cardiothoracic intensive care unit. *Cardiol Young* 19: 98–104
- Bentley JB, Borel JD, Nenad Jr RE, Gillespie TJ (1982) Age and fentanyl pharmacokinetics. *Anesth Analg* 61: 968–971
- Berde CB, Beyer JE, Boumaki MC, Levin CR, Sethna NF (1991) Comparison of morphine and methadone for prevention of postoperative pain in 3- to 7-year-old children. *J Pediatr* 119: 136–141
- Berde CB, Walco GA, Krane EJ, Anand KJS, Aranda JV, Craig KD, Dampier CD, Finkel JC, Grabojs M, Johnston C, Lantos J, Lebel A, Maxwell LG, McGrath P, Oberlander TF, Schanberg LE, Stevens B, Taddio A, von Baeyer CL, Yaster M, Zempsky WT (2012) Pediatric analgesic clinical trial designs, measures, and extrapolation: report of an FDA scientific workshop. *Pediatrics* 129: 354–364
- Berling I, Whyte IM, Isbister GK (2013) Oxycodone overdose causes naloxone responsive coma and QT prolongation. *QJM* 106: 35–41
- Bhat R, Chari G, Gulati A, Aldana O, Velamati R, Bhargava H (1990) Pharmacokinetics of a single dose of morphine in preterm infants during the first week of life. *J Pediatr* 117: 477–481
- Bigal ME, Bordini CA, Antoniazzi AL, Speciali JG (2003) The triptan formulations: a critical evaluation. *Arq Neuropsiquiatr* 61: 313–320
- Blankenburg M, Dubbel G, Hechler T, Wamsler C, Zernikow B (2009) Paroxysmal hemicrania in children – symptoms, diagnostic criteria, therapy and outcome. *Cephalalgia* 29: 873–882
- Boas RA, Villiger JW (1985) Clinical actions of fentanyl and buprenorphine - The significance of receptor binding. *Br J Anaesth* 57: 192–196
- Bonkowsky JL, Frazer JK, Buchi KF, Byington CL (2002) Metamizole use by Latino immigrants: a common and potentially harmful home remedy. *Pediatrics* 109: e98
- Borland M, Jacobs I, King B, O'Brien WL (2007) A randomized controlled trial comparing intranasal fentanyl to intravenous morphine for managing acute pain in children in the emergency department. *Ann Emerg Med* 49: 335–340
- Borland M, Milsom S, Esson A (2011) Equivalency of two concentrations of fentanyl administered by the intranasal route for acute analgesia in children in a paediatric emergency department: a randomized controlled trial. *Emerg Med Australas* 23: 202–208
- Bovill JG (1987) Which Potent Opioid? *Drugs* 33: 520–530
- Bovill JG, Sebel PS, Blackburn CL, Oei-Lim V, Heykants JJ (1984) The pharmacokinetics of sufentanil in surgical patients. *Anesthesiol* 61: 502–506
- Bressolle F, Khier S, Rochette A, Kinowski JM, Dadure C, Capdevila X (2011) Population pharmacokinetics of nalbuphine after surgery in children. *Br J Anaesth* 106: 558–565
- Brown RD, Wilson JT, Kearns GL, Eichler VF, Johnson VA, Bertrand KM (1992) Single-Dose Pharmacokinetics of Ibuprofen and Acetaminophen in Febrile Children. *J Clin Pharmacol* 32: 231–241
- Buchan P, Keywood C, Wade A, Ward C (2002) Clinical pharmacokinetics of frovatriptan. *Headache* 42: 54–62
- Buice RG, Cirpiano A (1999) Bioavailability of a controlled-release oxycodone product (Oxycodon) and an immediate-release oxycodone product in pediatric patients. Abstract 24, 69th World Congress on PainVienna, Austria
- Bullingham RE, McQuay HJ, Porter EJ, Allen MC, Moore RA (1982) Sublingual buprenorphine used postoperatively: ten hour plasma drug concentration analysis. *Br J Clin Pharmacol* 13: 665–673
- Burtin P, Daoud P, Jacqz-Aigrain E, Mussat P, Moriette G (1991) Hypotension with midazolam and fentanyl in the newborn. *Lancet* 337: 1545–1546
- Caldwell J, Notarianni LJ, Smith RL (1978a) Impaired Metabolism of Pethidine in Human Neonate. Blackwell Science Ltd Osney Mead, Oxford, Oxon, England, pp 362–363
- Caldwell J, Wakile LA, Notarianni LJ, Smith RL, Correy GJ, Lieberman BA, Beard RW, Finnie MD, Snedden W (1978b) Maternal and neonatal disposition of pethidine in childbirth – a study using quantitative gas chromatography-mass spectrometry. *Life Sci* 22: 589–596
- Capici F, Ingelmo PM, Davidson A, Sacchi CA, Milan B, Sperti LR, Lorini L, Fumagalli R (2008) Randomized controlled trial of duration of analgesia following intravenous or rectal acetaminophen after adenotonsillectomy in children. *Br J Anaesth* 100: 251–255
- Cardwell M, Siviter G, Smith A (2005) Non-steroidal anti-inflammatory drugs and perioperative bleeding in paediatric tonsillectomy (Review). *Cochrane Database Syst Rev* 2005: CD003591.pub2

- Carlsson KH, Monzel W, Jurna I (1988) Depression by morphine and the non-opioid analgesic agents, metamizol (dipyrone), lysine acetylsalicylate, and paracetamol, of activity in rat thalamus neurones evoked by electrical stimulation of nociceptive afferents. *Pain* 32: 313–326
- Carney L, Kendrick J, Carr R (2013) Safety and Effectiveness of Dexmedetomidine in the Pediatric Intensive Care Unit (SAD-PICU). *Can J Hosp Pharm* 66: 21–27
- Chan KK, Vyas KH, Brandt KD (1987) In vitro protein binding of diclofenac sodium in plasma and synovial fluid. *J Pharm Sci* 76: 105–108
- Chana SK, Anand KJS (2001) Can we use methadone for analgesia in neonates? *Arch Dis Child Fetal Neonatal Ed* 85: F79–F81
- Chauvin M, Ferrier C, Haberer JP, Spielvogel C, Lebrault C, Levron JC, Duvaldestin P (1989) Sufentanil pharmacokinetics in patients with cirrhosis. *Anesth Analg* 68: 1–4
- Chay PCW, Duffy BJ, Walker JS (1992) Pharmacokinetic-pharmacodynamic relationship of morphine in neonates. *Clin Pharmacol Ther* 51: 334–342
- Choonara I, Ekblom Y, Lindstrom B, Rane A (1990) Morphine sulphation in children. *Br J Clin Pharmacol* 30: 897–900
- Christensen ML, Wang WC, Harris S, Eades SK, Wilimas JA (1996) Transdermal fentanyl administration in children and adolescents with sickle cell pain crisis. *Hematol Oncol* 18: 372–376
- Chrysostomou C, Schulman SR, Herrera Castellanos M, Cofer BE, Mitra S, da Rocha MG, Wisemandle WA, Gramlich L (2014) A phase II/III, multicenter, safety, efficacy, and pharmacokinetic study of dexmedetomidine in preterm and term neonates. *J Pediatr* 164: 276–282
- Cole J, Shepherd M, Young P (2009) Intranasal fentanyl in 1–3-year-olds: A prospective study of the effectiveness of intranasal fentanyl as acute analgesia. *Emerg Med Australas* 21: 395–400
- Collins C, Koren G, Crean P, Klein J, Roy WL, MacLeod SM (1985) Fentanyl pharmacokinetics and hemodynamic effects in preterm infants during ligation of patent ductus arteriosus. *Anesth Analg* 64: 1078–1080
- Collins JJ, Kerner J, Gentivany S, Berde CB (1995) Intravenous amitriptyline in pediatrics. *J Pain Symptom Manage* 10: 471–475
- Collins JJ, Geake J, Grier HE, Houck CS, Thaler HT, Weinstein HJ, Twum-Danso NY, Berde CB (1996) Patient-controlled analgesia for mucositis pain in children: a three-period crossover study comparing morphine and hydromorphone. *J Pediatr* 129: 722–728
- Collins JJ, Dunkel IJ, Gupta SK, Inturrisi CE, Lapin J, Weinstein SM, Weinstein SM, Portenoy RK (1999) Transdermal fentanyl in children with cancer pain: feasibility, tolerability, and pharmacokinetic correlates. *J Pediatr* 134: 319–323
- Corzo JL, Zambonino MA, Munoz C, Mayorga C, Requena G, Urda A, Gallego C, Blanca M, Torres MJ (2013) Tolerance to COX-2 inhibitors in children with hypersensitivity to non-steroidal anti-inflammatory drugs. *Br J Dermatol* 170: 725–729
- Court M, Freytsis M, Wang X, Peter I, Guillemette C, Hazarika S, Duan SX, Greenblatt DJ, Lee WM; Acute Liver Failure Study Group (2013) The UDP-glucuronosyltransferase (UGT) 1A polymorphism c.2042C>G (rs8330) is associated with increased human liver acetaminophen glucuronidation, increased UGT1A exon 5a/5b splice variant mRNA ratio, and decreased risk of unintentional acetaminophen-induced acute liver failure. *J Pharmacol Exp Ther* 345: 297–307
- Czaja AS, Zimmerman JJ (2009) The use of dexmedetomidine in critically ill children. *Ped Crit Care Med* 10: 381–386
- Dahan A, Yassen A, Romberg R (2006) Buprenorphine induces ceiling in respiratory depression but not in analgesia. *Br J Anaesth* 96: 627–632
- Dahlström B, Bolme P, Feychting H, Noack G, Paaizow L (1979) Morphine kinetics in children. *Clin Pharmacol Ther* 26: 354–365
- Davies G, Kingswood C, Street M (1996) Pharmacokinetics of opioids in renal dysfunction. *Clin Pharmacokinet* 31: 410–422
- Davies NM, Anderson KE (1997) Clinical pharmacokinetics of diclofenac. *Clin Pharmacokinet* 33: 184–213
- Davies NM, McLachlan AJ, Day RO, Williams KM (2000) Clinical pharmacokinetics and pharmacodynamics of celecoxib. *Clin Pharmacokinet* 38: 225–242
- Davies D, DeVlaming D, Haines C (2008) Methadone analgesia for children with advanced cancer. *Pediatr Blood Cancer* 51: 393–397
- Davis PJ, Cook DR, Stiller RL, vin-Robinson KA (1987) Pharmacodynamics and pharmacokinetics of high-dose sufentanil in infants and children undergoing cardiac surgery. *Anesth Analg* 66: 203–208
- Davis PJ, Stiller RL, Cook DR, Brandom BW, vin-Robinson KA (1988) Pharmacokinetics of sufentanil in adolescent patients with chronic renal failure. *Anesth Analg* 67: 268–271
- Davis PJ, Killian A, Stiller RL, Cook DR, Guthrie RD, Scierka AM (1989) Pharmacokinetics of alfentanil in newborn premature infants and older children. *Dev Pharmacol Ther* 13: 21–27
- Davis PJ, Ross A, Stiller RL, Muir K, McGowan FX, Gupta SK, et al. (1995) Pharmacokinetics of remifentanyl in anesthetized children 2–12 years of age. *Anesth Analg* 80: s93
- Davis PJ, Lerman J, Suresh S, McGowan FX, Cote CJ, Landsman I, Henson LG (1997a) A randomized multicenter study of remifentanyl compared with alfentanil, isoflurane, or propofol in anesthetized pediatric patients undergoing elective strabismus surgery. *Anesth Analg* 84: 982–989
- Davis PJ, Ross AK, Henson LG, Muir KT (1997b) Remifentanyl pharmacokinetics in neonates. *Anesthesiol* 87: A1064
- den Hollander JM, Hennis PJ, Burm AG, Bovill JG (1988) Alfentanil in infants and children with congenital heart defects. *J Cardiothorac Anesth* 2: 12–17
- den Hollander JM, Hennis PJ, Burm AG, Vletter AA, Bovill JG (1992) Pharmacokinetics of alfentanil before and after cardiopulmonary bypass in pediatric patients undergoing cardiac surgery: Part I. *J Cardiothorac Vasc Anesth* 6: 308–312

- Derosier FJ, Lewis D, Hershey AD, Winner PK, Pearlman E, Rothner AD, Linder SL, Goodman DK, Jimenez TB, Granberry WK, Runken MC (2012) Randomized Trial of Sumatriptan and Naproxen Sodium Combination in Adolescent Migraine. *Pediatrics* 129: e1411–e1420
- DeSouza G, Lewis MC, TerRiet MF (1997) Severe bradycardia after remifentanyl. *Anesthesiol* 87: 1019–1020
- Deutsch ES, Nadkarni VM (1996) Clonidine prophylaxis for narcotic and sedative withdrawal syndrome following laryngotracheal reconstruction. *Arch Otolaryngol Head Neck Surg* 122: 1234–1238
- Dewey WL (1984) Various factors which affect the rate of development of tolerance and physical dependence to abused drugs. *NIDA Res Monogr* 54: 39–49
- Dewhurst E, Naguib A, Tobias JD (2012) Chest wall rigidity in two infants after low-dose fentanyl administration. *Pediatr Emerg Care* 28: 465–468
- Dickenson AH (1995) Spinal cord pharmacology of pain. *Br J Anaesth* 75: 193
- Diener HC, Kaube H, Limmroth V (1999) Antimigraine drugs. *J Neurol* 246: 515–519
- Egan TD (1995) Remifentanyl pharmacokinetics and pharmacodynamics. *Clin Pharmacokinet* 29: 80–94
- Egan TD, Lemmens HJ, Fiset P, Hermann DJ, Muir KT, Stanski DR, Shafer SL (1993) The pharmacokinetics of the new short-acting opioid remifentanyl (Gl87084B) in healthy adult male volunteers. *Anesthesiol* 79: 881–892
- Ehrnebo M, Boreus LO, Lönnroth U (1977) Bioavailability and first-pass metabolism of oral pentazocine in man. *Clin Pharmacol Ther* 22: 888–892
- Elias-Jones AC, Barrett DA, Rutter N, Shaw PN, Davis SS (1991) Diamorphine infusion in the preterm neonate. *Arch Dis Child* 66: 1155–1157
- Engelhard K, Werner C, Eberspächer E, Bachl M, Blobner M, Hildt E, Hutzler P, Kochs E (2003) The effect of the alpha 2-agonist dexmedetomidine and the N-methyl-D-aspartate antagonist S(+)-ketamine on the expression of apoptosis-regulating proteins after incomplete cerebral ischemia and reperfusion in rats. *Anesth Analg* 96: 524–531
- Etter ML, George S, Graybiel K, Eichhorst J, Lehotay DC (2005) Determination of free and protein-bound methadone and its major metabolite EDDP: Enantiomeric separation and quantitation by LC/MS/MS. *Clin Biochem* 38: 1095–1102
- Fanoe S, Jensen GB, Sjogren P, Korsgaard MPG, Grunnet M (2009) Oxycodone is associated with dose-dependent QTc prolongation in patients and low-affinity inhibiting of hERG activity in vitro. *Br J Clin Pharmacol* 67: 172–179
- Farajidana H, Hassanian-Moghaddam H, Zamani N, Sanaei-Zadeh H (2012) Tramadol-induced seizures and trauma. *Eur Rev Med Pharmacol Sci* 16: 34–37
- Faura CC, Collins SL, Moore RA, McQuai HJ (1998) Systematic review of factors affecting the ratios of morphine and its major metabolites. *Pain* 74: 43–53
- Ferrier C, Marty J, Bouffard Y, Haberer JP, Levron JC, Duvaldestin P (1985) Alfentanil pharmacokinetics in patients with cirrhosis. *Anesthesiol* 62: 480–484
- Filling-Katz MR, Merrick HF, Fink JK, Miles RB, Sokol J, Barton NW (1989) Carbamazepine in Fabry's disease Effective analgesia with dose-dependent exacerbation of autonomic dysfunction. *Neurology* 39: 598
- Fitzgerald M, Koltzenburg M (1986) The functional development of descending inhibitory pathways in the dorsolateral funiculus of the newborn rat spinal cord. *Brain Res* 389: 261–270
- Fitzgerald M, Anand KJS (1993) Developmental neuroanatomy and neurophysiology of pain. In: Schechter NL, Berde CB, Yaster M (eds) *Pain in infants: children and adolescents*. Williams & Wilkins, Baltimore, pp 11–31
- FitzGerald GA, Patrono C (2001) The coxibs, selective inhibitors of cyclooxygenase-2. *N Engl J Med* 345: 433–442
- Foeldvari I, Szer IS, Zemel LS, Lovell DJ, Giannini EH, Robbins JL, West CR, Steidle G, Krishnaswami S, Bloom BJ (2009) A prospective study comparing celecoxib with naproxen in children with juvenile rheumatoid arthritis. *J Rheumatol* 36: 174–182
- Fowler PA, Lacey LF, Thomas M, Keene ON, Tanner RJN, Baber NS (1991) The clinical pharmacology, pharmacokinetics and metabolism of sumatriptan. *Eur Neurol* 31: 291–294
- Freye E (1989) Theoretische Grundlagen der Opioidanwendung im Neugeborenen- und Säuglingsalter. In: Ahnefeld FW, Försel T, Kraus GB, Rügheimer E (Hrsg) *Anästhesie bei Früh- und Neugeborenen*. Springer, Berlin, Heidelberg, New York, Tokio, S 161–179
- Freye E, Azevedo L, Hartung E (1985) Reversal of fentanyl related respiratory depression with nalbuphine. Effects on the CO₂-response curve in man. *Acta Anaesthesiol Belg* 36: 365–374
- Friedrichsdorf S, Zernikow B (2004) Fentanyl bei der Schmerztherapie von Kindern jenseits des Neugeborenenalters. *Kinder- und Jugendmedizin* 4: 168–176
- Friedrichsdorf SJ, Nugent AP, Strobl AQ (2013) Codeine-associated pediatric deaths despite using recommended dosing guidelines: Three case reports. *J Opioid Manage* 9: 151–155
- Frisk-Holmberg MARI, Paalzow LENN, Edlund PO (1981) Clonidine kinetics in man - evidence for dose dependency and changed pharmacokinetics during chronic therapy. *Br J Clin Pharmacol* 12: 653–658
- Gallego AO, Baron MG, Arranz EE (2007) Oxycodone: a pharmacological and clinical review. *Clin Transl Oncol* 9: 298–307
- Gaulier JM, Charvier F, Monceaux F (2004) Ingestion of high-dose buprenorphine by a 4 year-old child. *J Clin Toxicol* 42: 993–995
- Gauntlett IS, Fisher DM, Hertzka RE, Kuhis E, Spellman MJ, Rudolph C (1988) Pharmacokinetics of fentanyl in neonatal humans and lambs: effects of age. *Anesthesiol* 69: 683–687
- Gazzard BG, Ford-Hutchinson AW, Smith MJH, Williams R (1973) The binding of paracetamol to plasma proteins of man and pig. *J Pharm Pharmacol* 25: 964–967
- Gelotte CK, Prior MJ, Pendley C, Zimmerman B, Lavins BJ (2010) Multiple-dose pharmacokinetics and safety of an

- ibuprofen-pseudoephedrine cold suspension in children. *Clin Pediatr (Phila)* 49: 678–685
- Glare PA, Walsh TD (1991) Clinical pharmacokinetics of morphine. *Ther Drug Monit* 13:1–23
- Goadsby PJ, Hargreaves RJ (2000) Mechanisms of action of serotonin 5-HT_{1B/D} agonists: insights into migraine pathophysiology using rizatriptan. *Neurology* 55: S8–S14
- Goldstein LH, Berlin M, Berkovitch M, Kozer E (2008) Effectiveness of Oral vs Rectal Acetaminophen: A Meta-analysis. *Arch Pediatr Adolesc Med* 162: 1042–1046
- Goresky GV, Koren G, Sabourin MA, Sale JP, Strunin L (1987) The pharmacokinetics of alfentanil in children. *Anesthesiol* 67: 654–659
- Gourlay GK, Kowalski SR, Plummer JL, Cousins MJ, Armstrong PJ (1988) Fentanyl blood concentration-analgesic response relationship in the treatment of postoperative pain. *Anesth Analg* 67: 329–337
- Graff J, Arabmotlagh M, Cheung R, Geisslinger G, Harder S (2007) Effects of parecoxib and dipyrrone on platelet aggregation in patients undergoing meniscectomy: A double-blind, randomized, parallel-group study*. *Clin Ther* 29: 438–447
- Grant IS, Nimmo WS, Clements JA (1981) Pharmacokinetics and analgesic effects of im and oral ketamine. *Br J Anaesth* 53: 805–810
- Greeley WJ, de Bruijn NP (1988) Changes in sufentanil pharmacokinetics within the neonatal period. *Anesth Analg* 67: 86–90
- Greeley WJ, de Bruijn NP, Davis DP (1987) Sufentanil pharmacokinetics in pediatric cardiovascular patients. *Anesth Analg* 66: 1067–1072
- Griessinger N, Röscher W, Schott G, Sittl R (1997) Tramadol-Infusion zur Schmerztherapie nach großen Blaseneingriffen auf Kinderstationen. *Urologe* 36: 552–556
- Guay J, Gaudreault P, Tang A, Goulet B, Varin F (1992) Pharmacokinetics of sufentanil in normal children. *Can J Anaesth* 39: 14–20
- Gupta P, Whiteside W, Sabati A, Tesoro TM, Gossett JM, Tobias JD, Roth SJ (2012) Safety and efficacy of prolonged dexmedetomidine use in critically ill children with heart disease*. *Ped Crit Care Med* 13: 660–666
- Gust R, Böhler H (1995) Stiff-man syndrome associated with continuous sufentanil administration. *Anaesthesia* 50: 575
- Haapasaaari J, Woulijoiki E, Ylijoki H (1983) Treatment of juvenile rheumatoid arthritis with diclofenac sodium. *Scand J Rheumatol* 12: 325–330
- Haeseler G, Zuzan O, Köhn G, Piepenbrock S, Leuwer M (2000) Anaesthesia with midazolam and S- (+) -ketamine in spontaneously breathing paediatric patients during magnetic resonance imaging. *Paediatr Anaesth* 10: 513–519
- Hall RW, Kronsberg SS, Barton BA, Kaiser JR, Anand KJS (2005) Morphine, Hypotension, and adverse outcomes among preterm neonates: Who's to blame? Secondary results from the NEOPAIN trial. *Pediatrics* 115: 1351–1360
- Hamel E (1998) Current concepts of migraine pathophysiology. *Can J Clin Pharm* 6: 9A–14A
- Hamunen K, Maunukela EL, Seppälä T, Olkkola KT (1993a) Pharmacokinetics of iv and rectal pethidine in children undergoing ophthalmic surgery. *Br J Anaesth* 71: 823–826
- Hamunen K, Olkkola KT, Maunukela EL (1993b) Comparison of the ventilatory effects of morphine and buprenorphine in children. *Acta Anaesthesiol Scand* 37: 449–453
- Hamunen K, Olkkola KT, Seppälä T, Lusa G, Maunukela EL (1993c) Ventilatory effects and kinetics of intravenous pentazocine in children. *Pharmacol Toxicol* 73: 120–123
- Hannam J, Anderson BJ (2011) Explaining the acetaminophen-ibuprofen analgesic interaction using a response surface model. *Paediatr Anaesth* 21: 1234–1240
- Hannam JA, Anderson BJ, Mahadevan M, Holford NH (2014) Postoperative analgesia using diclofenac and acetaminophen in children. *Paediatr Anaesth* 24: 953–961
- Hansen MS, Mathiesen O, Trautner S, Dahl JB (2012) Intranasal fentanyl in the treatment of acute pain: a systematic review. *Acta Anaesthesiol Scand* 56(4):407–19
- Hargreaves RJ, Shephard SL (1999) Pathophysiology of migraine-new insights. *Can J Neurol Sci* 26: S12–S19
- Harlos MS, Stenekes S, Lambert D, Hohl C, Chochinov HM (2013) Intranasal Fentanyl in the Palliative Care of Newborns and Infants. *J Pain Symptom Manage* 46: 265–274
- Hartley R, Green M, Quinn M, Levene MI (1993) Pharmacokinetics of morphine infusion in premature neonates. *Arch Dis Child* 69: 55–58
- Hartley R, Green M, Quinn MW, Rushforth JA, Levene MI (1994) Development of morphine glucuronidation in premature neonates. *Neonatology* 66: 1–9
- Hartrick CT, Rozek RJ (2011) Tapentadol in pain management: a μ -opioid receptor agonist and noradrenaline reuptake inhibitor. *CNS Drugs* 25: 359–370
- Haynes G, Brahen NH, Hill HF (1993) Plasma sufentanil concentration after intranasal administration to paediatric outpatients. *Can J Anesth* 40: 286
- Heintze K, Petersen KU (2013) The case of drug causation of childhood asthma: antibiotics and paracetamol. *Eur J Clin Pharmacol* 69: 1197–1209
- Henderson AJ, Shaheen SO (2013) Acetaminophen and asthma. *Paediatr Respir Rev* 14: 9–16
- Herd D, Anderson BJ (2007) Ketamine disposition in children presenting for procedural sedation and analgesia in a children's emergency department. *Paediatr Anaesth* 17: 622–629
- Herd DW, Anderson BJ, Holford NH (2007) Modeling the norketamine metabolite in children and the implications for analgesia. *Paediatr Anaesth* 17: 831–840
- Hertzka RE, Gauntlett IS, Fisher DM, Spellman MJ (1989) Fentanyl-induced ventilatory depression: effects of age. *Anesthesiol* 70: 213–218
- Heubi JE, Bien JP (1997) Acetaminophen use in children: more is not better. *J Pediatr* 130: 175–177
- Hickey PR, Hansen DD, Wessel DL, Lang P, Jonas RA, Elixson EM (1985) Blunting of stress responses in the pulmonary circulation of infants by fentanyl. *Anesth Analg* 64: 1137–1142

- Hiller A, Helenius I, Nurmi E, Neuvonen PJ, Kaukonen M, Hartikainen T, Korpela R, Taivainen T, Meretoja OA (2012) Acetaminophen improves analgesia but does not reduce opioid requirement after major spine surgery in children and adolescents. *Spine* 37: E1225–1231
- Hillson JL, Furst DE (2000) Rofecoxib. Expert opinion on pharmacotherapy 1: 1053–1066
- Hippard HK, Govindan K, Friedman EM, Sulek M, Giannoni C, Larrier D, Minard CG, Watcha MF (2012) Postoperative analgesic and behavioral effects of intranasal fentanyl, intravenous morphine, and intramuscular morphine in pediatric patients undergoing bilateral myringotomy and placement of ventilating tubes. *Anesth Analg* 115: 356–363
- Hoke FJ, Shlugman D, Dershwitz M, Michalowski P, Malthouse-Dufore S, Connors PM, Martel D, Rosow CE, Muir KT, Rubin N, Glass PS (1997) Pharmacokinetics anesthesiologists, and pharmacodynamics of remifentanyl in persons with renal failure compared with healthy volunteers. *Anesthesiol* 87: 533–541
- Holdgate A, Cao A, Lo KM (2010) The implementation of intranasal fentanyl for children in a mixed adult and pediatric emergency department reduces time to analgesic administration. *Acad Emerg Med* 17: 214–217
- Holford NH, Ma SC, Anderson BJ (2012) Prediction of morphine dose in humans. *Paediatr Anaesth* 22: 209–222
- Hopkins CS, Underhill S, Booker PD (1990) Pharmacokinetics of paracetamol after cardiac surgery. *Arch Dis Child* 65: 971–976
- Howard CR, Weitzman ML, Howard FM (1994) Acetaminophen analgesia in neonatal circumcision: the effect on pain. *Pediatrics* 93: 641–646
- Howie MB, Smith DF, Harrington K, Dasta JF, Reilly TE, Reitz J (1984) Serum concentrations of sufentanyl and fentanyl in the post-operative course in cardiac surgery patients. *Anesthesiol* 61: A131
- Hoy SM (2012) Tapentadol extended release: in adults with chronic pain. *Drugs* 72: 375–393
- Hünseler C, Balling G, Röhlig C, Blickheuser R, Trieschmann U, Lieser U, Dohna-Schwake C, Gebauer C, Möller O, Hering F, Hoehn T, Schubert S, Hentschel R, Huth RG, Müller A, Müller C, Wassmer G, Hahn M, Harnischmacher U, Behr J, Roth B, Clonidine Study Group (2014) Continuous infusion of clonidine in ventilated newborns and infants: a randomized controlled trial. *Ped Crit Care Med* 15: 511–522
- Huenseler C, Borucki D, Mueller C, Hering F, Kremer W, Theisohn M, Roth B (2008) Prospective evaluation of the pharmacodynamics of piritramide in neonates and infants. *Eur J Pediatr* 167: 867–872
- Hunt A, Joel S, Dick G, Goldman A (1999) Population pharmacokinetics of oral morphine and its glucuronides in children receiving morphine as immediate-release liquid or sustained-release tablets for cancer pain. *J Pediatr* 135: 47–55
- Hunt A, Goldman A, Devine T, Phillips M (2001) Transdermal fentanyl for pain relief in a paediatric palliative care population. *Palliat Med* 15: 405–412
- Iisalo EU, Iisalo E (1978) A comparison of high-dose pentazocine with pethidine and diazepam in paediatric premedication. *Ann Chir Gynaecol* 67: 123–128
- Isik M, Kaya Z, Belen FB, Aktas AT, Tezer H, Gürsel T (2014) Life-threatening agranulocytosis, anemia, and plasmacytosis after dipyrone use for fever in a child. *J Pediatr Hematol Oncol* 36: e46–e48
- Ivani G, Bergendahl HTG, Lampugnani E, Eksborg S, Jasonni V, Palm C, Mattioli G, Podesta E, Famularo A, Lönnqvist PA (1998) Plasma levels of clonidine following epidural bolus injection in children. *Acta Anaesthesiol Scand* 42: 306–311
- Jacqz-Aigrain E, Burtin P (1996) Clinical pharmacokinetics of sedatives in neonates. *Clin Pharmacokinet* 31: 423–443
- Jamali S, Monin S, Begon C, Dubousset AM, Ecoffey C (1994) Clonidine in pediatric caudal anesthesia. *Anesth Analg* 78: 663–666
- Jannetto PJ, Wong SH, Gock SB, Laleli-Sahin E, Schur BC, Jentzen JM (2002) Pharmacogenomics as molecular autopsy for postmortem forensic toxicology: genotyping cytochrome P450 2D6 for oxycodone cases. *J Anal Toxicol* 26: 438–447
- Jarvis AP, Arancibia CU (1987) A case of difficult neonatal ventilation. *Anesth Analg* 66: 196
- Jeyakumar A, Brickman TM, Williamson ME, Hirose K, Krakovitz P, Whittemore K, Discolo C (2008) Nonsteroidal anti-inflammatory drugs and postoperative bleeding following adenotonsillectomy in pediatric patients. *Arch Otolaryngol Head Neck Surg* 134: 24–27
- Johnson KL, Erickson JP, Holley FO (1984) Fentanyl pharmacokinetics in the paediatric population. *Anesthesiol* 61: A441
- Johnson RE, Fudala PJ, Payne R (2005) Buprenorphine: considerations for pain management. *J Pain Symptom Manage* 29: 297–326
- Johnston PG, Gillam-Krakauer M, Fuller MP, Reese J (2012) Evidence-based use of indomethacin and ibuprofen in the neonatal intensive care unit. *Clin Perinatol* 39: 111
- Jokela R, Ahonen J, Seitsonen E, Marjakangas P, Korttila K (2010) The influence of ondansetron on the analgesic effect of acetaminophen after laparoscopic hysterectomy. *Clin Pharmacol Ther* 87: 672–678
- Jolkkonen J, Puurunen K, Koistinaho J, Kauppinen R, Haapalinna A, Nieminen L, Sivenius J (1999) Neuroprotection by the alpha2-adrenoceptor agonist, dexmedetomidine, in rat focal cerebral ischemia. *Eur J Pharmacol* 372: 31–36
- Källen B, Finnström O, Nygren K-G, Otterblad Olausson P (2013) Maternal drug use during pregnancy and asthma risk among children. *Pediatr Allergy Immunol* 24: 28–32
- Kamei J (1996) Role of opioidergic and serotonergic mechanisms in cough and antitussives. *Pulm Pharmacol* 102: 349–359
- Kan RE, Hughes SC, Rosen MA, Kessin C, Preston PG, Lobo EP (1998) Intravenous remifentanyl: placental transfer, maternal and neonatal effects. *Anesthesiol* 88: 1467–1474
- Karl HW, Tyler DC, Miser AW (2012) Controlled trial of morphine vs hydromorphone for patient-controlled analgesia in children with postoperative pain. *Pain Med* 13: 1658–1659

- Kart T, Christrup LL, Rasmussen M (1997a) Recommended use of morphine in neonates, infants and children based on a literature review. Part 1 - Pharmacokinetics. *Paediatr Anaesth* 7: 5–11
- Kart T, Christrup LL, Rasmussen M (1997b) Recommended use of morphine in neonates, infants and children based on a literature review. Part 2 - Clinical use. *Paediatr Anaesth* 7: 93–101
- Katz R, Kelly HW (1993) Pharmacokinetics of continuous infusions of fentanyl in critically ill children. *Crit Care Med* 21: 995–1000
- Katz R, Kelly HW, Hsi A (1994) Prospective study on the occurrence of withdrawal in critically ill children who receive fentanyl by continuous infusion. *Crit Care Med* 22: 763–767
- Kauffman RE, Nelson MV (1992) Effect of age on ibuprofen pharmacokinetics and antipyretic response. *J Pediatr* 121: 969–973
- Kauffmann RE, Bolliger RO, Wan SH, Oren J (1982) Pharmacokinetics and metabolism of naproxen in children. *Dev Pharmacol Ther* 5: 143–150
- Kay B (1980) A double-blind comparison between fentanyl and buprenorphine in analgesic-supplemented anaesthesia. *Br J Anaesth* 52: 453–457
- Kelley MT, Watson PD, Edge JH, Cox S, Mortensen ME (1992) Pharmacokinetics and pharmacodynamics of ibuprofen isomers and acetaminophen in febrile children. *Clin Pharmacol Ther* 52: 181–189
- Kelly LE, Rieder M, van den Anker J, Malkin B, Ross C, Neely MN, Carleton B, Hayden MR, Madadi P, Koren G (2012) More codeine fatalities after tonsillectomy in North American children. *Pediatrics* 129: e1343–e1347
- Keränen A, Nyänen S, Taskinen J (1978) Pharmacokinetics and side-effects of clonidine. *Eur J Clin Pharmacol* 13: 97–101
- Keuth B, Stapenhorst L, Adams HA, Roth B (2001) Analgosedierung von beatmeten Neugeborenen und Säuglingen mit S (+)-Ketamin. *Geburt Neonatol* 205: S10
- Killian A, Davis PJ, Stiller RL, Cicco R, Cook DR, Guthrie RD (1989) Influence of gestational age on pharmacokinetics of alfentanil in neonates. *Dev Pharmacol Ther* 15: 82–85
- Knibbe CA, Krekels EH, van den Anker JN, DeJongh J, Santen GW, van Dijk M, van Dijk M, Simons SH, van Lingen RA, Jacqz-Aigrain EM, Danhof M, Tibboel D (2009) Morphine glucuronidation in preterm neonates, infants and children younger than 3 years. *Clin Pharmacokinet* 48: 371–385
- Koehntop DE, Rodman JH, Brundage DM, Hegland MG, Buckley JJ (1986) Pharmacokinetics of fentanyl in neonates. *Anesth Analg* 65: 227–232
- Kokki H, Kumpulainen E, Lehtonen M, Laisalmi M, Heikkinen M, Savolainen J, Rautio J (2007) Cerebrospinal fluid distribution of Ibuprofen after intravenous administration in children. *Pediatrics* 120: e1002–e1008
- Kokki H, Kumpulainen E, Laisalmi M, Savolainen J, Rautio J, Lehtonen M (2008) Diclofenac readily penetrates the cerebrospinal fluid in children. *Br J Clin Pharmacol* 65: 879–884
- Konstan MW, Hoppel CL, Chai BI, Davis PB (1991) Ibuprofen in children with cystic fibrosis: pharmacokinetics and adverse effects. *J Pediatr* 118: 956–964
- Koren G, Crean PGGV, Goresky GV, Klein J, MacLeod SM (1984a) Pharmacokinetics of fentanyl in children with renal disease. *Res Commun Chem Pathol Pharmacol* 46: 371–379
- Koren G, Goresky G, Crean P, Klein J, MacLeod SM (1984b) Pediatric fentanyl dosing based on pharmacokinetics during cardiac surgery. *Anesth Analg* 63: 577–582
- Koren G, Butt W, Chinyanga H, Soldin S, Tan YK, Pape K (1985) Postoperative morphine infusion in newborn infants: assessment of disposition characteristics and safety. *J Pediatr* 107: 963–967
- Kornblum HI, Loughlin SE, Leslie FM (1987) Effects of morphine on DNA synthesis in neonatal rat brain. *Dev Brain Res* 31: 45–52
- Korpela R, Korvenoja P, Meretoja OA (1999) Morphine-sparing effect of acetaminophen in pediatric day-case surgery. *Anesthesiol* 91: 442–447
- Krane EJ (1988) Delayed respiratory depression in a child after caudal epidural morphine. *Anesth Analg* 67: 79–82
- Krekels EH, Tibboel D, Danhof M, Knibbe CA (2012) Prediction of morphine clearance in the paediatric population: how accurate are the available pharmacokinetic models? *Clin Pharmacokinet* 51: 695–709
- Krishnaswami S, Hutmacher MM, Robbins JL, Bello A, West C, Bloom BJ (2012) Dosing celecoxib in pediatric patients with juvenile rheumatoid arthritis. *J Clin Pharmacol* 52: 1134–1149
- Kuehn BM (2013) FDA: no codeine after tonsillectomy for children. *JAMA* 309: 1100
- Kuhls E, Gauntlett IS, Lau M, Brown R, Rudolph CD, Teitel DF, Fisher DM (1995) Effect of increased intra-abdominal pressure on hepatic extraction and clearance of fentanyl in neonatal lambs. *J Pharmacol Exp Ther* 274: 115–119
- Kuhnert BR, Kuhnert PM, Tu AS, Lin DC (1979) Meperidine and normeperidine levels following meperidine administration during labour. II: Fetus and neonate. *Am J Obstet Gynecol* 133: 909–914
- Kuhnert BR, Kuhnert PM, Philipson EH, Syracuse CD (1985) Disposition of meperidine and normeperidine following multiple doses during labor: II. Fetus and neonate. *Am J Obstet Gynecol* 151: 410–415
- Kurmis AP, Kurmis TP, O'Brien JX, Dalén T (2012) The effect of nonsteroidal anti-inflammatory drug administration on acute phase fracture-healing: a review. *J Bone Joint Surg* 94: 815–823
- Lajarrige C, Adafer M, Mouthemy G, Kremp L (1993) Effect of fentanyl on ventilation in a premature infant. *Arch Fr Pediatr* 50: 274
- Lalovic B, Kharasch E, Hoffer C, Risler L, Liu-Chen LY, Shen DD (2006) Pharmacokinetics and pharmacodynamics of oral oxycodone in healthy human subjects: Role of circulating active metabolites. *Clin Pharmacol Ther* 79: 461–479
- Lam F, Bhutta AT, Tobias JD, Gossett JM, Morales L, Gupta P (2012) Hemodynamic effects of dexmedetomidine in

- critically ill neonates and infants with heart disease. *Pediatr Cardiol* 33: 1069–1077
- Lambert P, Cyna AM, Knight N, Middleton P (2014) Clonidine premedication for postoperative analgesia in children. *Cochrane Database Syst Rev* 1: CD009633. doi: 10.1002/14651858.CD009633.pub2
- Lambertsen CJ, Wendel H, Longenhagen JB (1961) The separate and combined respiratory effects of chlorpromazine and meperidine in normal men controlled at 46 MM Hg alveolar PCO₂. *J Pharmacol Exp Ther* 131: 381–393
- Lehmann KA, Tenbuhs B, Hoeckle W (1986) Patient-controlled analgesia with piritramid for the treatment of postoperative pain. *Acta Anaesthesiol Belg* 37: 247–257
- Lesko SM, Mitchell AA (1995) An assesment of the safety of pediatric ibuprofen. *JAMA* 273: 929–933
- Levron JC, Le Moing JP, Chauvin M, Duvaldestin R, Camboulives J, Ferrier C (1992) Pharmacokinétique du fentanyl par voie percutanée: influence de l'âge. In: Bres J (ed) *Pharmacocinétique, de la recherche à la clinique*. Libbey, Montrouge, pp 199–203
- Levy M, Zylber-Katz E, Rosenkranz B (1995) Clinical pharmacokinetics of dipyrone and its metabolites. *Clin Pharmacokinet* 28: 216–234
- Lewis SR, Nicholson A, Cardwell ME, Siviter G, Smith AF (2013) Nonsteroidal antiinflammatory drugs and perioperative bleeding in paediatric tonsillectomy. *Cochrane Database Syst Rev* 18:CD003591
- Lin H, Faraklas I, Sampson C, Saffle JR, Cochran A (2011) Use of dexmedetomidine for sedation in critically ill mechanically ventilated pediatric burn patients. *J Burn Care Res* 32: 98–103
- Lin YU, Sussman H, Benitz W (1997) Plasma concentrations after rectal administration of acetaminophen in preterm neonates. *Paediatr Anaesth* 7: 457–459
- Lindena G, Arnau H, Liefhold J (1998) Hydromorphon – pharmakologische Eigenschaften und therapeutische Wirksamkeit. *Schmerz* 12: 195–204
- Litalien C, Jacqz-Aigrain E (2001) Risks and benefits of non-steroidal anti-inflammatory drugs in children. *Paediatric Drugs* 3: 817–858
- Lönnqvist PA, Bergendahl H (1993) Pharmacokinetics and haemodynamic response after an intravenous bolus injection of clonidine in children. *Paediatr Anaesth* 3: 359–364
- Lönnqvist PA, Bergendahl HTG, Eksborg S (1994) Pharmacokinetics of clonidine after rectal administration in children. *Anesthesiol* 81: 1097–1101
- Lu WJ, Zhou W, Kreutz Y, Flockhart DA (2011) Methadone adverse reaction presenting with large increase in plasma methadone binding: a case series. *J Med Case Rep* 5: 513
- Lundeberg S, Roelofse JA (2011) Aspects of pharmacokinetics and pharmacodynamics of sufentanil in pediatric practice. *Paediatr Anaesth* 21: 274–279
- Lynn AM, Nespeca MK, Opheim KE, Slattery JT (1993) Respiratory effects of intravenous morphine infusions in neonates, infants, and children after cardiac surgery. *Anesth Analg* 77: 695–701
- Magnani B, Evans R, Hegland UG, Buckley J (1999) Codeine intoxication in the neonate. *Pediatrics* 104: e75
- Mannila A, Kumpulainen E, Lehtonen M, Heikkinen M, Laisalmi M, Salo T, Rautio J, Savolainen J, Kokki H (2007) Plasma and cerebrospinal fluid concentrations of indomethacin in children after intravenous administration. *J Clin Pharmacol* 47: 94–100
- Maréchal C, Honorat R, Claudet I (2011) Serotonin syndrome induced by tramadol intoxication in an 8-month-old infant. *Pediatr Neurol* 44: 72–74
- Marlow N, Weindling AM, Cooke RW (1988) Hazards of analgesia for newborn infants. *Arch Dis Child* 63: 1293
- Marlow N, Weindling AM, Van Peer A, Heykants J (1990) Alfentanil pharmacokinetics in preterm infants. *Arch Dis Child* 65: 349–351
- Marsh DF, Hatch DJ, Fitzgerald M (1997) Opioid systems and the newborn. *Br J Anaesth* 79: 787–795
- Mason KP, Lerman J (2011) Review article: Dexmedetomidine in children: current knowledge and future applications. *Anesth Analg* 113: 1129–1142
- Mather L, Mackie J (1983) The incidence of postoperative pain in children. *Pain* 15: 271–282
- Mather SJ, Peutrell JM (1995) Postoperative morphine requirements, nausea and vomiting following anaesthesia for tonsillectomy. Comparison of intravenous morphine and non-opioid analgesic techniques. *Paediatr Anaesth* 5: 185–188
- Maunuksela EL, Korpela R, Olkkola KT (1988a) Comparison of buprenorphine with morphine in the treatment of postoperative pain in children. *Anesth Analg* 67: 233–239
- Maunuksela EL, Korpela R, Olkkola KT (1988b) Double-blind, multiple-dose comparison of buprenorphine and morphine in postoperative pain in children. *Br J Anaesth* 60: 48–55
- McClain BC, Ennevor S (2000) The use of gabapentin in pediatric patients with neuropathic pain. *Seminars in Anesthesia, Perioperative Medicine and Pain* 19: 83–87
- McEwen J, Salva M, Jansat JM, Cabarrocas X (2004) Pharmacokinetics and safety of oral almotriptan in healthy male volunteers. *Biopharm Drug Dispos* 25: 303–311
- McRorie TI, Lynn AM, Nespeca MK, Opheim KE, Slattery JT (1992) The maturation of morphine clearance and metabolism. *Am J Dis Child* 146: 972–976
- Meistelman C, Benhamou D, Barre J, Levron JC, Mahe V, Mazoit X, Ecoffey C (1990) Effects of age on plasma protein binding of sufentanil. *Anesthesiol* 72: 470–473
- Meistelman C, Saint-Maurice C, Lepaul M, Levron JC, Loose JP, Mac Gee K (1987) A comparison of alfentanil pharmacokinetics in children and adults. *Anesthesiol* 66: 13–16
- Merker M, Dinges G, Koch T, Kranke P, Morin AM (2012) Un-erwünschte Nebenwirkungen von Tapentadol im Vergleich zu Oxycodon. *Schmerz* 26: 16–26
- Merry AF, Edwards KE, Ahmad Z, Barber C, Mahadevan M, Frampton C (2013) Randomized comparison between the combination of acetaminophen and ibuprofen and each constituent alone for analgesia following tonsillectomy in children. *Can J Anesth* 60: 1180–1189

- Meuldermans WE, Hurkmans RM, Heykants JJ (1982) Plasma protein binding and distribution of fentanyl, sufentanil, alfentanil and lofentanil in blood. *Arch Int Pharmacodyn Ther* 257: 4
- Meuldermans W, Woestenborghs R, Noorduin H, Camu F, van Steenberghe A, Heykants J (1986) Protein binding of the analgesics alfentanil and sufentanil in maternal and neonatal plasma. *Eur J Clin Pharmacol* 30: 217–219
- Meuldermans W, Hendrickx J, Lauwers W, Hurkmans R, Swysen E, Thijssen J, Timmerman P, Woestenborghs R, Heykants J (1987) Excretion and biotransformation of alfentanil and sufentanil in rats and dogs. *Drug Metab Dispos* 15: 905–913
- Meyer O, Gaedicke G, Salama A (1999) Demonstration of drug-dependent antibodies in two patients with neutropenia and successful treatment with granulocyte-colony-stimulating factor. *Transfusion (Paris)* 39: 527–530
- Michel E, Zernikow B (2006) Buprenorphineinsatz bei Kindern. Eine klinisch-pharmakologische Übersicht. *Monatsschr Kinderheilkd* 154: 799–807
- Michel E, Anderson BJ, Zernikow B (2011) Buprenorphine TTS for children - a review of the drug's clinical pharmacology. *Paediatr Anaesth* 21: 280–290
- Michelet D, Andreu-Gallien J, Bensalah T, Hilly J, Wood C, Nivoche Y, Mantz J, Dahmani S (2012) A meta-analysis of the use of nonsteroidal antiinflammatory drugs for pediatric postoperative pain. *Anesth Analg* 114: 393–406
- Mikawa K, Maekawa N, Nishina K, Takao Y, Yaku H, Obara H (1993) Efficacy of oral clonidine premedication in children. *Anesthesiol* 79: 926–931
- Miller RP, Roberts RJ, Fischer LJ (1976) Acetaminophen elimination kinetics in neonates, children, and adults. *Clin Pharmacol Ther* 19: 284–294
- Minville V, Fourcade O, Mazoit JX, Girolami JP, Tack I (2011) Ondansetron does not block paracetamol-induced analgesia in a mouse model of fracture pain. *Br J Anaesth* 106: 112–118
- Miser AW, Chayt KJ, Sandlund JT, Cohen PS, Dothage JA, Miser JS (1986) Narcotic withdrawal syndrome in young adults after the therapeutic use of opiates. *Arch Pediatr Adolesc Med* 140: 603
- Mohammed BS, Engelhardt T, Cameron GA, Cameron L, Hawksworth GM, Hawwa AF, McElroy J, Helms PJ, McLay JS (2012) Population pharmacokinetics of single-dose intravenous paracetamol in children. *Br J Anaesth* 108: 823–829
- Moller PL, Juhl GI, Payen-Champenois C, Skoglund LA (2005) Intravenous acetaminophen (paracetamol): comparable analgesic efficacy, but better local safety than its pro-drug, propacetamol, for postoperative pain after third molar surgery. *Anesth Analg* 101: 90–96
- Moolenaar AJ, Schoonen A, Everts A, Huizinga T (1979) Bio-pharmaceutics of rectal administration of drugs in man: Part 4. Absorption rate and bioavailability of paracetamol from fatty suppositories. *Pharm Weekbl Sci* 1: 89–94
- Morselli PL, Rovei V (1980) Placental transfer of pethidine and norpethidine and their pharmacokinetics in the newborn. *Eur J Clin Pharmacol* 18: 25–30
- Morselli PL, Franco-Morselli R, Bossi L (1980) Clinical pharmacokinetics in newborns and infants. *Clin Pharmacokinet* 5: 485–527
- Moyao-Garcia D, Hernandez-Palacios JC, Ramirez-Mora JC, Nava-Ocampo AA (2009) A pilot study of nalbuphine versus tramadol administered through continuous intravenous infusion for postoperative pain control in children. *Acta Biomed* 84: 124–130
- Muller C, Kremer W, Harlfinger S, Doroshenko O, Jetter A, Hering F, Hünseler C, Roth B, Theisohn M (2006) Pharmacokinetics of piritramide in newborns, infants and young children in intensive care units. *Eur J Pediatr* 165: 229–239
- Murat I, Levron JC, Berg A, Saint-Maurice C (1988) Effects of fentanyl on baroreceptor reflex control of heart rate in newborn infants. *Anesthesiol* 68: 717–722
- Murat I, Baujard C, Foussat C, Guyot E, Petel H, Rod B, Ricard C (2005) Tolerance and analgesic efficacy of a new i. v. paracetamol solution in children after inguinal hernia repair. *Paediatr Anaesth* 15: 663–670
- Nahata MC, Miser JS, Miser JS, Reuning RH (1985) Variation in morphine pharmacokinetics in children with cancer. *Dev Pharmacol Ther* 8: 182–188
- Nation RL (1981) Meperidine binding in maternal and fetal plasma. *Clin Pharmacol Ther* 29: 472–479
- Neri E, Maestro A, Minen F, Montico M, Ronfani L, Zanon D, Favret A, Messi G, Barbi E (2013) Sublingual ketorolac versus sublingual tramadol for moderate to severe post-traumatic bone pain in children: a double-blind, randomised, controlled trial. *Arch Dis Child* 98: 721–724
- Neumann R, Schulzke SM, Bührer C (2012) Oral ibuprofen versus intravenous ibuprofen or intravenous indomethacin for the treatment of patent ductus arteriosus in preterm infants: a systematic review and meta-analysis. *Neonatology* 102: 9–15
- Nichols DG, Vaster M, Bezman M, Lynn AM, Helfaer MA, Deshpande JK, Carson BS, Bezman M, Maxwell LG, Tobias JD, et al. (1993) Disposition and Respiratory Effects of Intrathecal Morphine in Children. *Anesthesiol* 79: 733–738
- Nishina K, Mikawa K, Maekawa N, Takao Y, Obara H (1994) Clonidine decreases the dose of thiamylal required to induce anesthesia in children. *Anesth Analg* 79: 766–768
- Nishina K, Mikawa K, Maekawa N, Obara H (1996) The efficacy of clonidine for reducing perioperative haemodynamic changes and volatile anaesthetic requirements in children. *Acta Anaesthesiol Scand* 40: 746–751
- Noyes M, Irvin H (2001) The use of transdermal fentanyl in pediatric oncology palliative care. *Am J Hosp Palliat Care* 18: 411–416
- O'Mara K, Gal P, Wimmer J, Ransom JL, Carlos RQ, Dimaguila MAV, Davanzo CC, Smith M (2012) Dexmedetomidine Versus Standard Therapy with Fentanyl for Sedation in Mechanically Ventilated Premature Neonates. *J Pediatr Pharmacol Ther* 17: 252–262
- Olkola KT, Manauksela EL, Korpela R, Rosenberg PH (1988) Kinetics and dynamics of postoperative intravenous morphine in children. *Clin Pharmacol Ther* 44: 128–136

- Olkkola KT, Manauksela EL, Korpela R (1989) Pharmacokinetics of intravenous buprenorphine in children. *Br J Clin Pharmacol* 28: 202–204
- Olkkola KT, Hamunen K, Seppälä T, Manauksela EL (1994) Pharmacokinetics and ventilatory effects of intravenous oxycodone in postoperative children. *Br J Clin Pharmacol* 38: 71–76
- Olkkola KT, Hamunen K, Manauksela EL (1995a) Clinical pharmacokinetics and pharmacodynamics of opioid analgesics in infants and children. *Clin Pharmacokinet* 28: 385–404
- Olkkola KT, Leijala MA, Manauksela EL (1995b) Paediatric ventilatory effects of morphine and buprenorphine revisited. *Paediatr Anaesth* 5: 303–305
- Osborne RJ, Joel SP, Slevin ML (1986) Morphine intoxication in renal failure: the role of morphine-6-glucuronide. *BMJ* 232: 1548–1549
- Pacifici G (2013) Clinical pharmacology of indomethacin in preterm infants: implications in patent ductus arteriosus closure. *Pediatr Drugs* 15: 363–376
- Palmer GM, Atkins M, Anderson BJ, Smith KR, Culnane TJ, McNally CM, Perkins EJ, Chalkiadis GA, Hunt RW (2008) I. V. acetaminophen pharmacokinetics in neonates after multiple doses. *Br J Anaesth* 101: 523–530
- Paris A, Mantz J, Tonner PH, Hein L, Brede M, Gressens P (2006) The effects of dexmedetomidine on perinatal excitotoxic brain injury are mediated by the alpha2A-adrenoceptor subtype. *Anesth Analg* 102: 456–461
- Paut O, Camboulives J, Viard L, Lemoing JP, Levron JC (2000) Pharmacokinetics of transdermal fentanyl in the peri-operative period in young children. *Anaesthesia* 5: 1202–1207
- Payne KA, Roelofse JA, Shipton EA (2002) Pharmacokinetics of oral tramadol drops for postoperative pain relief in children aged 4 to 7 years-a pilot study. *Anesth Prog* 49: 109–112
- Pedraz JL, Calvo MB, Lanao JM, Muriel C, LAMAS JS, Dominguez-Gil A (1989) Pharmacokinetics of rectal ketamine in children. *Br J Anaesth* 63: 671–674
- Pereira e Silva Y, Gomez RS, de Oliveira Marcatto J, Maximo TA, Barbosa RF, Silva AC (2007) Morphine versus remifentanyl for intubating preterm neonates. *Arch Dis Child Fetal Neonatal* Ed 92: F293–F294
- Pereira e Silva Y, Gomez RS, Marcatto JDO, Maximo TA, Barbosa RF, Silva E (2008) Early awakening and extubation with remifentanyl in ventilated premature neonates. *Paediatr Anaesth* 18: 176–183
- Petrat G, Klein U, Meissner W (1997) On-demand analgesia with piritramide in children. A study on dosage specification and safety. *Eur J Pediatr Surg* 7: 38–41
- Petroz GC, Sikich N, James M, van Dyk H, Shafer SL, Schily M, Lerman J (2006) A phase I, two-center study of the pharmacokinetics and pharmacodynamics of dexmedetomidine in children. *Anesthesiol* 105: 1098–1110
- Pickering AE, Bridge HS, Nolan J, Stoddart PA (2002) Double-blind, placebo-controlled analgesic study of ibuprofen or rofecoxib in combination with paracetamol for tonsillectomy in children. *Br J Anaesth* 88: 72–77
- Pickering G, Lorient MA, Libert F, Eschaliere A, Beaune P, Dubray C (2006) Analgesic effect of acetaminophen in humans. First evidence of a central serotonergic effect. *Clin Pharmacol Ther* 79: 371–379
- Pickering G, Faure M, de Boissy EC, Roche G, Mom T, Simen E, Simen E, Dubray C, Eschaliere A, Gilain L (2012) Tropisetron and paracetamol association in post-operative patients. *Fund Clin Pharmacol* 26: 432–437
- Pierce CA, Voss B (2010) Efficacy and safety of ibuprofen and acetaminophen in children and adults: a meta-analysis and qualitative review. *Ann Pharmacother* 44: 489–506
- Pierce DM, Shipstone E (2012) Pharmacology update: tapentadol for neuropathic pain. *Am J Hosp Pall Med* 29: 663–666
- Pohl-Schickinger A, Lemmer J, Huebler M, Alexi-Meskishvili VL, Redlin M, Berger F, Stiller B (2008) Intravenous clonidine infusion in infants after cardiovascular surgery. *Paediatr Anaesth* 18: 217–222
- Pokela ML (1997) Overdoses of pethidine given to two preterm neonates. *Acta Paediatr* 86: 323–325
- Pokela ML, Olkkola KT, Koivisto M, Ryhänen P (1992) Pharmacokinetics and pharmacodynamics of intravenous meperidine in neonates and infants. *Clin Pharmacol Ther* 52: 342–349
- Pokela ML, Anttila E, Seppälä T, Olkkola KT (2005) Marked variation in oxycodone pharmacokinetics in infants. *Paediatr Anaesth* 15: 560–565
- Pontén E, Viberg H, Gordh T, Eriksson P, Fredriksson A (2012) Clonidine abolishes the adverse effects on apoptosis and behaviour after neonatal ketamine exposure in mice. *Acta Anaesthesiol Scand* 56: 1058–1065
- Potts AL, Larsson P, Eksborg S, Warman GUY, Lonnquist PERA, Anderson BJ (2007) Clonidine disposition in children; a population analysis. *Paediatr Anaesth* 17: 924–933
- Poulsen L, Brosen K, Arendt-Nielsen L, Gram LF, Eöbaek K, Sindrup SH (1996) Codeine and morphine in extensive and poor metabolizers of sparteine: pharmacokinetics, analgesic effect and side effects. *Eur J Clin Pharmacol* 51: 289–295
- Poyhiä R, Seppälä T, Olkkola KT, Kalso E (1992) The pharmacokinetics and metabolism of oxycodone after intramuscular and oral administration to healthy subjects. *Br J Clin Pharmacol* 33: 617–621
- Quigley C (2013) Hydromorphone for acute and chronic pain. *Cochrane Libr Issue* 10: CD003447. doi: 10.1002/14651858.CD003447.pub2
- Racoosin JA, Roberson DW, Pacanowski MA, Nielsen DR (2013) New evidence about an old drug - risk with codeine after adenotonsillectomy. *N Engl J Med* 368: 2155–2157
- Raffa RB, Burmeister JJ, Yuvashva E, Pergolizzi Jr JV (2012) QTc interval prolongation by d-propoxyphene: what about other analgesics? *Exp Clin Pharmacol* 13: 1397–1409
- Rahman W, Dashwood MR, Fitzgerald M, Ynsley-Green A, Dickenson AH (1998) Postnatal development of multiple opioid receptors in the spinal cord and development of spinal morphine analgesia. *Dev Brain Res* 108: 239–254

- Rainsford KD (2013) Ibuprofen: from invention to an OTC therapeutic mainstay. *Int J Clin Pract* 67: 9–20
- Ramesh VJ, Bhardwaj N, Batra YK (1997) Comparative study of oral clonidine and diazepam as premedicants in children. *Int J Clin Pharmacol Ther* 35: 218–221
- Rauch F, Schönau E, Glorieux FH (2000) Bisphosphonate: Anwendung in der Pädiatrie. *Monatsschr Kinderheilkd* 148: 334–341
- Rautiainen P (1991) Alfentanil infusion for sedation in infants and small children during cardiac catheterization. *Can J Anaesth* 38: 980–984
- Reiter PD, Ng J, Dobyns EL (2012) Continuous hydromorphone for pain and sedation in mechanically ventilated infants and children. *J Opioid Manage* 8: 99–104
- Reyle-Hahn M, Niggemann B, Max M, Streich R, Rossaint R (2000) Remifentanyl and propofol for sedation in children and young adolescents undergoing diagnostic flexible bronchoscopy. *Paediatr Anaesth* 10: 59–63
- Rita L, Seleny G, Goodarzi M (1980) Comparison of the calming and sedative effects of nalbuphine and pentazocine for paediatric premedication. *Can Anaesth Soc J* 27: 546–549
- Rivera-Penera T, Gugig R, Davis J, McDiarmid S, Vargas J, Rosenthal P, Berquist W, Heyman MB, Ament ME (1997) Outcome of acetaminophen overdose in pediatric patients and factors contributing to hepatotoxicity. *J Pediatr* 130: 300–304
- Roka A, Melinda KT, Vasarhelyi B, Machay T, Azzopardi D, Szabo M (2008) Elevated morphine concentrations in neonates treated with morphine and prolonged hypothermia for hypoxic ischemic encephalopathy. *Pediatrics* 121: e844–e849
- Romsing J, Moineich S, Dahl JB (2002) Rectal and parenteral paracetamol, and paracetamol in combination with NSAIDs, for postoperative analgesia. *Br J Anaesth* 88: 215–226
- Ross AK, Davis PJ, Dear Gd GL, Ginsberg B, McGowan FX, Stiller RD, Henson LG, Huffman C, Muir KT (2001) Pharmacokinetics of remifentanyl in anesthetized pediatric patients undergoing elective surgery or diagnostic procedures. *Anesth Analg* 93: 1393–1401
- Roth B, Schlünder C, Houben F, Günther M, Theisohn M (1991) Analgesia and sedation in neonatal intensive care using fentanyl by continuous infusion. *Dev Pharmacol Ther* 17: 121–127
- Roure P, Jean N, Leclerc AC, Cabanel N, Levron JC, Duvaldestin P (1987) Pharmacokinetics of alfentanil in children undergoing surgery. *Br J Anaesth* 59: 1437–1440
- Ryan JP, Meakin G (1989) Fentanyl overdose in a neonate: use of naloxone infusion. *Anaesthesia* 44: 864–865
- Saarenmaa E, Huttunen P, Leppäluoto J, Fellman V (1996) Alfentanil as procedural pain relief in newborn infants. *Arch Dis Child Fetal Neonatal Ed* 75: F103–F107
- Saarenmaa E, Huttunen P, Leppäluoto J, Meretojy O, Fellmann V (1999) Advantages of fentanyl over morphine in analgesia for ventilated newborn infants after birth: a randomized trial. *J Pediatr* 134: 144–150
- Sabatowski R, Kasper SM, Radbruch L (2002) Patient-controlled analgesia with intravenous L-methadone in a child with cancer pain refractory to high-dose morphine. *J Pain Symptom Manage* 23: 3–5
- Sanders RD, Xu J, Shu Y, Januszewski A, Halder S, Fidalgo A, Sun P, Hossain M, Ma D, Maze M (2009) Dexmedetomidine attenuates isoflurane-induced neurocognitive impairment in neonatal rats. *Anesthesiol* 110: 1077–1085
- Sanders RD, Sun P, Patel S, Li M, Maze M, Ma D (2010) Dexmedetomidine provides cortical neuroprotection: impact on anaesthetic-induced neuroapoptosis in the rat developing brain. *Acta Anaesthesiol Scand* 54: 710–716
- Sarkar S, Donn SM (2006) Management of neonatal abstinence syndrome in neonatal intensive care units: a national survey. *J Perinatol* 26: 15–17
- Sasson M, Shvartzman P (2006) Fentanyl patch sufficient analgesia for only one day. *J Pain Symptom Manage* 31: 389–390
- Schäffer J, Piepenbrock S, Kretz FJ, Schönfeld C (1986) Nalbuphin und Tramadol zur postoperativen Schmerzbekämpfung bei Kindern. *Anaesthesist* 35: 408–413
- Schäffer J, Hagemann H, Holzapfel S, Panning B, Piepenbrock S (1989) Untersuchung zur postoperativen Schmerztherapie bei Kleinkindern mit Tramadol. *Fortschritte Anästh Notfall-Intensivmed* 3: 42–45
- Schechter NL, Weisman SJ, Rosenblum M, Bernstein B, Conard PL (1995) The use of oral transmucosal fentanyl citrate for painful procedures in children. *Pediatrics* 95: 335–339
- Schmidt B, Adelmann C, Stützer H, Welzing L, Hünsele C, Kribs A, Roth B (2010) Comparison of sufentanil versus fentanyl in ventilated term neonates. *Klin Päd* 222: 62–66
- Scholz J, Steinfath M, Schulz M (1996) Clinical pharmacokinetics of alfentanil, fentanyl and sufentanil. *Clin Pharmacokinet* 31: 275–292
- Schwartz AE, Matteo RS, Ornstein E, Thornhill M (1987) Pharmacokinetics of sufentanil in hyperventilated patients. *Anesth Analg* 66: S151
- Seguin JH, Erenberg A, Leff RD (1994) Safety and efficacy of sufentanil therapy in the ventilated infant. *Neonatal network: NN* 13: 37–40
- Shah V, Taddio A, Ohlsson A (1998) Randomised controlled trial of paracetamol for heel prick pain in neonates. *Arch Dis Child Fetal Neonatal Ed* 79: F209–211
- Shanahan EC, Marshall AG, Garrett CPO (1983) Adverse reactions to intravenous codeine phosphate in children. *Anaesthesia* 38: 40–43
- Sharar SR, Garrougier MN, Selzer K, O'Donnel F, Vavilala MS, Lee LD (2002) A comparison of oral transmucosal fentanyl citrate and oral oxycodone for pediatric outpatient wound care. *J Burn Care Rehabil* 23: 27–31
- Shir Y, Shenkman Z, Shavelson V, Davidson EM, Rosen G (1998) Oral methadone for the treatment of severe pain in hospitalized children: a report of five cases. *Clin J Pain* 14: 350–353
- Shlugman D, Dufore S, Dershwitz M, Michalowski P, Hoke J, Muir KT, Rosow C, Glass PSA (1994) Respiratory effects

- of remifentanyl in subjects with severe renal impairment compared with matched controls. *Anesthesiol* 81: 1417
- Simons SH, Roofthoof DW, van Dijk M, van Lingen RA, Duivenvoorden HJ, Van den Anker JN, Tibboel D (2006) Morphine in ventilated neonates: its effects on arterial blood pressure. *Arch Dis Child Fetal Neonatal* Ed 91: F46–51
- Sjogren P, Dragstedt L, Christensen CB (1993) Myoclonic spasms during treatment with high doses of intravenous morphine in renal failure. *Acta Anaesthesiol Scand* 37: 780–782
- Sommer M, Riedel J, Fusch C, Fetsge OA, Hachenberg T (2001) Intravenous anaesthesia with remifentanyl in a preterm infant. *Paediatr Anaesth* 11: 252–254
- Spencer CM, Gunasekara NS, Hills C (1999) Zolmitriptan. *Drugs* 58: 347–374
- Stamer U, Stüber F (2004) Pharmakogenetik und pädiatrische Schmerztherapie. *Kinder- und Jugendmedizin* 4: 161–167
- Standing JF, Savage I, Pritchard D, Waddington M (2009) Diclofenac for acute pain in children. *Cochrane Database Syst Rev* 4: CD005538
- Standing JF, Tibboel D, Korpela R, Olkkola KT (2011) Diclofenac pharmacokinetic meta-analysis and dose recommendations for surgical pain in children aged 1–12 years. *Paediatr Anaesth* 21: 316–324
- Steans A, Manners PJ, Robinson IG (1990) A multicentre, long-term evaluation of the safety and efficacy of ibuprofen syrup in children with juvenile chronic arthritis. *Br J Clin Pract* 44: 172–175
- Stemland CJ, Witte J, Colquhoun DA, Durieux ME, Langman LJ, Balireddy R, Thammishetti S, Abel MF, Anderson BJ (2013) The pharmacokinetics of methadone in adolescents undergoing posterior spinal fusion. *Paediatr Anaesth* 23: 51–57
- Stempak D, Gammon J, Klein J, Koren G, Baruchel S (2002) Single-dose and steady-state pharmacokinetics of celecoxib in children. *Clin Pharmacol Ther* 72: 490–497
- Stile IL, Fort M, Wurzbarger RJ, Rodvold KA, Spector S, Hiatt IM, Hegyi T (1987) The pharmacokinetics of naloxone in the premature newborn. *Dev Pharmacol Ther* 10: 454
- Stone S (2002) Brief Clinical Report. Case report of buprenorphine hydrochloride (Subutex) in a 4-year-old asthmatic male. *J Subst Use* 7: 124
- Streisand JB, Hague B, Van Vreeswijk H, Ho GH, Pace NL, Clissold M, Nelson P, East KA, Stanley TO, Stanley TH (1987) Oral transmucosal fentanyl premedication in children. *Anesth Analg* 66: S170
- Tachibana K, Hashimoto T, Kato R, Uchida Y, Ito R, Takita K, Morimoto Y (2012) Neonatal administration with dexmedetomidine does not impair the rat hippocampal synaptic plasticity later in adulthood. *Paediatr Anaesth* 22: 713–719
- Tegeder I, Lotsch J, Geisslinger G (1999) Pharmacokinetics of opioids in liver disease. *Clin Pharmacokinet* 37: 17–40
- Tempel A, Habas J, Paredes W, Barr GA (1988) Morphine-induced downregulation of mu-opioid receptors in neonatal rat brain. *Dev Brain Res* 41: 129–133
- Tepper SJ, Rapoport AM, Sheftell FD (2002) Mechanisms of action of the 5-HT_{1B/1D} receptor agonists. *Arch Neurol* 59: 1084–1088
- Tiippana E, Hamunen K, Kontinen V, Kalso E (2013) The effect of paracetamol and tropisetron on pain: experimental studies and a review of published data. *Basic Clin Pharmacol Toxicol* 112: 124–131
- Tobias JD (1996) Tramadol for postoperative analgesia in adolescents following orthopedic surgery in a third world country. *Am J Pain* 6: 51–53
- Tobias JD (1997) Seizure after overdose of tramadol. *South Med J* 90: 826–827
- Tremlett M, Anderson BJ, Wolf A (2010) Pro-con debate: is codeine a drug that still has a useful role in pediatric practice? *Paediatr Anaesth* 20: 183–194
- Trieschmann U, Hering F, Laschat M, Holzk J (1996) Clonidin in der Analgesiedierung bei Kindern. *Schmerz* 10: P3.4
- Tzortzopoulou A, McNicol ED, Cepeda MS, Francia MB, Farhat T, Schumann R (2011) Single dose intravenous propacetamol or intravenous paracetamol for postoperative pain. *Cochrane Database Syst Rev* 10: CD007126.pub2
- Vadivelu N, Hines RL (2007) Buprenorphine: a unique opioid with broad clinical applications. *J Opioid Manage* 3: 49
- Van Alfen-Van Der Velden A, Hopman JCW, Klaessens JHGM, Feuth T, Sengers RCA, Liem KD (2006) Effects of midazolam and morphine on cerebral oxygenation and hemodynamics in ventilated premature infants. *Neonatology* 90: 197–202
- Van der Marel CD, Peters JWB, Bouwmeester NJ, Jacqz-Aigrain E, Van den Anker JN, Tibboel D (2007) Rectal acetaminophen does not reduce morphine consumption after major surgery in young infants. *Br J Anaesth* 98: 372–379
- van Lingen RA, Quak C, Deinum H, Van de Logt F, Van Eyck J, Okken A (1995) Clinical effects of rectally administered acetaminophen (APAP) on infants delivered by vacuum-extraction (VE). *Pediatr Res* 38: 458
- van Lingen RA, Deinum JT, Quak JME, Kuizenga AJ, van Dam JG, Anand KJS, Tibboel D, Okken A (1999) Pharmacokinetics and metabolism of rectally administered paracetamol in preterm neonates. *Arch Dis Child Fetal Neonatal* Ed 80: F59–F63
- Van Overmeire B, Touw D, Schepens PJ, Kearns GL, van den Anker JN (2001) Ibuprofen pharmacokinetics in preterm infants with patent ductus arteriosus. *Clin Pharmacol Ther* 70: 336–343
- Vanegas H, Schaible HG (2001) Prostaglandins and cyclooxygenases in the spinal cord. *Prog Neurobiol* 64: 327–363
- Vinik HR, Kissin I (1998) Rapid development of tolerance to analgesia during remifentanyl infusion in humans. *Anesth Analg* 86: 1307–1311
- Voepel-Lewis T, Wagner D, Burke C, Tait AR, Hemberg J, Pechlivanidis E, Malviya S, Talsma A (2013) Early adjuvant use of nonopioids associated with reduced odds of serious postoperative opioid adverse events and need for rescue in children. *Paediatr Anaesth* 23: 162–169
- Vondracek P, Oslejskova H, Kepak T, Mazanek P, Sterba J, Rysava M, Gal P (2009) Efficacy of pregabalin in neuro-

- pathic pain in paediatric oncological patients. *Eur J Paed Neurol* 13: 1–332
- Waldvogel HH (2001) Analgetika Antinoizeptiva, Adjuvantien. Handbuch für die Schmerzpraxis. 2. Aufl. Springer, Berlin
- Walker SM, Grafe M, Yaksh TL (2012) Intrathecal clonidine in the neonatal rat: dose-dependent analgesia and evaluation of spinal apoptosis and toxicity. *Anesth Analg* 115: 450–460
- Walson PD, Mortensen ME (1989) Pharmacokinetics of common analgesics, anti-inflammatories and antipyretics in children. *Clin Pharmacokinet* 17: 116–137
- Walson PD, Halvorsen M, Edge J, Casavant MJ, Kelley MT (2013) Pharmacokinetic comparison of acetaminophen elixir versus suppositories in vaccinated infants (aged 3 to 36 months): a single-dose, open-label, randomized, parallel-group design. *Clin Ther* 35: 135–140
- Wandless JG (1987) A comparison of nalbuphine with morphine for post-orchidopexy pain. *Eur J Anaesthesiol* 4: 127–132
- Wang C, Allegaert K, Tibboel D, Danhof M, van der Marel CD, Mathot RA, Kribbe CA (2014) Population pharmacokinetics of paracetamol across the human age-range from (pre) term neonates, infants, children to adults. *J Clin Pharmacol* 54: 619–629
- Waterworth TA (1974) Pentazocine (Fortral) as postoperative analgesic in children. *Arch Dis Child* 49: 488
- Way WL, Costley EC, Leongway E (1965) Respiratory sensitivity of the newborn infant to meperidine and morphine. *Clin Pharmacol Ther* 6: 454–461
- Wee LH, Moriarty A, Cranston A, Bagshaw O (1999) Remifentanyl infusion for major abdominal surgery in small infants. *Paediatr Anaesth* 9: 415–418
- Wells TG, Mortensen ME, Dietrich A, Walson PD, Blasier RD, Kearns GL (1994) Comparison of the pharmacokinetics of naproxen tablets and suspension in children. *J Clin Pharmacol* 34: 30–33
- Welzing L, Ebenfeld S, Dlugay V, Wiesen MH, Roth B, Mueller C (2011) Remifentanyl degradation in umbilical cord blood of preterm infants. *Anesthesiol* 114: 570–577
- Welzing L, Oberthuer A, Junghaenel S, Harnischmacher U, Stützer H, Roth B (2012) Remifentanyl/midazolam versus fentanyl/midazolam for analgesia and sedation of mechanically ventilated neonates and young infants: a randomized controlled trial. *Intensive Care Med* 38: 1017–1024
- Welzing L, Link F, Junghaenel S, Oberthuer A, Harnischmacher U, Stuetzer H, Roth B (2013) Remifentanyl-induced tolerance, withdrawal or hyperalgesia in infants: a randomized controlled trial. RAPID trial: remifentanyl-based analgesia and sedation of paediatric intensive care patients. *Neonatology* 104: 34–41
- Wiest DB, Ohning BL, Garner SS (1991) The disposition of alfentanil in neonates with respiratory distress. *Pharmacother* 11: 308–311
- Wilhelm W, Dorscheid E, Schlaich N, Niederprüm P, Deller D (1999) Remifentanyl zur Analgosedierung von Intensivpatienten Klinische Anwendung und erste Erfahrungen. *Anaesthesist* 48: 625–629
- Wilkins JN, Ashofteh A, Setoda D, Wheatley WS, Huigen H, Ling W (1997) Ultrafiltration using the Amicon MPS-1 for assessing methadone plasma protein binding. *Ther Drug Monit* 19: 83–87
- Williams DG, Hatch DJ, Howard RF (2001) Codeine phosphate in paediatric medicine. *Br J Anaesth* 86: 413–421
- Wilson JM, Lund DP, Lillehei CW, Vacanti JP (1997) Congenital diaphragmatic hernia – a tale of two cities: the Boston experience. *J Pediatr Surg* 32: 401–415
- Wohltmann M, Roth BL, Coscia CJ (1982) Differential postnatal development of mu and delta opiate receptors. *Dev Brain Res* 3: 679–684
- Wong I, John-Green S, Walker SM (2013a) Opioid-sparing effects of perioperative paracetamol and nonsteroidal anti-inflammatory drugs (NSAIDs) in children. *Paediatr Anaesth* 23: 475–495
- Wong T, Stang AS, Ganshorn H, Hartling L, Maconochie IK, Thomsen AM, Johnson DW (2013b) Combined and alternating paracetamol and ibuprofen therapy for febrile children. *Cochrane Database Syst Rev* 10: CD009572. pub2
- Yaman H, Belada A, Yilmaz S (2011) The effect of ibuprofen on postoperative hemorrhage following tonsillectomy in children. *Eur Arch Otorhinolaryngol* 268: 615–617
- Yaster M (1987) The dose response of fentanyl in neonatal anesthesia. *Anesthesiol* 66: 433–435
- Yaster M, Deshpande JK (1988) Management of pediatric pain with opioid analgesics. *J Pediatr* 113: 421–429
- Yossuck P, Nightengale BJ, Fortney JE, Gibson LF (2008) Effect of morphine sulfate on neonatal neutrophil chemotaxis. *Clin J Pain* 24: 76–82
- Zanette G, Manani G, Giusti F, Pittoni G, Ori C (1996) Respiratory depression following administration of low dose buprenorphine as postoperative analgesic after fentanyl balanced anaesthesia. *Paediatr Anaesth* 6: 419–422
- Zedie N, Amory DW, Wagner BK, O'Hara DA (1996) Comparison of intranasal midazolam and sufentanil premedication in pediatric outpatients. *Clin Pharmacol Ther* 59: 341–348
- Zelis R, Mansour EJ, Capone RJ, Mason DT (1974) The cardiovascular effects of morphine the peripheral capacitance and resistance vessels in human subjects. *J Clin Invest* 54: 1247
- Zernikow B, Griebinger N, Fengler R (1999) Praktische Schmerztherapie in der Kinderonkologie: Empfehlungen der Qualitätssicherungsgruppe der Gesellschaft für Pädiatrische Onkologie und Hämatologie (GPOH). *Monatsschr Kinderheilkd* 147:438–456
- Zernikow B, Schiessl C, Wamsler C, Griebinger N, Sittl R (2005) Opioidtherapie chronischer Schmerzen bei Kindern – Fallbesprechungen. *Schmerz* 19: 418–425
- Zernikow B, Michel E, Anderson BJ (2007) Transdermal fentanyl in childhood and adolescence: a comprehensive literature review. *J Pain* 8: 187–207
- Zhao J, Xin X, Xie Gx, Palmer PP, Huang Yg (2012) Molecular and cellular mechanisms of the age-dependency of opioid analgesia and tolerance. *Mol Pain* 8: 38

- Zucker TP, Flesche CW (1993) Unerwünschte Nebenwirkung: Thrombophlebitis unter kontinuierlicher Piritramid-Infusion. *Anästhesiol Intensivmed* 34: 360
- Zwaveling J, Bubbers S, Van Meurs AHJ, Schoemaker RC, van Heel IR-D, Vermeij P, Burggraaf J (2004) Pharmacokinetics of rectal tramadol in postoperative paediatric patients. *Br J Anaesth* 93: 224–227