enfocus PITSTOPSERVER

CERTIFIED PDF

Preflight Report

Warnings

- Page is empty inside trim box (7x on pages 12,14,22,104,150,160,168)
- Font MinionPro-It, MyriadPro-Regular, TimesNewRomanPS-BoldMT, TimesNewRomanPSMT uses an artificial bold style --> please check if used font family includes the used font style originally i.e. BOLD (25x on pages 4,49,69,83,102)
- Font ArialUnicodeMS-KSCms-UHC-H-Identity-H uses an artificial italic style --> please check if used font family includes the used font style originally i.e. BOLD (1x on page 164)
- Font ArialUnicodeMS-KSCms-UHC-H-Identity-H, TimesNewRomanPS-ItalicMT-Identity-H, TimesNewRomanPSMT-Identity-H is a composite font --> info message (93x on pages 26...167)
- Compression ratio of image is more than 15 --> please use correct jopotions (SpringerNature_Print) (2x on pages 28,100)
- Media box origin is not at coordinates 0,0 (168x on pages 1-168)



enfocus PITSTOPSERVER

CERTIFIED PDF

General File Information

Processing

Certified PDF status	Preflighted successfully
Preflight Profile	SpringerNature_Print_Books_V13_2016_09_14
Created by	Mark Rübsam / Klaus Rüschhoff Springer Nature
Pages processed	1-168
Application used to preflight	Enfocus PitStop Server 13 update 2 powered by Enfocus PitStop Library 13 update 2
Application used to create the report	Enfocus PitStop Library 13 update 2
Preflighted on	UTC: October 8, 2016 - 07:21:52 [October 8, 2016 - 12:51:52]

Document properties

Document Name	978-3-662-51475-7_Book_PrintPDF.pdf
Number of pages	168
PDF Version	1.3
Creation Date	UTC: September 3, 2016 - 01:19:04 [September 3, 2016 - 06:49:04]
Modification Date	UTC: October 8, 2016 - 07:17:59 [October 8, 2016 - 12:47:59]
Producer	Acrobat Distiller 9.4.0(Windows)
Creator	Adobe InDesign CS5.5 (7.5)
Author	-
Title	-
Subject	-
Keywords	-
Trapped	no
Trapping Information Present	no
Repaired on Open	no
Optimized for Fast Web View	no
Thumbnails Present	no
Binding	left
Job Ticket Present	no

Security

Encryption Type	not encrypted
Content Copying or Extraction	allowed
Content Access for Disabled Users	allowed
Adding or Modifying Annotations	allowed
Creating or Modifying Form Fields	allowed
Form Field Fill-in or Signing	allowed
Document Assembly	allowed
Other Document Modifications	allowed
Printing	high resolution

Compression

Data format	binary
Document structure compressed	yes
Filters used	JPEG, ZIP



enfocus PITSTOPSERVER



Certified PDF Workflow Information

Status Incoming Document

Not Certified

Action:


Started Certified PDF workflow

Status Outgoing Document


Preflight Profile Name:	SpringerNature_Print_Books_V13_2016_09_14
Author:	Mark Rübsam / Klaus Rüschhoff
Company:	Springer Nature
Document Status	Preflighted successfully
Preflight Profile Status	Match

Page Boxes

Defined page boxes



Effective page boxes



Page box	Defined size	Effective size
Media box (M)	216.03 x 285.04 mm	216.03 x 285.04 mm
Crop box (C)	216.03 x 285.04 mm	216.03 x 285.04 mm
Trim box (T)	210.03 x 279.03 mm	210.03 x 279.03 mm
Bleed box (B)	216.03 x 285.04 mm	216.03 x 285.04 mm
Art box (A)	not defined	216.03 x 285.04 mm

Defined for pages 1-168
Media box starts at : (-3.01, -3.02) mm
Page rotation : 0 degrees
Page scaling factor : 1

Font Information

PostScript font name	Type	Embedded as	Subset	Encoding
MyriadPro-Regular	Type 1	Type 1	yes	Custom
TimesNewRomanPS-BoldMT	Type 1	Type 1	yes	Custom
TimesNewRomanPSMT	Type 1	Type 1	yes	Custom
Times-Roman	Type 1	Type 1	yes	Custom
MinionPro-It	Type 1	Type 1	yes	Custom
Myriad-Roman	Type 1	Type 1	yes	Custom
MyriadPro-Bold	Type 1	Type 1	yes	Custom
Times-Italic	Type 1	Type 1	yes	Custom
TimesNewRomanPS-ItalicMT	Type 1	Type 1	yes	Custom
Times-Bold	Type 1	Type 1	yes	Custom
ArialUnicodeMS-KSCms-UHC-H-Identity-H	Composite T1	Type 1	yes	Identity-H
Symbol	Type 1	Type 1	yes	Custom
MyriadPro-BoldIt	Type 1	Type 1	yes	Custom
MyriadPro-It	Type 1	Type 1	yes	Custom
TimesNewRomanPS-ItalicMT-Identity-H	Composite T1	Type 1	yes	Identity-H
TimesNewRomanPSMT-Identity-H	Composite T1	Type 1	yes	Identity-H
MinionPro-Regular	Type 1	Type 1	yes	Custom

enfocus PITSTOPSERVER

CERTIFIED PDF

Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Color	CMYK	1371x2776	299.9x300	8	20	0	-	-	-	-	-	-
Color	CMYK	2008x1566	599.8x599.8	8	28	0	-	-	-	-	-	-
Grayscale	Gray	1004x1274	299.9x299.9	8	30	0	-	-	-	-	-	-
Color	CMYK	1004x1290	299.9x299.9	8	31	0	-	-	-	-	-	-
Color	CMYK	2055x2074	299.9x300	8	36	0	-	-	-	-	-	-
Grayscale	Gray	1004x1404	299.9x299.9	8	38	0	-	-	-	-	-	-
Grayscale	Gray	1004x698	299.9x299.9	8	38	0	-	-	-	-	-	-
Grayscale	Gray	478x614	299.7x299.9	8	38	0	-	-	-	-	-	-
Grayscale	Gray	1530x1010	299.9x299.9	8	39	0	-	-	-	-	-	-
Grayscale	Gray	1004x669	299.9x299.9	8	40	0	-	-	-	-	-	-
Grayscale	Gray	1004x669	299.9x299.9	8	47	0	-	-	-	-	-	-
Grayscale	Gray	1004x669	299.9x299.9	8	47	0	-	-	-	-	-	-
Grayscale	Gray	1004x773	299.9x299.9	8	40	0	-	-	-	-	-	-
Grayscale	Gray	1530x1020	299.9x299.9	8	40	0	-	-	-	-	-	-
Grayscale	Gray	478x688	299.7x299.9	8	41	0	-	-	-	-	-	-
Color	CMYK	1004x1344	299.9x299.9	8	42	0	-	-	-	-	-	-
Color	CMYK	2055x1066	299.9x299.9	8	42	0	-	-	-	-	-	-
Color	CMYK	1004x1426	299.9x299.9	8	44	0	-	-	-	-	-	-
Color	CMYK	760x1004	299.8x299.9	8	44	0	-	-	-	-	-	-
Color	CMYK	1004x1013	299.9x299.9	8	45	0	-	-	-	-	-	-
Color	CMYK	1004x1931	299.9x300	8	45	0	-	-	-	-	-	-
Color	CMYK	1004x775	299.9x299.9	8	45	0	-	-	-	-	-	-
Color	CMYK	1004x770	299.9x299.9	8	46	0	-	-	-	-	-	-
Grayscale	Gray	1004x1762	299.9x300	8	46	0	-	-	-	-	-	-
Grayscale	Gray	1004x1339	299.9x299.9	8	47	0	-	-	-	-	-	-
Grayscale	Gray	1004x753	299.9x299.9	8	47	0	-	-	-	-	-	-
Color	CMYK	2055x2065	299.9x300	8	50	0	-	-	-	-	-	-
Color	CMYK	1004x1001	299.9x299.9	8	52	0	-	-	-	-	-	-
Color	CMYK	1004x1001	299.9x299.9	8	54	0	-	-	-	-	-	-
Grayscale	Gray	2055x346	299.9x299.8	8	52	0	-	-	-	-	-	-
Color	CMYK	1004x1016	299.9x299.9	8	53	0	-	-	-	-	-	-
Grayscale	Gray	1004x1005	299.9x299.9	8	54	0	-	-	-	-	-	-
Grayscale	Gray	1530x772	299.9x299.9	8	54	0	-	-	-	-	-	-
Color	CMYK	1004x1007	299.9x299.9	8	55	0	-	-	-	-	-	-
Color	CMYK	1004x1007	299.9x299.9	8	100	0	-	-	-	-	-	-
Color	CMYK	1004x2004	299.9x300	8	55	0	-	-	-	-	-	-
Grayscale	Gray	1004x1940	299.9x300	8	56	0	-	-	-	-	-	-
Grayscale	Gray	1004x889	299.9x299.9	8	56	0	-	-	-	-	-	-
Color	CMYK	1004x1568	299.9x299.9	8	57	0	-	-	-	-	-	-
Grayscale	Gray	1004x1190	299.9x299.9	8	57	0	-	-	-	-	-	-
Color	CMYK	1004x1036	299.9x299.9	8	58	0	-	-	-	-	-	-

enfocus PITSTOPSERVER

CERTIFIED PDF

Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Color	CMYK	1004x1284	299.9x299.9	8	58	0	-	-	-	-	-	-
Color	CMYK	1004x1294	299.9x299.9	8	58	0	-	-	-	-	-	-
Color	CMYK	1004x2032	299.9x300	8	59	0	-	-	-	-	-	-
Color	CMYK	1004x874	299.9x299.9	8	59	0	-	-	-	-	-	-
Color	CMYK	1004x1398	299.9x299.9	8	60	0	-	-	-	-	-	-
Color	CMYK	1004x774	299.9x299.9	8	60	0	-	-	-	-	-	-
Color	CMYK	1004x1009	299.9x299.9	8	61	0	-	-	-	-	-	-
Color	CMYK	1530x774	299.9x299.9	8	61	0	-	-	-	-	-	-
Color	CMYK	1004x762	299.9x299.9	8	62	0	-	-	-	-	-	-
Color	CMYK	1004x938	299.9x299.9	8	62	0	-	-	-	-	-	-
Color	CMYK	1530x603	299.9x299.9	8	62	0	-	-	-	-	-	-
Grayscale	Gray	1004x1420	299.9x299.9	8	63	0	-	-	-	-	-	-
Color	CMYK	1004x781	299.9x299.9	8	64	0	-	-	-	-	-	-
Color	CMYK	2055x305	299.9x299.7	8	64	0	-	-	-	-	-	-
Color	CMYK	1004x672	299.9x299.9	8	65	0	-	-	-	-	-	-
Color	CMYK	1530x733	299.9x299.9	8	65	0	-	-	-	-	-	-
Color	CMYK	4111x1607	599.9x600.1	8	66	0	-	-	-	-	-	-
Color	CMYK	1004x1847	299.9x300	8	67	0	-	-	-	-	-	-
Color	CMYK	1004x2033	299.9x300	8	67	0	-	-	-	-	-	-
Color	CMYK	1530x1196	299.9x299.9	8	68	0	-	-	-	-	-	-
Grayscale	Gray	1530x928	299.9x299.9	8	68	0	-	-	-	-	-	-
Color	CMYK	2055x1040	299.9x299.9	8	70	0	-	-	-	-	-	-
Color	CMYK	1004x1749	299.9x300	8	72	0	-	-	-	-	-	-
Color	CMYK	1004x666	299.9x299.9	8	80	0	-	-	-	-	-	-
Grayscale	Gray	1004x1567	299.9x299.9	8	80	0	-	-	-	-	-	-
Color	CMYK	2055x1118	299.9x299.9	8	84	0	-	-	-	-	-	-
Grayscale	Gray	1004x661	299.9x299.9	8	87	0	-	-	-	-	-	-
Grayscale	Gray	1004x1284	299.9x299.9	8	88	0	-	-	-	-	-	-
Grayscale	Gray	1004x1323	299.9x299.9	8	88	0	-	-	-	-	-	-
Color	CMYK	1004x1283	299.9x299.9	8	89	0	-	-	-	-	-	-
Color	CMYK	1004x1293	299.9x299.9	8	89	0	-	-	-	-	-	-
Color	CMYK	1530x832	299.9x299.9	8	89	0	-	-	-	-	-	-
Color	CMYK	1004x699	299.9x299.9	8	93	0	-	-	-	-	-	-
Color	CMYK	1004x677	299.9x299.9	8	94	0	-	-	-	-	-	-
Color	CMYK	2055x807	299.9x299.9	8	94	0	-	-	-	-	-	-
Color	CMYK	1530x1930	299.9x300	8	95	0	-	-	-	-	-	-
Grayscale	Gray	1004x706	299.9x299.9	8	95	0	-	-	-	-	-	-
Color	CMYK	1004x1069	299.9x299.9	8	96	0	-	-	-	-	-	-
Color	CMYK	1004x2008	299.9x300	8	96	0	-	-	-	-	-	-
Color	CMYK	1004x815	299.9x299.9	8	96	0	-	-	-	-	-	-
Color	CMYK	1004x1504	299.9x299.9	8	97	0	-	-	-	-	-	-

Image Information

Type	Color Space	Size (pixels)	Resolution (ppi)	Bits per channel	Page	Angle (degrees)	Shear	Flipped	Custom Transfer	Custom Halftone	Custom BG	Custom UCR
Color	CMYK	1530x1187	457x457	8	97	0	-	-	-	-	-	-
Color	CMYK	1004x1441	299.9x299.9	8	99	0	-	-	-	-	-	-
Color	CMYK	1004x1381	299.9x299.9	8	100	0	-	-	-	-	-	-
Color	CMYK	2055x1044	299.9x299.9	8	101	0	-	-	-	-	-	-
Grayscale	Gray	2055x1039	299.9x299.9	8	102	0	-	-	-	-	-	-
Color	CMYK	2055x1400	299.9x299.9	8	103	0	-	-	-	-	-	-
Color	CMYK	1530x1042	299.9x299.9	8	107	0	-	-	-	-	-	-
Color	CMYK	1004x1497	299.9x299.9	8	108	0	-	-	-	-	-	-
Color	CMYK	1530x1047	299.9x299.9	8	108	0	-	-	-	-	-	-
Grayscale	Gray	1004x1282	299.9x299.9	8	109	0	-	-	-	-	-	-
Grayscale	Gray	1004x1480	299.9x299.9	8	109	0	-	-	-	-	-	-
Color	CMYK	1004x1462	299.9x299.9	8	110	0	-	-	-	-	-	-
Grayscale	Gray	1004x1273	299.9x299.9	8	110	0	-	-	-	-	-	-
Color	CMYK	1004x1471	299.9x299.9	8	111	0	-	-	-	-	-	-
Color	CMYK	1004x1476	299.9x299.9	8	111	0	-	-	-	-	-	-
Color	CMYK	1530x1052	299.9x299.9	8	111	0	-	-	-	-	-	-
Grayscale	Gray	2055x981	299.9x299.9	8	116	0	-	-	-	-	-	-
Grayscale	Gray	1004x1276	299.9x299.9	8	117	0	-	-	-	-	-	-
Grayscale	Gray	1530x758	299.9x299.9	8	117	0	-	-	-	-	-	-
Color	CMYK	1530x1926	299.9x300	8	118	0	-	-	-	-	-	-
Color	CMYK	2055x2612	299.9x300	8	120	0	-	-	-	-	-	-

OPI Information

No OPI

Color Information

Item	Value
Color Space	CMYK
Page	1,3,5-11,13,15-21,23-103,105-149,151-159,161-167
Color Space	Separation (Process color)
Page	1-11,13,15-19,21,23-35,37-49,51-69,71-83,85-102,105-119,121-149,151-159,161-167
Name	Black
Alternate Space	CMYK
CMYK values	[0, 0, 0, 1]
Color Space	Gray
Page	4,30,38-41,46-47,52,54,56-57,63,68,80,87-88,95,102,109-110,116-117

Ink Information

Document

Ink	Percentage	Surface
Black	9.71%	1004150.74 sq mm
Cyan	3.68%	380926.71 sq mm
Magenta	3.34%	345410.48 sq mm
Yellow	3%	310499.57 sq mm
Total	19.74%	2040987.49 sq mm

Page 1

Ink	Percentage	Surface
Black	2.89%	1780.19 sq mm
Total	2.89%	1780.19 sq mm

Page 2

Ink	Percentage	Surface
Black	0.96%	591.53 sq mm
Total	0.96%	591.53 sq mm

Page 3

Ink	Percentage	Surface
Black	1.06%	651.63 sq mm
Total	1.06%	651.63 sq mm

Page 4

Ink	Percentage	Surface
Black	1.93%	1189.67 sq mm
Total	1.93%	1189.67 sq mm

Page 5

Ink	Percentage	Surface
Black	4.73%	2913.34 sq mm
Total	4.73%	2913.34 sq mm

Page 6

Ink	Percentage	Surface
Black	1.83%	1128.36 sq mm
Total	1.83%	1128.36 sq mm

Page 7

Ink	Percentage	Surface
Black	4.68%	2881.32 sq mm
Total	4.68%	2881.32 sq mm

Page 8

Ink	Percentage	Surface
Black	2.07%	1274.11 sq mm
Total	2.07%	1274.11 sq mm

Page 9

Ink	Percentage	Surface
Black	1.91%	1174.11 sq mm
Total	1.91%	1174.11 sq mm

Page 10

Ink	Percentage	Surface
Black	2.31%	1424.04 sq mm
Total	2.31%	1424.04 sq mm

Page 11

Ink	Percentage	Surface
Black	2.12%	1303.89 sq mm
Total	2.12%	1303.89 sq mm

Pages 12,14,22,104,150,160,168 don't use any inks

Page 13

Ink	Percentage	Surface
Black	0.19%	118.34 sq mm
Total	0.19%	118.34 sq mm

Page 15

Ink	Percentage	Surface
Black	6.55%	4031.69 sq mm
Total	6.55%	4031.69 sq mm

Page 16

Ink	Percentage	Surface
Black	8.01%	4928.35 sq mm
Total	8.01%	4928.35 sq mm

Page 17

Ink	Percentage	Surface
Black	7.97%	4906.2 sq mm
Total	7.97%	4906.2 sq mm

Page 18

Ink	Percentage	Surface
Black	8.16%	5019.89 sq mm
Total	8.16%	5019.89 sq mm

Page 19

Ink	Percentage	Surface
Black	2.9%	1785.44 sq mm
Total	2.9%	1785.44 sq mm

Page 20

Ink	Percentage	Surface
Cyan	24.07%	14811.99 sq mm
Magenta	20.6%	12675.36 sq mm
Yellow	18.79%	11566.27 sq mm
Black	21.34%	13133.61 sq mm
Total	84.8%	52187.22 sq mm

Page 21

Ink	Percentage	Surface
Black	0.19%	119.5 sq mm
Total	0.19%	119.5 sq mm

Page 23

Ink	Percentage	Surface
Black	5.9%	3633.95 sq mm
Total	5.9%	3633.95 sq mm

Page 24

Ink	Percentage	Surface
Black	7.09%	4362.53 sq mm
Total	7.09%	4362.53 sq mm

Page 25

Ink	Percentage	Surface
Black	7.29%	4487.08 sq mm
Total	7.29%	4487.08 sq mm

Page 26

Ink	Percentage	Surface
Black	7.33%	4510.35 sq mm
Total	7.33%	4510.35 sq mm

Page 27

Ink	Percentage	Surface
Black	7.11%	4374.81 sq mm
Total	7.11%	4374.81 sq mm

Page 28

Ink	Percentage	Surface
Cyan	4.7%	2894.8 sq mm
Magenta	4.06%	2499.36 sq mm
Yellow	2.52%	1548 sq mm
Black	8.32%	5120.28 sq mm
Total	19.6%	12062.44 sq mm

Page 29

Ink	Percentage	Surface
Black	7.11%	4377.69 sq mm
Total	7.11%	4377.69 sq mm

Page 30

Ink	Percentage	Surface
Black	13.7%	8433.41 sq mm
Total	13.7%	8433.41 sq mm

Page 31

Ink	Percentage	Surface
Cyan	7.97%	4902.03 sq mm
Magenta	7.78%	4787.43 sq mm
Yellow	5.78%	3555.7 sq mm
Black	13.78%	8482.57 sq mm
Total	35.31%	21727.74 sq mm

Page 32

Ink	Percentage	Surface
Black	7.23%	4450.12 sq mm
Total	7.23%	4450.12 sq mm

Page 33

Ink	Percentage	Surface
Black	7.59%	4673.68 sq mm
Total	7.59%	4673.68 sq mm

Page 34

Ink	Percentage	Surface
Black	7.57%	4657.23 sq mm
Total	7.57%	4657.23 sq mm

Page 35

Ink	Percentage	Surface
Black	7.72%	4748.69 sq mm
Total	7.72%	4748.69 sq mm

Page 36

Ink	Percentage	Surface
Cyan	19.87%	12229.34 sq mm
Magenta	16.67%	10260.45 sq mm
Yellow	16.09%	9902.7 sq mm
Black	12.78%	7866.5 sq mm
Total	65.42%	40258.99 sq mm

Page 37

Ink	Percentage	Surface

Black	5.81%	3578.11 sq mm
Total	5.81%	3578.11 sq mm

Page 38

Ink	Percentage	Surface
Black	19.07%	11735.14 sq mm
Total	19.07%	11735.14 sq mm

Page 39

Ink	Percentage	Surface
Black	13.06%	8039.19 sq mm
Total	13.06%	8039.19 sq mm

Page 40

Ink	Percentage	Surface
Black	20.16%	12406.56 sq mm
Total	20.16%	12406.56 sq mm

Page 41

Ink	Percentage	Surface
Black	9.18%	5652.11 sq mm
Total	9.18%	5652.11 sq mm

Page 42

Ink	Percentage	Surface
Cyan	15.66%	9637.04 sq mm
Magenta	12.21%	7513.49 sq mm
Yellow	13.24%	8145.94 sq mm
Black	11.84%	7283.55 sq mm
Total	52.94%	32580.02 sq mm

Page 43

Ink	Percentage	Surface
Black	7.53%	4631.82 sq mm
Total	7.53%	4631.82 sq mm

Page 44

Ink	Percentage	Surface
Cyan	9.07%	5581.72 sq mm
Magenta	8.21%	5054.63 sq mm
Yellow	9.15%	5629.59 sq mm
Black	10.79%	6639.06 sq mm
Total	37.22%	22905 sq mm

Page 45

Ink	Percentage	Surface
Cyan	17.48%	10756.03 sq mm
Magenta	13.39%	8237.34 sq mm
Yellow	13.07%	8040.96 sq mm
Black	12.05%	7417.35 sq mm
Total	55.98%	34451.68 sq mm

Page 46

Ink	Percentage	Surface
Cyan	3.91%	2405.49 sq mm
Magenta	2.95%	1817.92 sq mm
Yellow	2.66%	1639.28 sq mm
Black	20.62%	12686.72 sq mm
Total	30.14%	18549.41 sq mm

Page 47

Ink	Percentage	Surface
Black	30.2%	18585.64 sq mm
Total	30.2%	18585.64 sq mm

Page 48

Ink	Percentage	Surface
Black	7.44%	4578.9 sq mm
Total	7.44%	4578.9 sq mm

Page 49

Ink	Percentage	Surface
Black	7.95%	4894.29 sq mm
Total	7.95%	4894.29 sq mm

Page 50

Ink	Percentage	Surface
Cyan	25.27%	15550.99 sq mm
Magenta	18.33%	11283.15 sq mm
Yellow	19.55%	12028.85 sq mm
Black	20.24%	12453.66 sq mm
Total	83.39%	51316.65 sq mm

Page 51

Ink	Percentage	Surface
Black	6.08%	3743.17 sq mm
Total	6.08%	3743.17 sq mm

Page 52

Ink	Percentage	Surface
Cyan	4.58%	2820.93 sq mm
Magenta	7.15%	4397.74 sq mm
Yellow	6.54%	4027.33 sq mm
Black	18.07%	11122.5 sq mm
Total	36.35%	22368.5 sq mm

Page 53

Ink	Percentage	Surface
Cyan	8.44%	5195.62 sq mm
Magenta	6.06%	3730.02 sq mm
Yellow	7.29%	4485.68 sq mm
Black	11.2%	6892.86 sq mm
Total	32.99%	20304.18 sq mm

Page 54

Ink	Percentage	Surface
Cyan	3.81%	2342.68 sq mm
Magenta	7.44%	4576.46 sq mm
Yellow	6.96%	4282.99 sq mm
Black	25.65%	15785.06 sq mm
Total	43.85%	26987.18 sq mm

Page 55

Ink	Percentage	Surface
Cyan	16.98%	10449.65 sq mm
Magenta	15.5%	9539.83 sq mm

Yellow	15.42%	9489.19 sq mm
Black	21.07%	12968.72 sq mm
Total	68.97%	42447.38 sq mm

Page 56

Ink	Percentage	Surface
Black	28.11%	17298.22 sq mm
Total	28.11%	17298.22 sq mm

Page 57

Ink	Percentage	Surface
Cyan	7%	4306.59 sq mm
Magenta	9.46%	5820.66 sq mm
Yellow	7.67%	4717.23 sq mm
Black	22.34%	13750.14 sq mm
Total	46.46%	28594.61 sq mm

Page 58

Ink	Percentage	Surface
Cyan	22.34%	13747.58 sq mm
Magenta	18.87%	11614.43 sq mm
Yellow	17.76%	10926.79 sq mm
Black	22.04%	13561.69 sq mm
Total	81%	49850.48 sq mm

Page 59

Ink	Percentage	Surface
Cyan	19.52%	12011.7 sq mm
Magenta	16.04%	9869.9 sq mm
Yellow	13.08%	8051.51 sq mm
Black	18.1%	11140.95 sq mm
Total	66.74%	41074.06 sq mm

Page 60

Ink	Percentage	Surface
Cyan	10.26%	6313.53 sq mm
Magenta	9.04%	5562.39 sq mm
Yellow	9.18%	5648.13 sq mm
Black	15.79%	9717.66 sq mm

Total	44.27%	27241.71 sq mm

Page 61

Ink	Percentage	Surface
Cyan	14.12%	8691.19 sq mm
Magenta	11.42%	7027.97 sq mm
Yellow	9.58%	5892.78 sq mm
Black	15.62%	9613.71 sq mm
Total	50.74%	31225.65 sq mm

Page 62

Ink	Percentage	Surface
Cyan	18.34%	11285.99 sq mm
Magenta	16.14%	9931.73 sq mm
Yellow	15.77%	9705.75 sq mm
Black	20.47%	12596.62 sq mm
Total	70.72%	43520.1 sq mm

Page 63

Ink	Percentage	Surface
Black	19.53%	12018.7 sq mm
Total	19.53%	12018.7 sq mm

Page 64

Ink	Percentage	Surface
Cyan	8.12%	4997.01 sq mm
Magenta	7.94%	4884.25 sq mm
Yellow	7.12%	4380.02 sq mm
Black	14.65%	9018.5 sq mm
Total	37.83%	23279.79 sq mm

Page 65

Ink	Percentage	Surface
Cyan	6.82%	4196.72 sq mm
Magenta	4.59%	2822.87 sq mm
Yellow	5.46%	3361.62 sq mm
Black	7.43%	4574.48 sq mm
Total	24.3%	14955.69 sq mm

Page 66

Ink	Percentage	Surface
Cyan	8.76%	5389.1 sq mm
Magenta	7.22%	4442.4 sq mm
Yellow	10.59%	6514.28 sq mm
Black	9.36%	5762.49 sq mm
Total	35.92%	22108.27 sq mm

Page 67

Ink	Percentage	Surface
Cyan	17.7%	10892.19 sq mm
Magenta	20.09%	12363.59 sq mm
Yellow	22.61%	13913.4 sq mm
Black	20.59%	12672.75 sq mm
Total	80.99%	49841.93 sq mm

Page 68

Ink	Percentage	Surface
Cyan	9.24%	5687.17 sq mm
Magenta	8.43%	5189.41 sq mm
Yellow	7.99%	4916.74 sq mm
Black	17%	10460.51 sq mm
Total	42.66%	26253.84 sq mm

Page 69

Ink	Percentage	Surface
Black	4.82%	2966.88 sq mm
Total	4.82%	2966.88 sq mm

Page 70

Ink	Percentage	Surface
Cyan	14.62%	8995.23 sq mm
Magenta	12.72%	7829.17 sq mm
Yellow	8.89%	5469.29 sq mm
Black	13.39%	8239.36 sq mm
Total	49.61%	30533.06 sq mm

Page 71

Ink	Percentage	Surface

Black	5.76%	3542.33 sq mm
Total	5.76%	3542.33 sq mm

Page 72

Ink	Percentage	Surface
Cyan	7.25%	4462.87 sq mm
Magenta	8.93%	5494.84 sq mm
Yellow	14.77%	9090.25 sq mm
Black	15.03%	9247.37 sq mm
Total	45.98%	28295.33 sq mm

Page 73

Ink	Percentage	Surface
Black	7.58%	4663.18 sq mm
Total	7.58%	4663.18 sq mm

Page 74

Ink	Percentage	Surface
Black	7.05%	4336.06 sq mm
Total	7.05%	4336.06 sq mm

Page 75

Ink	Percentage	Surface
Black	7.11%	4372.76 sq mm
Total	7.11%	4372.76 sq mm

Page 76

Ink	Percentage	Surface
Black	7.43%	4572.59 sq mm
Total	7.43%	4572.59 sq mm

Page 77

Ink	Percentage	Surface
Black	7.71%	4743.36 sq mm
Total	7.71%	4743.36 sq mm

Page 78

Ink	Percentage	Surface
Black	7.46%	4591.81 sq mm
Total	7.46%	4591.81 sq mm

Page 79

Ink	Percentage	Surface
Black	7.34%	4516.46 sq mm
Total	7.34%	4516.46 sq mm

Page 80

Ink	Percentage	Surface
Cyan	1.01%	622.03 sq mm
Magenta	1.22%	753.2 sq mm
Yellow	2.05%	1261.17 sq mm
Black	7.5%	4616.2 sq mm
Total	11.78%	7252.59 sq mm

Page 81

Ink	Percentage	Surface
Black	7.69%	4735.19 sq mm
Total	7.69%	4735.19 sq mm

Page 82

Ink	Percentage	Surface
Black	7%	4308.18 sq mm
Total	7%	4308.18 sq mm

Page 83

Ink	Percentage	Surface
Black	3.28%	2018.66 sq mm
Total	3.28%	2018.66 sq mm

Page 84

Ink	Percentage	Surface
Cyan	18.31%	11267.17 sq mm
Magenta	14.83%	9125.08 sq mm
Yellow	6.82%	4198.32 sq mm
Black	12.97%	7981.33 sq mm

Total	52.93%	32571.9 sq mm

Page 85

Ink	Percentage	Surface
Black	5.94%	3653.34 sq mm
Total	5.94%	3653.34 sq mm

Page 86

Ink	Percentage	Surface
Black	7.54%	4638.18 sq mm
Total	7.54%	4638.18 sq mm

Page 87

Ink	Percentage	Surface
Black	11.45%	7046.8 sq mm
Total	11.45%	7046.8 sq mm

Page 88

Ink	Percentage	Surface
Black	21.05%	12957.15 sq mm
Total	21.05%	12957.15 sq mm

Page 89

Ink	Percentage	Surface
Cyan	27.17%	16721.37 sq mm
Magenta	22.23%	13681.45 sq mm
Yellow	12.78%	7864.02 sq mm
Black	22.72%	13984.91 sq mm
Total	84.91%	52251.75 sq mm

Page 90

Ink	Percentage	Surface
Black	7.28%	4478.73 sq mm
Total	7.28%	4478.73 sq mm

Page 91

Ink	Percentage	Surface
Black	7.5%	4614.34 sq mm

Total	7.5%	4614.34 sq mm

Page 92

Ink	Percentage	Surface
Black	7.47%	4599.86 sq mm
Total	7.47%	4599.86 sq mm

Page 93

Ink	Percentage	Surface
Cyan	3.91%	2403.67 sq mm
Magenta	4.72%	2904.87 sq mm
Yellow	4.79%	2946.63 sq mm
Black	11.36%	6988.11 sq mm
Total	24.77%	15243.29 sq mm

Page 94

Ink	Percentage	Surface
Cyan	16.8%	10336.54 sq mm
Magenta	12.29%	7564.17 sq mm
Yellow	10.65%	6555.93 sq mm
Black	15.35%	9443.79 sq mm
Total	55.09%	33900.43 sq mm

Page 95

Ink	Percentage	Surface
Cyan	22.97%	14133.69 sq mm
Magenta	16.77%	10317.52 sq mm
Yellow	12.84%	7900.07 sq mm
Black	24.38%	15005.64 sq mm
Total	76.95%	47356.93 sq mm

Page 96

Ink	Percentage	Surface
Cyan	26.78%	16481.37 sq mm
Magenta	23.08%	14202.22 sq mm
Yellow	20.82%	12813.82 sq mm
Black	30.1%	18525.74 sq mm
Total	100.78%	62023.15 sq mm

Page 97

Ink	Percentage	Surface
Cyan	10.08%	6202.35 sq mm
Magenta	10.37%	6384.11 sq mm
Yellow	17.68%	10881.28 sq mm
Black	15.69%	9656.8 sq mm
Total	53.83%	33124.54 sq mm

Page 98

Ink	Percentage	Surface
Black	7.34%	4518.44 sq mm
Total	7.34%	4518.44 sq mm

Page 99

Ink	Percentage	Surface
Cyan	11.46%	7051.97 sq mm
Magenta	9.78%	6016.28 sq mm
Yellow	6.45%	3967.69 sq mm
Black	15.43%	9498.54 sq mm
Total	43.12%	26534.48 sq mm

Page 100

Ink	Percentage	Surface
Cyan	10.98%	6758.55 sq mm
Magenta	10.32%	6349.27 sq mm
Yellow	6.8%	4184.12 sq mm
Black	12.86%	7914.09 sq mm
Total	40.96%	25206.03 sq mm

Page 101

Ink	Percentage	Surface
Cyan	15.17%	9334.29 sq mm
Magenta	10.04%	6179.37 sq mm
Yellow	7.94%	4886.88 sq mm
Black	14.36%	8835.3 sq mm
Total	47.51%	29235.84 sq mm

Page 102

Ink	Percentage	Surface

Black	18.98%	11677.56 sq mm
Total	18.98%	11677.56 sq mm

Page 103

Ink	Percentage	Surface
Cyan	18.14%	11164.73 sq mm
Magenta	19.31%	11883.22 sq mm
Yellow	14.41%	8868.04 sq mm
Black	19.84%	12209.25 sq mm
Total	71.7%	44125.24 sq mm

Page 105

Ink	Percentage	Surface
Black	5.99%	3683.78 sq mm
Total	5.99%	3683.78 sq mm

Page 106

Ink	Percentage	Surface
Black	7.71%	4742.96 sq mm
Total	7.71%	4742.96 sq mm

Page 107

Ink	Percentage	Surface
Cyan	10.07%	6197.38 sq mm
Magenta	10.72%	6595.86 sq mm
Yellow	8%	4923.76 sq mm
Black	15.81%	9727.51 sq mm
Total	44.6%	27444.51 sq mm

Page 108

Ink	Percentage	Surface
Cyan	19.43%	11957.2 sq mm
Magenta	19.63%	12083.42 sq mm
Yellow	13.53%	8328.15 sq mm
Black	20.95%	12890.38 sq mm
Total	73.54%	45259.15 sq mm

Page 109

Ink Information

Ink	Percentage	Surface
Black	25.27%	15550.1 sq mm
Total	25.27%	15550.1 sq mm

Page 110

Ink	Percentage	Surface
Cyan	12.12%	7458.12 sq mm
Magenta	10.88%	6696.74 sq mm
Yellow	5.85%	3598.04 sq mm
Black	24.61%	15144.58 sq mm
Total	53.46%	32897.49 sq mm

Page 111

Ink	Percentage	Surface
Cyan	29.39%	18088.43 sq mm
Magenta	27.26%	16777.7 sq mm
Yellow	20.28%	12481.75 sq mm
Black	26.96%	16588.91 sq mm
Total	103.89%	63936.79 sq mm

Page 112

Ink	Percentage	Surface
Black	7.44%	4578.23 sq mm
Total	7.44%	4578.23 sq mm

Page 113

Ink	Percentage	Surface
Black	7.76%	4772.9 sq mm
Total	7.76%	4772.9 sq mm

Page 114

Ink	Percentage	Surface
Black	7.38%	4542.14 sq mm
Total	7.38%	4542.14 sq mm

Page 115

Ink	Percentage	Surface
Black	7.3%	4492.39 sq mm

Total	7.3%	4492.39 sq mm

Page 116

Ink	Percentage	Surface
Black	22.12%	13610.44 sq mm
Total	22.12%	13610.44 sq mm

Page 117

Ink	Percentage	Surface
Black	24.89%	15319.74 sq mm
Total	24.89%	15319.74 sq mm

Page 118

Ink	Percentage	Surface
Cyan	15.95%	9816.51 sq mm
Magenta	15%	9234 sq mm
Yellow	16.43%	10109.32 sq mm
Black	17.44%	10730.62 sq mm
Total	64.82%	39890.45 sq mm

Page 119

Ink	Percentage	Surface
Black	1.87%	1148.05 sq mm
Total	1.87%	1148.05 sq mm

Page 120

Ink	Percentage	Surface
Cyan	23.36%	14376.18 sq mm
Magenta	31.58%	19435.23 sq mm
Yellow	28.92%	17800.29 sq mm
Black	29.59%	18212.71 sq mm
Total	113.46%	69824.41 sq mm

Page 121

Ink	Percentage	Surface
Black	6.24%	3841.86 sq mm
Total	6.24%	3841.86 sq mm

Page 122

Ink	Percentage	Surface
Black	7.72%	4751.69 sq mm
Total	7.72%	4751.69 sq mm

Page 123

Ink	Percentage	Surface
Black	8%	4922.68 sq mm
Total	8%	4922.68 sq mm

Page 124

Ink	Percentage	Surface
Black	3.71%	2283.69 sq mm
Total	3.71%	2283.69 sq mm

Page 125

Ink	Percentage	Surface
Black	6.17%	3794.82 sq mm
Total	6.17%	3794.82 sq mm

Page 126

Ink	Percentage	Surface
Black	7.65%	4709.14 sq mm
Total	7.65%	4709.14 sq mm

Page 127

Ink	Percentage	Surface
Black	7.97%	4901.85 sq mm
Total	7.97%	4901.85 sq mm

Page 128

Ink	Percentage	Surface
Black	7.97%	4903.39 sq mm
Total	7.97%	4903.39 sq mm

Page 129

Ink	Percentage	Surface

Black	7.85%	4833.55 sq mm
Total	7.85%	4833.55 sq mm

Page 130

Ink	Percentage	Surface
Black	7.89%	4855.69 sq mm
Total	7.89%	4855.69 sq mm

Page 131

Ink	Percentage	Surface
Black	7.55%	4644.61 sq mm
Total	7.55%	4644.61 sq mm

Page 132

Ink	Percentage	Surface
Black	7.79%	4791.53 sq mm
Total	7.79%	4791.53 sq mm

Page 133

Ink	Percentage	Surface
Black	7.72%	4749.16 sq mm
Total	7.72%	4749.16 sq mm

Page 134

Ink	Percentage	Surface
Black	8.03%	4940.88 sq mm
Total	8.03%	4940.88 sq mm

Page 135

Ink	Percentage	Surface
Black	7.78%	4788.51 sq mm
Total	7.78%	4788.51 sq mm

Page 136

Ink	Percentage	Surface
Black	3.34%	2058.05 sq mm
Total	3.34%	2058.05 sq mm

Page 137

Ink	Percentage	Surface
Black	6.02%	3706.37 sq mm
Total	6.02%	3706.37 sq mm

Page 138

Ink	Percentage	Surface
Black	1.06%	654.62 sq mm
Total	1.06%	654.62 sq mm

Page 139

Ink	Percentage	Surface
Black	6.32%	3891.26 sq mm
Total	6.32%	3891.26 sq mm

Page 140

Ink	Percentage	Surface
Black	3.31%	2039 sq mm
Total	3.31%	2039 sq mm

Page 141

Ink	Percentage	Surface
Black	6.21%	3823.93 sq mm
Total	6.21%	3823.93 sq mm

Page 142

Ink	Percentage	Surface
Black	7.61%	4683.6 sq mm
Total	7.61%	4683.6 sq mm

Page 143

Ink	Percentage	Surface
Black	7.47%	4598.22 sq mm
Total	7.47%	4598.22 sq mm

Page 144

Ink	Percentage	Surface

Black	7.96%	4899.97 sq mm
Total	7.96%	4899.97 sq mm

Page 145

Ink	Percentage	Surface
Black	7.49%	4606.83 sq mm
Total	7.49%	4606.83 sq mm

Page 146

Ink	Percentage	Surface
Black	0.78%	479.72 sq mm
Total	0.78%	479.72 sq mm

Page 147

Ink	Percentage	Surface
Black	6.23%	3836.14 sq mm
Total	6.23%	3836.14 sq mm

Page 148

Ink	Percentage	Surface
Black	7.75%	4771.12 sq mm
Total	7.75%	4771.12 sq mm

Page 149

Ink	Percentage	Surface
Black	1.39%	858.49 sq mm
Total	1.39%	858.49 sq mm

Page 151

Ink	Percentage	Surface
Black	5.38%	3309.74 sq mm
Total	5.38%	3309.74 sq mm

Page 152

Ink	Percentage	Surface
Black	7.37%	4538.1 sq mm
Total	7.37%	4538.1 sq mm

Page 153

Ink	Percentage	Surface
Black	7.11%	4376.27 sq mm
Total	7.11%	4376.27 sq mm

Page 154

Ink	Percentage	Surface
Black	7.01%	4311.44 sq mm
Total	7.01%	4311.44 sq mm

Page 155

Ink	Percentage	Surface
Black	7.18%	4419.93 sq mm
Total	7.18%	4419.93 sq mm

Page 156

Ink	Percentage	Surface
Black	7.44%	4581.7 sq mm
Total	7.44%	4581.7 sq mm

Page 157

Ink	Percentage	Surface
Black	7.24%	4455.24 sq mm
Total	7.24%	4455.24 sq mm

Page 158

Ink	Percentage	Surface
Black	2.54%	1561.74 sq mm
Total	2.54%	1561.74 sq mm

Page 159

Ink	Percentage	Surface
Black	2.55%	1571.72 sq mm
Total	2.55%	1571.72 sq mm

Page 161

Ink	Percentage	Surface

Black	4.95%	3046.21 sq mm
Total	4.95%	3046.21 sq mm

Page 162

Ink	Percentage	Surface
Black	6.14%	3780.05 sq mm
Total	6.14%	3780.05 sq mm

Page 163

Ink	Percentage	Surface
Black	2.41%	1482.32 sq mm
Total	2.41%	1482.32 sq mm

Page 164

Ink	Percentage	Surface
Black	3.09%	1901.76 sq mm
Total	3.09%	1901.76 sq mm

Page 165

Ink	Percentage	Surface
Black	2.73%	1681.99 sq mm
Total	2.73%	1681.99 sq mm

Page 166

Ink	Percentage	Surface
Black	2.77%	1706.39 sq mm
Total	2.77%	1706.39 sq mm

Page 167

Ink	Percentage	Surface
Black	2.53%	1557.1 sq mm
Total	2.53%	1557.1 sq mm

Output Intents

GTS_PDFX

Output condition	ISO Coated v2 300% (ECI)
Output condition identifier	Custom
Additional information	ISO Coated v2 300% (ECI)
Destination output profile	ISO Coated v2 300% (ECI)